


ACCEPTED

hockwald



DRIANONE DUST

ACTIVE INGREDIENTS: 100%
Pyrethrins 1.00%, Technical piperonyl butoxide* 10.00%,
Ammonium fluosilicate 1.88%, Amorphous silica gel 38.12%,
Petroleum hydrocarbons 49.00%

* Equivalent to 8.00% of (butylcarbityl) (6-propylpiperonyl) ether and to 2.00% of related compounds.

EPA Reg. No. 1111-131-AA

CAUTION

KEEP OUT OF REACH OF CHILDREN

Avoid inhalation of the powder. Wash hands with soap and water after handling.

Do not reuse empty container. Destroy it by burying with waste or burning. Stay away from smoke or fumes.

Foods should be removed or covered during treatment. All food processing surfaces should be covered during treatment or thoroughly cleaned before using. When using the product in these areas, apply only when the facility is not in operation.

DRIANONE DUST is a highly effective powder combining the insect killing and the flushing action of Pyrethrins and Piperonyl butoxide.

Use in homes, basements, storage areas, apartment buildings, public buildings, warehouses, park buildings, hotels and schools.

Do not use in commercial food preparation areas or in edible products areas of food processing plants.

NET CONTENTS _____ POUNDS

In w
hous
roact
the
appli
basel
open
be gi
Repe

In
infes
feet
with
porta
abou
be di

Flea
rub
the t

DRIANONE DUST

ACTIVE INGREDIENTS: 100%
Pyrethrins 1.00%, Technical piperonyl butoxide* 10.00%,
Ammonium fluosilicate 1.88%, Amorphous silica gel 38.12%,
Petroleum hydrocarbons 49.00%

* Equivalent to 8.00% of (butylcarbityl) (6-propylpiperonyl) ether and to 2.00% of related compounds.

EPA Reg. No. 1111-131-AA

CAUTION

KEEP OUT OF REACH OF CHILDREN

Avoid inhalation of the powder. Wash hands with soap and water after handling.

Do not reuse empty container. Destroy it by burying with waste or burning. Stay away from smoke or fumes.

Foods should be removed or covered during treatment. All food processing surfaces should be covered during treatment or thoroughly cleaned before using. When using the product in these areas, apply only when the facility is not in operation.

DIRECTIONS

In warehouses, housing authorities, motels, institutions, apartment houses, sanitation plants and power plants – to control ants, roaches and silverfish, apply the powder lightly but thoroughly at the rate of 2 ounces per 100 sq. ft. of surface area. Liberal application should be made to cracks, crevices and recesses around baseboards, shelves, moldings, sinks and water pipes or other openings where insects hide and breed. Particular attention should be given to storerooms, kitchen areas, service areas and bath rooms. Repeat treatment as needed.

In sewers – to control American and Oriental cockroach infestations, use 0.3 lb. per manhole. In sewers one manhole per 200 feet of line should be treated. Remove manhole cover and replace with a disc of plywood bored to receive the flexible hose from portable ventilating equipment. A one pound coffee can will hold about 0.3 lb. This amount is introduced into the ventilating air, to be dispersed quickly and thoroughly through the system.

Fleas – dogs and cats – Liberally apply powder to the animal, rubbing thoroughly to the skin. Begin with the neck and apply to the body, legs, feet and tail. Repeat as necessary.

MANUFACTURED BY

HOCKWALD CHEMICALS

A Division of

OXFORD CHEMICALS

P.O. Box 227, Brisbane, Calif. 94005

7201 Paramount Blvd., Pico Rivera 90660

ESTABLISHED SINCE 1900