

San-O-Six

1111-134 Y PM 31

10-80-70

PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals

DANGER

Keep out of reach of children. Causes skin irritation. May cause eye damage. Protect eyes when handling concentrate. Do not get in eyes, on skin or on clothing. Harmful if swallowed. Avoid contamination of food.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

STORAGE AND DISPOSAL

DO NOT CONTAMINATE WATER, FOOD OR FEED BY STORAGE OR DISPOSAL.

PESTICIDE DISPOSAL

Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture, or residue is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

CONTAINER DISPOSAL

Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or incineration, or, if allowed by state and local authorities, by burning. If burned, stay out of smoke.

DESCRIPTION

OXFORD SAN-O-SIX is a cleaner, disinfectant, and sanitizer, designed for institutional use, such as FOOD PROCESSING PLANTS, HOSPITALS, NURSING HOMES, and SCHOOLS, where housekeeping will be of prime importance. Hard surface disinfection using OXFORD SAN-O-SIX can provide the assurance you need in this area, when used as directed. Non-deteriorous to aluminum, tin, plain steel, rubber, asphalt, linoleum or any surface on which water can be used.

I.C.C.: Compound, Cleaning, Liquid

Cleaner • Disinfectant Deodorizer • Fungicide

Designed for Hospital and Institutional Use

ACTIVE INGREDIENTS:

Alkyl (60% C₁₄, 30% C₁₆, 5% C₁₂, 5% C₁₈)
dimethyl benzyl ammonium chlorides 2.26%

Alkyl (68% C₁₂, 32% C₁₄) dimethyl
ethylbenzyl ammonium chlorides 2.26%

INERT INGREDIENTS: 95.48 %
TOTAL 100.00%

KEEP OUT OF REACH OF CHILDREN

DANGER

Statement of Practical Treatment

In case of contact, immediately flush eyes, or skin with plenty of water for at least 15 minutes. For eyes, call a physician. Remove and wash all contaminated clothing before reuse. If swallowed, do not induce vomiting. Drink large quantities of fluid and call a physician immediately.

EPA Reg. No. 1111-134-AA
EPA Est. 3635-GA-1

NET CONTENTS _____ GALS.

LS-25A
OL76
(C87)

A.O.A.C. USE DILUTION CONFIRMATION TESTS

(11) Edition

Staphylococcus aureus 1:128
Salmonella choleraesuis 1:128
Pseudomonas aeruginosa (PRD-10) 1:64

A.O.A.C. OFFICIAL FUNGICIDAL TEST

(11) Edition
Trichophyton interdigitale 1:128

DIRECTIONS

A. For Sanitizing and Cleaning Food Processing Equipment

1. **Cleaning and Sanitizing Equipment in meat packing plants:** Mop, swab or spray a solution of 1 oz. OXFORD SAN-O-SIX per gallon of water onto surface. Allow 10 minutes contact time. Rinse thoroughly with potable water.
2. **Heavily Soiled Surfaces:** Follow same procedure in part (1) except use a solution of 2 oz. OXFORD SAN-O-SIX per gallon of warm water. Use agitation where possible. Rinse with potable water.
3. **Food equipment or other food contact items:** Use 1/2 oz. OXFORD SAN-O-SIX per gallon of water. Mop, wipe or spray solution on equipment. Drain and dry equipment before reuse if rinse is not used.

B. For Hospital Disinfection

1. Use at 2 oz. per gallon. OXFORD SAN-O-SIX will be effective against Pseudomonas aeruginosa PRD-10. Mop or swab this solution onto surface. Allow 10 minutes contact time.

C. For General Disinfection. To disinfect athlete's foot fungi on surfaces:

1. Prepare a solution of 1 oz. OXFORD SAN-O-SIX per gallon of water. Mop or spray this onto floors and other surfaces normally contacted by the feet in locker rooms, showers, and around swimming pools.

BEST AVAILABLE COPY