


# hockwald



A CONSOLIDATED FOODS COMPANY • RESPONSIVE TO CONSUMER NEEDS

### DIRECTIONS

**STORED GRAINS:** For the protection of stored grains (such as wheat, oats, rice, corn, rye, barley, grain sorghum) against confused flour beetles, rice weevils, granary weevils, saw-toothed grain beetles, flat grain beetle, red flour beetle, rusty grain beetle, lesser grain borer and Indian meal moths, apply as grain is being loaded or turned into final storage. 1 pint of Malacorse in 2 to 5 gal. of water per 1,000 bushels. To protect stored grains from Indian meal moth, apply to surface of clean or uninfested grain, 1/2 pt. of Malacorse in 1 to 2 gal. of water per 1,000 sq. ft. of grain surface area. Apply spray evenly over surface of grain. Apply immediately after grain is loaded into storage and repeat if necessary. For residual wall, floor, machinery, grain elevators, truck beds, box cars, and ships' holds before loading grain, apply 1 gal. Malacorse per 25 gal. of water, making thorough application. Before applying spray, clean elevators, box cars, and similar areas thoroughly. Remove and burn all sweepings and debris.

NET CONTENTS

# MALACORSE

**A WATER DISPERSIBLE CONCENTRATE  
CONTAINING 5 POUNDS ACTUAL  
PREMIUM GRADE MALATHION PER GALLON.**

ACTIVE INGREDIENT: . . . . . 92.0%  
Malathion \* 57.0%, Aromatic petroleum derivative  
solvent 35.0%

INERT INGREDIENT: . . . . . 8.0%  
\* O, O-Dimethyl Dithiophosphate of Diethyl Mer-  
captosuccinate.

**EPA NO. 1111-139 AA  
CAUTION**

**KEEP OUT OF REACH OF CHILDREN**

Harmful if swallowed. Avoid breathing of spray mist and contact with skin. Wash thoroughly after using. Avoid contamination of feed and foodstuffs. Malacorse upon use may cause cholinesterase inhibition. Atropine is antidotal. **DO NOT USE, POUR, SPILL OR STORE NEAR HEAT OR OPEN FLAME.**

Do not reuse empty drum. Return to drum conditioner or destroy by perforating or crushing and burying in a safe place.

This product is toxic to fish. Do not contaminate water by cleaning of equipment or disposal of wastes.

Do not use in edible products areas or food processing plants, restaurants or other areas where food is commercially prepared or processed. Do not use in serving areas while food is exposed.

J 72

**RESIDUAL SPRAY — BOX CARS FOR LOADING AND TRANSPORTING BAGGED FLOUR AND PACKAGED CEREALS:** For control of the exposed stages of confused flour beetle, rice weevil, granary weevil, saw-toothed grain beetle, flat grain beetle, red flour beetle, rusty grain beetle, lesser grain borer, Indian meal moth and mite pests infesting empty box cars into which bagged flour and packaged cereals are to be loaded and transported, apply Malacorse as follows: Clean box car thoroughly, then remove and burn all sweepings and debris. Spray walls and floor to the point of run-off with either 1 gal. Malacorse in 25 gal. of water, or 1 gal. Malacorse in 19 gal. of deodorized kerosene. (The deodorized kerosene solution should be made up of 4 parts kerosene-type solvent plus 1 part aromatic hydrocarbon-type solvent.) Let sprayed box car stand empty with doors open until the spray has thoroughly dried. Line walls and floor of the box car with kraft paper before loading.

**HOUSEHOLD INSECTS:** For the control of ants, clove mites, crickets, earwigs, roaches, scorpions, silverfish and spiders, dairy and food-processing plants use 6 1/2 fluid oz. Malacorse per gal. of water. Spray or paint brush window sills, baseboards, under sinks, drainboards, stoves, cracks and crevices and other areas frequented by insects.

MANUFACTURED BY

**HOCKWALD CHEMICALS**

A Division of

**OXFORD CHEMICALS**

P.O. Box 227, Brisbane, Calif. 94005

7201 Paramount Blvd., Pico Rivera 90660

ESTABLISHED SINCE 1900

HIS - 7