


1111-147
 RECEIVED
 DEPT. OF
 AGRICULTURE
 WASHINGTON, D.C.

hockwald



A CONSOLIDATED FOODS COMPANY • RESPONSIVE TO CONSUMER NEEDS

GENERAL DIRECTIONS

INSTANTCIDE USED AS A WINERY SPRAY: FOR USE BY TRAINED PERSONNEL ONLY. To control fruit flies apply as a 1 percent fogging solution, dilute 1 pt. with 8 1/2 gals. of diesel oil to prepare a 1 percent solution. One gal of a 1 percent fogging solution will treat 64,000 cu.ft. Apply when the winery is not in operation. Make applications 2 or 3 times a week depending upon the actual fruit fly population. Make areas to be treated as air tight as practical by closing large ventilators, doors, windows, etc. and keep closed for at least 15 minutes after treatment. Occupants should vacate before indoor treatments and should not reoccupy the premises until they have been ventilated. After application open several windows or doors to create air currents to insure reduction of VAPONA insecticide vapors. Food should be removed and food handling equipment covered during application or washed after application is completed. During fogging indoors use a mask or respirator of a type passed by the U.S. Bureau of Mines for DDVP VAPONA insecticide protection.

NET CONTENTS

1.0% VAPONA[®] INSECTICIDE ANIMAL SPRAY SOLUTION

INSTANTCIDE

1.0% VAPONA[®] INSECTICIDE ANIMAL SPRAY SOLUTION

ACTIVE INGREDIENTS	BY WEIGHT
*2, 2 dichlorovinyl dimethyl phosphate	0.93%
*Related Compounds	0.07%
Petroleum Hydrocarbons	99.00%
TOTAL	100.00%

* Equivalent to 1.0% of VAPONA Insecticide.
 ** VAPONA is the registered trade mark of Shell Chemical Company.

EPA REG. No. 1111-147 AA

WARNING

KEEP OUT OF THE REACH OF CHILDREN

MAY BE FATAL IF SWALLOWED, INHALED OR ABSORBED THROUGH THE SKIN. Wash thoroughly with soap and water after handling and before eating or smoking. Do not contaminate feed, water or foodstuffs. Keep out of the reach of children. If swallowed, induce vomiting immediately, and get medical attention. Atropine is antidote.
 Do not reuse empty drum. Return to original condition or destroy by perforating or crushing and burying in a safe place. Do not use for purposes other than those for which it was intended. NEAR HEAT, FIRE, FLAME.

INSTANTCIDE USED AS insects attacking livestock. Apply 1 to 2 fluid ounce daily with hand or automatic sprayer, including the legs. Use 1 to 2 fluid ounces per animal per day. To use as a space spray treat 8,000 cubic feet. Be sure to close doors, windows, etc. by closing doors, windows, etc. Do not contaminate water. Do not use this solution for fogging application within 8 hours. Operators should remain out of treated areas.

HOCKWALD
 OXF
 P.O. Box
 7201 Parar

ESTABLISHED

1111-147
 DE
 AT
 ER

Instant ID INSTANTCIDE

1.0% VAPONA[®] INSECTICIDE ANIMAL SPRAY SOLUTION

ACTIVE INGREDIENTS	BY WEIGHT
* 2, 2 dichlorovinyl dimethyl phosphate	0.93%
* Related Compounds	0.07%
Petroleum Hydrocarbons	99.00%
TOTAL	100.00%

* Equivalent to 1.0% of VAPONA Insecticide.
 ** VAPONA is the registered trade mark of Shell Chemical Company.

EPA REG. No. 1111-147 AA

WARNING

KEEP OUT OF THE REACH OF CHILDREN

MAY BE FATAL IF SWALLOWED, INHALED OR ABSORBED THROUGH THE SKIN. Wash thoroughly with soap and water after handling and before eating or smoking. Do not contaminate feed, water or foodstuffs. Keep out of the reach of children. If swallowed, induce vomiting immediately and get medical attention. Atropine is antidote.
 Do not reuse empty drum. Return to manufacturer or destroy by perforating or crushing and burying in a safe place. NEVER POUR, SPILL OR STORE NEAR HEAT OR OPEN FLAME.

DIRECTIONS

INSTANTCIDE USED AS AN ANIMAL SPRAY SOLUTION in the control of certain insects attacking livestock: houseflies, horn flies, stable flies, face flies, mosquitoes.

Apply 1 to 2 fluid ounces of a 1.0 percent solution per animal as a mist spray daily with hand or automatic sprayer. Spray to thoroughly cover all parts of the animal, including the legs but do not wet the skin. Do not apply in excess of 2 fluid ounces per animal per day.

To use as a space spray in animal barns, use 1 pint of INSTANTCIDE as a fog to treat 8,000 cubic feet. Before applying, reduce air movement as much as possible by closing doors, windows, and other openings. Do not treat animals or humans. Do not contaminate water, feed, or foodstuffs, milk or milking utensils. Do not use this solution for fogging purposes in areas where animals have received direct application within 8 hours. When using Fogging apparatus the apparatus and operator should remain outdoors and the fog directed into the enclosure.

NOTICE OF WARRANTY

HOCKWALD CHEMICALS warrants its liability being limited to the purchase price of the product named on this label that this product consists of the ingredients specified, and shall have no responsibility whatsoever for injury to persons or loss or damage to property, resulting from not using, handling, or storing this product according to directions of this label.

MANUFACTURED BY

HOCKWALD CHEMICALS
 A Division of
OXFORD CHEMICALS
 P.O. Box 227, Brisbane, Calif. 94005
 7201 Paramount Blvd., Pico Rivera 90660

ESTABLISHED SINCE 1900

PERSONNEL
 e 1 pt. with
 a 1 percent
 operation.
 fly popula
 ventilators
 ment. Occu
 py the pre
 windows or
 ide vapors
 ing applica
 use a mask
 VAPONA