

1117-30

06/13/1955

1/1

With letter of JUN 3 1955
application

FORT DODGE

One Gallon

NOLVASAN SOLUTION

COMPOSITION

Active Ingredient: Hexamethylenebis (p-chloro-phenyl-diguanide)
diacetate..... 2%
Inert Ingredients: 98%

GENERAL DIRECTIONS

After thorough washing, rinse the containers or utensils in a solution, made by adding 1 tablespoonful to each gallon or 1 dispenserful to each 2 gallons of clean water.

For aiding in the control of virus diseases, such as infectious bronchitis or canine distemper-clean the walls, cages or utensils thoroughly and spray the surfaces with a diluted NOLVASAN SOLUTION made by adding 1-2 tablespoonfuls or 1 dispenserful to each gallon of clean water.

Cloths used for udder cleansing should remain in the disinfectant solution for 2 minutes before applying. This will aid in the control of mastitis.

Caution: NOLVASAN in its concentrated form may be irritating to eyes, skin or mucous membranes. Wash exposed tissues thoroughly. Avoid contamination of feed or foodstuffs.

FORT DODGE LABORATORIES, INC.
FORT DODGE, IOWA

Sales to Veterinarians Only

Made in U.S.A.

Submitted on 6-3-55 in connection with
application for registration, dated 5-2-55
under the Federal Insecticide, Fungicide, and
Rodenticide Act.
Registration No. 1117-30 issued by
U. S. Dept of Agriculture on 6-13-55