1 gallon

ACCEPTED 4/23/68

(CHLORHEXIDINE)

Virucide†

Active ingredient: 1, 1'-Hexamethylenebis	[5-(p-chlorophenyl)	·
		2%
Inert ingredients		

Directions

†For disinfection of inanimate objects to aid in the control of canine distemper virus, equine influenza virus, transmissible gastro-enteritis virus, hog cholera virus, parainfluenza-3 virus, bovine rhinotracheitis virus, bovine virus diarrhea virus, infectious bronchitis and Newcastle virus-after thorough cleaning, wash or rinse walls, cages or utensils with a solution made by adding 3 ounces (6 tablespoonfuls) of Nolvasan Solution to each gallon of clean water.

Nolvasan Solution has been shown to be virucidal in vitro against rabies virus (CVA strain) in laboratory tests when used as directed above.

For general disinfection-after thorough cleaning, wash or rinse walls, cages or utensils with a solution made by adding 1 ounce (2 tablespoonfuls) of Noivasan Solution to each gallon of clean water. Not effective against gram-positive pyogenic cocci.

CAUTION: Keep out of reach of children. May be irritating to eyes or mucous membranes. Avoid contamination of feed and foodstuffs.

Made in U.S.A. by arrangement with Imperial Chemical Industries, Limited

Fort Dodge Laboratories, Inc.

Fort Dodge, Iowa Sales to Veterinarians Only
*®619,354 of related company CFH U.S.D.A. Reg. No. 1117-30