


1117-48

04/23/1968

1/1



1 gallon

## NOLVASAN-S\*

(CHLORHEXIDINE)

Virucide†

## Active ingredient:

1, 1'-Hexamethylenebis [5-(p-chlorophenyl)  
biguanide] diacetate ..... 2%  
Inert ingredients ..... 98%

### Directions

†For disinfection of inanimate objects to aid in the control of canine distemper virus, equine influenza virus, transmissible gastro-enteritis virus, hog cholera virus, parainfluenza-3 virus, bovine rhinotracheitis virus, bovine virus diarrhea virus, infectious bronchitis and Newcastle virus—after thorough cleaning, wash or rinse walls, cages or utensils with a solution made by adding 3 ounces (6 tablespoonfuls) of Nolvasan-S to each gallon of clean water.

Nolvasan-S has been shown to be virucidal in vitro against rabies virus (CVA strain) in laboratory tests when used as directed above.

For general disinfection — after thorough cleaning, wash or rinse walls, cages or utensils with a solution made by adding 1 ounce (2 tablespoonfuls) of Nolvasan-S to each gallon of clean water. Not effective against gram-positive pyogenic cocci.

**CAUTION:** Keep out of reach of children. May be irritating to eyes or mucous membranes. Avoid contamination of feed and foodstuffs.

Made in U.S.A. by arrangement with  
Imperial Chemical Industries, Limited

**Fort Dodge Laboratories, Inc.**

Fort Dodge, Iowa

Sales to Veterinarians Only

\*@619,354 of related company CFH U.S.D.A. Reg. No. 1117-48