


# Nolvasan "S"

**ACCEPTED**  
JUN 18 1969  
UNDER THE FEDERAL INSECTICIDE  
FUNGICIDE AND RODENTICIDE ACT  
FOR ECONOMIC POISON REGISTER  
ED UNDER NO. 1117-48

One Pint



## NOLVASAN "S"

(Chlorhexidine)  
VIRUCIDE†

Active ingredient:  
1,1'-Hexamethylenebis [5-(p-chlorophenyl)  
biguanide] diacetate ..... 2%  
Inert ingredients: ..... 98%

**CAUTION:** Keep out of reach of children. See back panel for other cautions.

Made in U.S.A. by arrangement with  
Imperial Chemical Industries Limited  
**FORT DODGE LABORATORIES, INC.,**  
Fort Dodge, Iowa 50501  
Sales to Veterinarians Only

# Nolvasan "S"

### DIRECTIONS

†For disinfection of inanimate objects to aid in the control of canine distemper virus, equine influenza virus, transmissible gastro-enteritis virus, hog cholera virus, parainfluenza-3 virus, bovine rhinotracheitis virus, bovine virus diarrhea virus, infectious bronchitis and Newcastle virus—after thorough cleaning wash or rinse walls, cages or utensils with a solution made by adding 3 ounces (6 tablespoonfuls) of Nolvasan-S to each gallon of clean water.

Nolvasan-S has been shown to be virucidal in vitro against rabies virus (CVS strain) in laboratory tests when used as directed above.

For general disinfection—after thorough cleaning, wash or rinse walls, cages or utensils with a solution made by adding 1 ounce (2 tablespoonfuls) of Nolvasan-S to each gallon of clean water. Not effective against gram-positive pyogenic cocci.

**Caution:** May be irritating to eyes or mucous membranes. Avoid contamination of feed or foodstuffs.

U.S.D.A. Reg. No. 1117-48

DFI

®8619,354 of related company

L

000000

000000

87-6111

06/15/1969

1/1