

BEST AVAILABLE COPY

(315) 472-3998

Sci

r4 file: 1 11.15.94 op: ls/bl area: M3/FDL folder

(315) 472

code: FDL job: 5126 Fort Dodge Nolvasan S 1 gallon label
14" x 5" 0406M

SCHUELER CO

SCHUELER COMMUNICATIONS, inc.

ACCEPTED
JAN 17 1995
Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, for the pesticide registered under EPA Reg. No. 1117-48

Nolvasan S

Chlorhexidine diacetate

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Veterinary or Farm Premises

1. Remove all animals and feed from premises, vehicles and other equipment.
2. Remove all litter and manure from floors, walls and surfaces of barns, pens, stalls, chutes and other facilities and fixtures occupied or traversed by animals.
3. Empty all troughs, racks and other feeding and watering appliances.
4. Thoroughly clean all surfaces with soap or detergent and rinse with water.
5. Saturate all surfaces with the recommended disinfecting solution for a period of 10 minutes.
6. Immerse all halters, ropes and other types of equipment used in handling and restraining animals, as well as forks, shovels and scrapers used for removing litter and manure.
7. Ventilate buildings, vehicles and other closed spaces. Do not house livestock or employ equipment until treatment has been absorbed, set or dried.
8. Thoroughly scrub all treated feed racks, mangers, troughs, automatic feeders, fountains and waterers with soap or detergent, and rinse with potable water before reuse.

PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS (AND DOMESTIC ANIMALS)

CAUTION

May be harmful if swallowed. May be irritating to eyes or mucous membranes. In case of contact, immediately flush eyes with plenty of water. Get medical attention if irritation persists.

Environmental Hazards

Keep out of lakes, ponds or streams. Do not contaminate water by cleaning of equipment or disposal of wastes

Nolvasan® S
Chlorhexidine diacetate

Scented Disinfectant

Bactericide Virucide†
For Animal Use Only



Active Ingredient:	
1,1'-Hexamethylenebis [5-(p-chlorophenyl) biguanide] diacetate	2%
Inert Ingredients	98%
	100%

KEEP OUT OF REACH OF CHILDREN

CAUTION

SEE SIDE PANEL FOR ADDITIONAL
PRECAUTIONARY STATEMENTS

1 Gallon (3.7 L)

For cleaning, disinfection

Recommended Concentration For

†For disinfection of inanimate objects† equine influenza virus, transmissible parainfluenza-3 virus, bovine rhinotracheitis virus, Newcastle disease virus, equine rhinopneumonitis virus, virus, equine arteritis virus and coronavirus (CVS) per gallon of clean water. Cidal *in vitro* against rabies virus (CVS) directed above.

For disinfection of veterinary or farm premises per gallon of clean water.

Not effective against *Pseudomonas* on inanimate surface.*

*According to A.O.A.C. Use Dilution Table

STORAGE AND

PROHIBITION: Do not contaminate water. Open dumping is prohibited. Do not freeze.

PESTICIDE DISPOSAL: Wastes residues should be disposed of on site or at an approved location.

CONTAINER DISPOSAL: Do not reuse. Rinse and discard in trash.

GENERAL: Consult federal, state or local health department for alternative procedures such as limited use.

Fort Dodge Laboratories
Fort Dodge, ND

EPA Est. No. 1117-IA-2

BEST AVAILABLE COPY

(315) 472-3998



SCHUELER COMMUNICATIONS, inc.

r4 file: 1 11.15.94 op: ls/bl area: M3/FDL folder

code: FDL job: 5126 Fort Dodge Nolvasan S 1 gallon label
14" x 5" 0:06M

(315) 472-3998



SCHUELER COMMUNICATIONS, inc.

PMS
PMS
PMS

ACCEPTED

JAN 17 1995

Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, for the pesticide registered under EPA Reg. No. 1117-48

Nolvasan[®] S

Chlorhexidine diacetate

Scented Disinfectant

Bactericide Virucide†

For Animal Use Only



Active Ingredient:

1,1'-Hexamethylenebis [5-(p-chlorophenyl) biguanide] diacetate

2%

Inert Ingredients

98%

100%

KEEP OUT OF REACH OF CHILDREN

CAUTION

SEE SIDE PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS

1 Gallon (3.7 L)

For cleaning, disinfection, deodorizing

Recommended Concentration For Use

†For disinfection of inanimate objects to aid in control of canine distemper virus, equine influenza virus, transmissible gastroenteritis virus, hog cholera virus, parainfluenza-3 virus, bovine rhinotracheitis virus, bovine virus diarrhea virus, infectious bronchitis virus, Newcastle virus, Venezuelan equine encephalitis virus, equine rhinopneumonitis virus, feline rhinotracheitis virus, pseudorabies virus, equine herpes virus and canine coronavirus — 3 ounces (6 tablespoons) per gallon of clean water. Nolvasan S has been shown to be virucidal *in vitro* against rabies virus (CVS strain) in laboratory tests when used as directed above.

For disinfection of veterinary or farm premises — 1 ounce (2 tablespoons) per gallon of clean water.

Not effective against *Pseudomonas aeruginosa* or gram-positive cocci on inanimate surface.*

*According to A.O.A.C. Use Dilution Test Method.

STORAGE AND DISPOSAL

PROHIBITION: Do not contaminate water, food or feed by storage or disposal. Open dumping is prohibited. Do not reuse empty container. Protect from freezing.

PESTICIDE DISPOSAL: Wastes resulting from use of this product may be disposed of on site or at an approved waste disposal facility.

CONTAINER DISPOSAL: Do not reuse containers. Rinse thoroughly with water and discard in trash.

GENERAL: Consult federal, state or local disposal authorities for approved alternative procedures such as limited open burning.

Fort Dodge Laboratories, Inc.

Fort Dodge, Iowa 50501 USA

EPA Est. No. 1117-1A-2

EPA Reg. No. 1117-48

93184

