

1/2

1124-30

PM31



**STATEMENT OF PRACTICAL TREATMENT** - In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, call a physician. If swallowed, immediately drink a large quantity of water. Avoid alcohol. Get medical attention.

**NOTE TO PHYSICIAN** - Probable mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock, respiratory depression and convulsion may be needed. If persistent, convulsions may be controlled by the cautious intravenous injection of a short-acting barbiturate drug.

**PRECAUTIONARY STATEMENTS  
HAZARDS TO HUMANS AND  
DOMESTIC ANIMALS**

**DANGER.** Corrosive. Keep out of reach of children. Causes eye damage. May cause skin irritation. Harmful or fatal if swallowed. Do not get in eyes, on skin, or on clothing. When handling product, protect eyes by wearing goggles or face shield and protect skin by wearing rubber gloves. Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash before reuse. Avoid contamination of food.

**STORAGE AND DISPOSAL**

Do not contaminate water, food, or feed by storage or disposal.

**PESTICIDE DISPOSAL** - Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

**CONTAINER DISPOSAL** - Do not reuse empty container. Rinse thoroughly before discarding in trash. Securely wrap original container in several layers of newspaper and discard in trash.

**GENERAL** - Consult federal, state or local disposal authorities for approved alternative procedures, such as limited open burning.

Franklin Gallons

3

**Franklin®**  
MAINTENANCE PRODUCTS

**ACTIVE INGREDIENTS:**  
 n-Alkyl (C17 50%, C12 40%, C14 10%)  
 dimethyl benzyl ammonium chloride 1.5%

**INERT INGREDIENTS:** 98.5%

**SENTINEL®**  
Multi-Purpose Cleaner Sanitizes - Disinfects

Virucide\* on inanimate environmental surfaces  
for hospital and institutional use.

**KEEP OUT OF REACH OF CHILDREN  
DANGER**

SEE SIDE PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS.

**1 GALLON** **PROTECT FROM FREEZING**

**ACCEPTED**  
1-22-97

Under the Emergency Response Act,  
Federal Emergency Management Agency  
Department of Homeland Security  
1124-30

2/2



**Franklin®**  
MAINTENANCE PRODUCTS

**SENTINEL®**

**Multi-Purpose Cleaner  
Sanitizes - Disinfects**

E.P.A. Reg. No. 1124-30  
E.P.A. Est. No. 1124-OH-3

Authorized by USDA (D1) for use in federally inspected meat and poultry plants.

**PUREX INDUSTRIAL**

Division of IVAX Industries, Inc.

101 Rock Road  
Rock Plaza III

**IVAX**

Industries, Inc. Horsham, PA 19044

F245022-1

8/9/86, 2:55 PM

**DIRECTIONS FOR USE**

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

**FOR CLEANING ONLY:** Use SENTINEL® for all light to heavy duty cleaning on floors, walls, woodwork, metal door frames, filing cabinets, desks, in hotels, motels, schools. **Normal Soil** - Mix 1 part SENTINEL with 40-50 parts water (2.5 to 3 oz. per gallon of water). **Heavy Soil** - Mix 1 part SENTINEL with 20 parts water (6.5 oz. per gallon of water). **Light Soil** - Mix 1 part SENTINEL with 60 parts water (2 oz. per gallon of water).

**TO CLEAN AND DISINFECT:** Mix 1 part SENTINEL with 20 parts water. Where *Pseudomonas aeruginosa* is suspected of being present, use 1 part SENTINEL to 5 parts water (26 oz. per gallon of water). Apply SENTINEL to walls, floors, and other hard, non-porous surfaces such as tables and chairs with a cloth or mop to wet all surfaces thoroughly. Surfaces must remain wet for 10 minutes. For heavily soiled areas, a preliminary cleaning is required. Prepare a fresh solution daily or when solution becomes visibly dirty.

**NOTE:** SENTINEL cleans and sanitizes at any dilution up to 1-60.

**\*VIRUCIDAL PERFORMANCE**

\*KILLS HIV ON PRE-CLEANED ENVIRONMENTAL SURFACES/OBJECTS PREVIOUSLY SOILED WITH BLOOD/BODY FLUIDS in health care settings or other settings in which there is an expected likelihood of soiling of inanimate surfaces/objects with blood or body fluids and in which the surfaces/objects likely to be soiled with blood or body fluids can be associated with the potential for transmission of human immunodeficiency virus Type 1 (HIV-1) (associated with AIDS).

**\*\*SPECIAL INSTRUCTIONS FOR CLEANING AND DECONTAMINATION AGAINST HIV-1 ON SURFACES/OBJECTS SOILED WITH BLOOD/BODY FLUIDS.**

**PERSONAL PROTECTION:** Clean-up should always be done wearing protective latex gloves, gowns, masks and eye protection.

**CLEANING PROCEDURE:** Blood and other body fluids containing HIV must be thoroughly cleaned from surfaces and objects before application of SENTINEL.

**DISPOSAL OF INFECTIOUS MATERIALS:** Blood, body fluids, cleaning materials, and clothing should be autoclaved and disposed of according to local regulations for infectious waste disposal.

**CONTACT TIME:** Leave surface wet for 10 minutes with 6.5 oz. per gallon use-solution.

(Continued on next panel)

ACCEPTED  
1-22-87  
U.S. DEPARTMENT OF AGRICULTURE  
FOOD SAFETY AND INSPECTION SERVICE  
1124-30