ACCEPTED

NOV 14 1978

UNLER THE FELENCE MELLICURE EUdinary was retraited at march 1 than 18 ACT · PUMPED SECTION Pir sum. L's bures ack



WARNING: KEEP OUT OF REACH OF CHILDREN.

Causes eye or skin irritation. If skin irritation occurs, discontinue use of product. Do not get in eyes, on skin or on clothing. Wear rubber or vinyl gloves with long gauntlets when bouring from this container and when doing man-

ACTIVE INGREDIENTS:

o-Benzyl-p-chlorophenol

2.6% 2.3% 0.2% p tert-Amylphenol 2, 2'-Methylenebis (3, 4, 6-trichlorophenol)

Hydroxyethylethylenediaminetriacetic acid, trisodium salt

o-Phenylphenol

Potassium linear dodecylbanzenesulfonate

Isopropyl alcohol

2-Methyl-2, 4-pentanedial

INERT INCREDIENTS

0.8%

1.3%

5 5%

9 9%

2.0%

75 4%

Tuberculocidal Germicidal Detergent

NET 1 GAL.

ual cleaning. Do not get concentrate or diluted product inside of gloves. (See recommendations on how to use Phenomysan). Harmful if swallowed. Avoid contamination of food. Rinse empty container thoroughly with water and discard it.

SEE BACK PANEL FOR **ADDITIONAL PRECAUTIONS** WHERE AN

For cleaning and disinfectirooms, shower and locker re bacteria contamination are I convalescent homes, hotels ings. Recommended for use resilient flooring tile, terrazz when used as directed. App bing, thoroughly wetting th use dilution.

PRE(

Do not get in eyes, on ski people who are allergic to : vinyl gloves with long gaur tainer and when doing man or its use dilution enters th gloves and wash hands and least 15 minutes Replace Do not reuse previous glo cleaned. Severe, sometime can result if wet contact is

EPA Reg. No. 1124-40-ZA

WHERE AND HOW TO USE

For cleaning and disinfecting floors, sick rooms, operating rooms, shower and locker rooms, and all areas where soil and bacteria contamination are high, in hospitals, nursing homes, convalescent homes, holels, motels schools and office buildings. Recommended for use on conductive floors. Harmless to resilient flooring tile, terrazzo, painted and varnished surfaces when used as directed. Apply by wiping, mopping, or scrubbing, thoroughly wetting the surface with the recommended use dilution.

PRECAUTIONS

Do not get in eyes, on skin or on clothing. Not for use by people who are allergic to synthetic phenols. Wear rubber or vinyl gloves with long gauntlets when pouring from this container and when doing manual cleaning. If Phenomysan itself or its use dilution enters the gloves, immediately remove the gloves and wash hands and wrists with plenty of water for at least 15 minutes. Replace previous gloves with fres's gloves. Do not reuse previous gloves unless insides are incroughly cleaned. Severe, sometimes irreversible effects upon the skin can result if wet contact is allowed inside gloves.

EPA Reg. No. 1124-40-ZA

EPA Est. 1124-CA-1

RECOMMENDED DILUTIONS

For all general cleaning and disinfection, including tuberculosis areas: 1 gal. water—1½ fl. oz. Phenomysan. Where Pseudomonas aeruginosa is suspected of being present, use one part to 15 parts water.

Phosphorus as P-0.63%, as TSP-3.32% Grams P per recommended use 0.29.

FIRST AID

In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, call a physician. Remove and wash contaminated clothing before reuse

if skin irritation occurs, discontinue use of the product. Any irritation which develops should receive prompt medical attention.

If swallowed, drink promptly a large quantity of water. Avoid alcohol. Call a physician immediately.

PROTECT FROM FREEZING

