

ACCEPTED
MAY 9 1978
Under the Federal Insecticide,
Fungicide, and Herbicide Act,
as amended, for the purpose
EPA Reg. No.
registered under 1124-47

**GENERAL-Q
DISINFECTANT • SANITIZER • DEODORIZER**

General Q is a broad spectrum, quaternary germicidal liquid which can be used as a final rinse to disinfect, deodorize, and sanitize all surfaces with which it comes in contact. General Q is not compatible with soaps or anionic detergents, but is compatible with all nonionic detergents. Before using General-Q, all surfaces should be thoroughly cleaned and then rinsed with clear, clean water in order to obtain General-Q's maximum disinfecting power. When recommended dilution ratios are followed, General-Q will be effective in waters up to 500 ppm of hardness when tested by the A.O.A.C. Hard Water Test.

The information and recommendations of the Purex Corporation concerning General-Q are based upon our laboratory tests and experience and, to the best of our knowledge and belief, are true and accurate. Since the conditions of actual use are beyond our control, any recommendations or suggestions are made without warranty expressed or implied.

DIRECTIONS FOR USE

Hand Dishwashing—Scrape and prewash utensils and glasses whenever possible. Wash with a good detergent or compatible cleaner. Rinse with clean water. Sanitize in a solution of 1 fluid ounce of General-Q to four gallons water (200 ppm). Immerse all utensils for at least two minutes or for contact time specified by governing sanitary code. Place sanitized utensils on a rack or drainboard to air dry.

Hospital Cleaning—As a general disinfectant for floors, walls, bathroom, fixtures and tile. Clean and rinse all surfaces with your regular cleaner. Rinse thoroughly with clean water. Mix a solution of 1 fluid ounce General-Q to every gallon of water and wipe this on the surface to be disinfected. This solution will provide an 800 ppm available quaternary to the surface which is being cleaned. See technical literature for spectrums of bacteria which General-Q will kill.

Food Processing Plants—Clean all equipment with a good quality cleaner and rinse thoroughly after cleaning. To sanitize, mix a solution of 1 fluid ounce General-Q to each 4 gallons of water and sanitize the surfaces with this solution. This will provide 200 ppm available quaternary. Immerse all equipment in this solution for 2 minutes to obtain maximum sanitizing results.

Dairies, Creameries, and Milk Farms—For cleaning of dairy walls and floors, first clean each area with a good quality liquid cleaner, then rinse well with clean water. To disinfect, apply a solution of 2 fluid ounces General-Q mixed with 4 gallons of water. If a spray solution is desired, mix 4 fluid ounces of General-Q with 4 gallons of water. This will supply 800 ppm available quaternary.

GE
DEO
DISIN
SA

CAUTION
KEEP OUT OF REACH OF CHILDREN

J B A

GENERAL

DEODORIZER DISINFECTANT SANITIZER **Q**

EACH OF CHILDREN
should be kept out of reach

NET 1 GAL.

PUREX

PUREX CORPORATION

ADDITIONAL USE DIRECTIONS

Garbage Cans Wash all containers thoroughly with hot water. Rinse with clean water. Then wash with General Q disinfectant solution of pure water.

Laundries Use General Q disinfectant solution in all laundry water. Use 1/2 ounce of General Q per gallon of water in the tub. Use 1/4 ounce per gallon in the clothes washer.

Bathrooms and Public Washrooms Clean all surfaces and drain pipes with a solution of General Q disinfectant. Do not use in drains.

Bakeries Use General Q to treat all surfaces that come in contact with food. Wash with clean water. Rinse with the growth of mold in the water. Rinse and apply the solution to the surface. Wash with tap water. Rinse with a solution of water. Rinse and apply the solution to the surface. Rinse with potable water prior to use.

Poultry Shelter After cleaning, shelter thoroughly with clean water. Mix 1/2 ounce of General Q disinfectant per gallon of water.

Swimming Pool Algae Control Use General Q for the treatment of swimming pools. For the treatment of swimming pools, use 1/2 ounce of General Q per 10,000 gallons of water. For the treatment of swimming pools, use 1/4 ounce of General Q per 10,000 gallons of water. For the treatment of swimming pools, use 1/8 ounce of General Q per 10,000 gallons of water.

CAUTION: Harmful if swallowed. Causes eye irritation. Do not get in eyes. Avoid skin contact. In case of contact, flush with plenty of water. If irritation persists, call a physician. Avoid contamination. CALL A PHYSICIAN.

B A

A B

GENERAL

DEODORIZER DISINFECTANT DECONTAMINANT Q

NET 1 GAL.

PURE X

PURE X CORPORATION

ADDITIONAL USE DIRECTIONS

Garbage Cans - Clean all surfaces thoroughly with your regular cleaner to remove all foreign matter. Rinse with clean water, then wash with a solution of 1 to 2 fluid ounces General Q per every gallon of plain water.

Laundries - For sanitizing and disinfecting fabrics. Add 1 fluid ounce of General Q per every 2 gallons of water in the final wash rinse cycle.

Bathrooms and Public Washrooms - Clean all surfaces thoroughly with a good cleaner and then rinse well. Mix 2 fluid ounces of General Q with 4 gallons of water and wipe or spray all surfaces with this solution. Do not rinse in order to retain the maximum bactericidal properties of General Q.

Bakeries - Before using General Q, clean all surfaces with a good cleaner and rinse in clean water. To inhibit the growth of mold, mix 1 fluid ounce of General Q to 1 gallon of water (800 ppm) and apply this solution to all surfaces. Repeat application whenever new growth appears. For general sanitizing, mix 1 fluid ounce General Q to 4 gallons of water (200 ppm) and apply this solution to all surfaces. Treated surfaces should be thoroughly rinsed with potable water prior to reuse.

Poultry Shelter - After cleaning shelter thoroughly with a good cleaner, rinse with clean water. Mix a solution of 1 fluid ounce General Q to 2 gallons of water (400 ppm) and spray this onto all cleaned areas.

Swimming Pool Algae Control
Initial Treatment - Use one quart of General Q for 20,000 gallons of water in which algae are not visible.

Regular Treatment - Most algae can be controlled by the use of two quarts of General Q per week for 25,000 gallons of water. For best results it may be used in a pool being treated with chlorine to allow the chlorine level to go below 0.6 ppm.

CAUTION: Harmful if swallowed. Do not take internally. Causes eye irritation. Do not get in eyes. May irritate skin. Avoid skin contact. In case of contact with skin and eyes, flush with plenty of water. If irritation persists, obtain medical attention. Avoid contamination of foodstuffs.
CALL A PHYSICIAN.