



Superchlorination is needed to destroy ammonia that may be added to the water by small children who are not "pool trained" and from the lawn and garden fertilizers that find their way into the pool. Ammonia ties up chlorine so it is not nearly as effective an algaecide or bactericide. It also may cause severe eye irritation.

Super chlorinator will aid in the control of most algae and bacteria. This material contains no stabilizer and should be used for superchlorination only.

DIRECTIONS FOR USE: Superchlorinate in the deep end of the pool. With water temperatures above 75° F., super chlorinate once every 2 weeks with 8 oz. Super Chlorinator per 10,000 gallons pool water. One cup equals approximately 8 oz. (IMPORTANT: For use in plastic or vinyl-lined pools, always predissolve Super Chlorinator in a plastic pail before adding to pool using a dilution ratio of 8 oz. to a gallon of water.)

If water temperatures reach 85° F. or higher, or if you have a large number of daily swimmers, once-a-week superchlorination is desirable. All superchlorination should be done when there are no swimmers present and swimming should not be resumed until chlorine residual has dropped below 2.0 ppm. However, never permit the residual to go below 1.0 ppm at any time.

6C00 0-673

DANGER: KEEP OUT OF REACH OF CHILDREN. May be fatal if swallowed. Irritating to skin, eyes, nose and throat. Dust may be harmful if inhaled. Do not take internally. Keep out of eyes and off skin. Avoid inhalation of dust. Mix only with water. May cause fire if contaminated with other chemicals. See first aid and other precautions on right side panel.



NET WT. 7 1/2 LBS. POOL PRODUCTS FROM A NAME YOU KNOW PUREX

DANGER: Striking flammable organic burning material falling into pool. Flush spilled product in original container thoroughly with water. May produce severe eye irritation.

FIRST AID: External: Flush with large amounts of water. Get medical attention.

Internal — drink large amounts of water with milk or milk of magnesia. Call a physician immediately.


PUREX CORPORATION
18400 East Mohr Ave.,
Made in U. S. A.

1134-48

DANGER: KEEP OUT OF REACH OF CHILDREN. May be fatal if swallowed. Irritating to skin, eyes, nose and throat. Dust may be harmful if inhaled. Do not take internally. Keep out of eyes and off skin. Avoid inhalation of dust. Mix only with water. May cause fire if contaminated with other chemicals. See first aid and other precautions on right side panel.



NET WT. 7 1/2 LBS. POOL PRODUCTS FROM A NAME YOU KNOW PUREX



DANGER: Strong oxidant. Keep away from combustible organic materials to avoid fire. Prevent any burning materials such as a lighted cigarette from falling into product. Drench fires with water. When measuring, use only a clean plastic or glass cup. Flush spilled product with water. Keep in cool, dry place in original container. Rinse empty container thoroughly with water and discard it. May produce severe chemical burns.

FIRST AID: External—flood eyes or skin with large amounts of water for 15 minutes. If irritation persists, get medical attention. For eyes—call physician.

Internal—drink large quantities of water or milk. Follow with milk of magnesia, vegetable oil or beaten eggs. Call a physician immediately.

PUREX CORPORATION **POOL PRODUCTS DIVISION**
18400 East Mohr Ave., Industry, California 91749.
Made in U.S.A. EPA Reg. No. 1124-48-AA

that may
 at pool
 that find
 e so it is
 e. It also
 algae and
 should be
 deep end of
 F., super
 Chlorinator
 ls approxi-
 vinyl-lined
 n a plastic
 tio of 8 oz.
 r if you have
 k superchlo-
 ould be done
 nming should
 ropped below
 to go below
 6C00 0-673

DANGER: KEEP OUT OF REACH OF CHILDREN. May be fatal if swallowed. Irritating to skin, eyes, nose and throat. Dust may be harmful if inhaled. Do not take internally. Keep out of eyes and off skin. Avoid inhalation of dust. Mix only with water. May cause fire if contaminated with other chemicals. See first aid and other precautions on right side panel.



NET WT. 7 1/2 LBS. POOL PRODUCTS FROM A NAME YOU KNOW PUREX

DANGER: Strong
 tible organic ma
 burning material
 falling into produ
 measuring, use o
 Flush spilled prod
 place in original c
 thoroughly with w
 May produce sever

FIRST AID: Externa
 amounts of water for
 get medical attent

Internal—drink large
 with milk of magnesia
 a physician immediate

PUREX CORPORATION
 18400 East Mohr Ave. Inc
 Made in U. S. A.