KEEP YOUR FOOL. . . SPARKLING. . . CRYSTAL CLEAR

This chlorine concentrate contains a stabilized chlorine which when used in conjunction with Guardex Conditioner will provide germicidal and algaecidal control.

DIRECTIONS FOR USE

CONDITIONING. For the most effective use of this product your pool should be properly conditioned to ensure maximum effectiveness. If your pool is not already conditioned simply follow the directions on the Guardex Swimming Pool Conditioner package.

PROPER CHLORINATION. .To properly chlorinate your pool simply add sufficient Guardex Pool Chlorine Concentrate to maintain a chlorine residual of no less than 1.0 ppm. Refer to table for approximate dosage.

GUARDEX CHLORINATION GUIDE

Pool Capacity	Guardex Chlorine Concentrate
Gallons	Every Other Day or as Needed
5,000	1 - 1 ¹ 2 ounces*
10,000	2 - 3 ounces
15,000	3 - 4 ¹ 2 ounces
20,000	4-6 ounces
25,000	5 - 7 ¹ 2 ounces
30,000	6-9 ounces
40,000	8 - 12 ounces
½ cupful provides 4 ounces	

Remember, an increase in water temperature, weather temperature or number of swimmers will cause your pool to use more chlorine. You should increase the dosage of Guardex a day or two in advance of the expected increase.



NET WT. 20 LBS.

DANGER KEEP OUT OF REACH OF CHILDREN.

Harmful if swallowed. May irritate skin, eyes, nose and throat. Dust may be harmful if inhaled. Do not take internally. Keep out of eyes and off skin. Avoid inhalation of dust. When empty, rinse plastic bag thoroughly with water and discard. See other warnings and antidote statement on right side panel.

ALWA

Test regular Guarder Never per 7.4 - 7.6

SUPERC Guardex on the continuity once ever or a large chlorination the

DANGER
ture con
chlorine
other ch
result.B
This pro
be disc
streams,
Avoid co
ANTIDO
olive oil
TACT--re
water for
Clean con

PUREX 18400 EPA Re



NET WT. 20 LBS.

r temperuse more a day or

DANGER KEEP OUT OF REACH OF CHILDREN.

Harmful if swallowed. May irritate skin, eyes, nose and throat. Dust may be harmful if inhaled. Do not take internally. Keep out of eyes and off skin. Avoid inhalation of dust. When empty, rinse plastic bag thoroughly with water and discard. See other warnings and antidote statement on right side panel.

ALWAYS FOLLOW THESE RULES OF GOOD POOL CARE

Test regularly for pH, chlorine residual and total alkalinity using a Guardex test kit.

Never permit chlorine residual to drop below 1.0 ppm. Maintain a 7.4 - 7.6 pH level and a total alkalinity between 80 - 100 ppm.

SUPERCHLORINATION is a good sanitation practice. Use Guardex Super Chlorinator and simply follow the use directions on the container . . . or use 1 gallon liquid pool chlorine (10-14% sodium hypochlorite by weight) per 20,000 gallons pool water. If the water temperature is above 75° F, superchlorinate once every 2 weeks. If the water temperature is 85° F or higher, or a large number of swimmers use the pool, once-a-week superchlorination is desirable. Do not allow swimming in the pool until the chlorine residual drops below 2.0 ppm.

DANGER: Store in a cool dry, well ventilated area. Moisture amination may liberate irritating and hazardous chlor approximation may liberate irritating and hazardous chlor approximation may other chemicals or organic matter. A fire or explosion may result. Burning will produce chlorine or equally toxic gases. This product is toxic to fish. Treated pool water should not be discharged where it will drain directly into lakes, streams, or ponds.

Avoid contamination of food and feedstuffs.

ANTIDOTE: Internally-feed bread soaked in milk followed by olive oil or cooking oil. Call a physician. IN CASE OF CONTACT-remove excess material and flush skin or eyes with cold water for at least 15 minutes. For eyes, get medical attention. Clean contaminated clothing before reuse.

PUREX CORPORATION, LTD./POOL PRODUCTS DIVISION
18400 East Mohr Avenue, City of Industry, California 91747
EPA Reg. No 1123-53-AA

Made in USA
c 1970 PUREX CORP.

ACCEPTED WITH COMMENTS

POOL PRODUCTS FROM A NAME YOU KNOW PUREX

KEEP YOUR POOL...SPARKLING...CRYSTAL CLEAR

This chlorine concentrate contains a stabilized chiprine which when used in conjunction with Guardex Conditioner will provide germicidal and algaecidal control.

DIRECTIONS FOR USE

CONDITIONING. . For the most effective use of this product your pool should be properly conditioned to ensure maximum effect-iveness. If your pool is not already conditioned simply follow the directions on the Guardex Swimming Pool Conditioner package.

PROPER CHLORINATION. .To properly chlorinate your pool simply add sufficient Guardex Pool Chlorine Concentrate to maintain a chlorine residual of no less than 1.0 ppm. Refer to table for approximate dosage.

GUARDEX CHLORINATION GUIDE

Pool Capacity	Guardex Chlorine Concentrate
Gelions	Every Other Day or as Needed
5,000	1 - 112 ounces*
10,000	2 - 3 ounces
15,000	3 - 412 ounces
20,000	4-6 ounces
25,000	5 - 7 ¹ 2 ounces
30,000	6-9 ounces
40,000	8 - 12 ounces

1/2 cupful provides 4 ounces

Remember, an increase in water temperature, weather temperature or number of swimmers will cause your pool to use more chlorine. You should increase the dosage of Guardex a day or two in advance of the expected increase.

Chrimax GUARDEX 100 **CHLORINE CONCENTRATE** for swimming pools

ACTIVE INGREDIENT: Sodium Dichloross-Triazinetrione1003 AVAILABLE CHLORINE 63%

KEEP OUT OF REACH OF CHILDREN.

Harmful if swallowed. May irritate skin, eyes, nose and throat. Dust may be harmful if inhaled. Do not take internally. Keep out of eyes and off skin. Avoid inhalation of dust. When empty, rinse plastic bag thoroughly with water and discard. See other warnings and antidote statement on right side panel.

ALWAY

Test regul a Guardex Never pend 7.4 - 7.6 p SUPERCH Guardex : on the cul 14% sor water. li once evo or a largi chlorinate unti! the c

DANGER ture con chlorineother che result. Bu This prod be disch streams, Avoid co ANTIDO olive oil TACT--reil water for. Clean con

> PUREX 18400 E EPA R.