

NET WT. 20 LBS.

- 11

and antidote statement on right side panel.

weather remperool to use more ordex a day or

nces

unces

unces

BINCES

DANGER KEEP OUT OF REACH OF CHILDREN.
Harmful if swallowed. May irritate skin, eyes, nose and throat.
Dust may be harmful if inhaled. Do not take internally. Keep out of
eyes and off skin. Avoid inhalation of dust. When empty, rinse
plastic bag thoroughly with water and discard. See other warnings

ACTIVE NO LEDIENT:

Sedium Lichtere-s-Triazinetrione .....1005

AVAILABLE CHLORINE ...... 63%

in contominated clothing before reuse.

PUREX CORPORATION, LTD./POOL PRODUCTS DIVISION
18400 East Mohr Avenue, City of Industry, California 91747
EPA Reg. No 1123-53-AA

e 1970 PUREX CORP.

1

ALWAYS FOLLOW THESE RULES OF GOOD POOL CARE

Test regularly for pH, chlorine residual and total alkalinity using a Guardex test kit.

Never permit chlorine residual to drop below 1.0 ppm. Maintain a 7.4 - 7.6 pH level and a total alkalinity between 80 - 100 ppm.

SUPERCHLORINATION is a good satisfation practice. Use Guardex Super Chlorinator and simply follow the use directions on the container... or use I gallon liquid pool chlorine (10-14% sodium hypochlorite by weight) per 20,000 gallons pool water. If the water temperature is above 75% F, superchlorinate once every 2 weeks. If the water temperature is 85% F or higher, or a large number of swimmers use the pool, once-a-week superchlorination is desirable. Do not allow swimming in the pool until the chlorine residual drops below 2.0 ppm.

DANGER: Store in a cool dry, well ventilated area. Moisture contamination may liberate irritating and hazardous chlorine-containing gases. Strong oxidizer, never mix with other chemicals or organic matter. A fire or explosion may result. Burning will produce chlorine or equally toxic gases. This product is toxic to fish. Treated pool water should not be discharged where it will drain directly into lakes, streams, or ponds.

Avoid contamination of food and feedstuffs.

ANTIDOTE: Internally-feed bread soaked in milk followed by alive oil or cooking oil. Call a physician. IN CASE OF CONTACT-remove excess material and flush skin or eyes with cold water for at least 15 minutes. For eyes, get medical attention. Clean contaminated clothing before reuse.

44