

**Franklin®**  
**PORCELAIN CLEANER**

Removes Stains • Disinfects •  
 Sanitizes • Deodorizes

**DANGER**

KEEP OUT OF REACH OF CHILDREN.  
 CORROSIVE. MAY BE FATAL OR HARM-  
 FUL IF SWALLOWED. PRODUCES CHEMI-  
 CAL BURNS. DO NOT BREATHE VAPOR  
 OR FUMES. DO NOT GET IN EYES, ON  
 SKIN OR ON CLOTHING.

See Back Panel for Further  
 Precautions and Antidotes.

**ACTIVE INGREDIENTS:**

Hydrogen chloride . . . . . 9.5%  
 n-Alkyl (C14 50%; C12 40%; C16 10%)  
 dimethyl benzyl ammonium chloride 0.1  
 INERT INGREDIENTS . . . . . 90.4%

EPA Reg. No. 1124-54-AA

**32 FL. OZ. (1 QT.)**

PUREX CORPORATION, LTD.  
 24600 SOUTH MAIN STREET  
 CARSON, CALIFORNIA 90745

**USE DIRECTIONS**

To clean, disinfect, and deodorize toilet bowls:

(1) Remove water from toilet bowl by forcing it over the trap. (2) Hold a toilet bowl mop over the bowl area and pour 1 ounce of FRANKLIN'S PORCELAIN CLEANER directly onto the bowl mop. (3) Swab under the rim and around all flush rings. (4) After cleaning entire bowl area, flush the toilet to remove all loosened deposits.

For cleaning urinals:

(1) Hold clean mop over urinal and saturate with FRANKLIN'S PORCELAIN CLEANER. (2) Clean all surfaces, grooves and water outlets. (3) Remove trap screen and pour two to five ounces of cleaner around drain opening and into drain. Swab inside of pipe. (4) Replace screen and flush thoroughly.


For cleaning bathtubs, wash basins, ceramic tile, porcelain sinks:

Use one part FRANKLIN'S PORCELAIN CLEANER to six parts of water. Rinse.

FRANKLIN'S PORCELAIN CLEANER is microbiologically formulated to kill common saprophytic and pathogenic Gram-negative organisms that need to be destroyed in such use, and is effective against Gram-positive organisms and fungi.

- |                                       |                 |
|---------------------------------------|-----------------|
| Staphylococcus aureus, *ATCC 6538     | (Gram-positive) |
| Salmonella typhosa, *ATCC 6539        | (Gram-negative) |
| Salmonella choleraesuis, *ATCC 10708  | (Gram-negative) |
| Shigella dysenteriae (Gram-negative)  |                 |
| Escherichia coli, *ATCC 11229         | (Gram-negative) |
| Pseudomonas aeruginosa, *ATCC 15442   | (Gram-negative) |
| Trichophyton interdigitale *ATCC 0640 |                 |

\*ATCC — American Type Culture Collection designation.



**DANGER**


**CONTAINS HYDROCHLORIC ACID**

Do not use in conjunction with chlorine bleach or other chlorine products, since chlorine gas may be formed. Do not use in conjunction with other cleaning or chemical products. If mixed with other products, ventilate well. Rinse empty container thoroughly with water and discard it.

ANTIDOTE: If swallowed call a physician immediately. Drink a teaspoonful or more of milk of magnesia or a cup of soapy water followed with milk or raw egg whites.


Eye Contact — Wash with water for 15 minutes. Get prompt medical attention.

Skin Contact — Wipe off the acid gently, immediately flood the surface with water, using soap freely, then cover with moist magnesia or baking soda.



# FRANKLIN'S BOWL CLEANER

FOR INDUSTRIAL AND INSTITUTIONAL USE ONLY



**DANGER:** CONTAINS HYDROCHLORIC ACID. Do not breathe vapor or fumes. Do not get in eyes, on skin or on clothing. Do not use in conjunction with chlorine bleach or other chlorine products since chlorine gas may be formed. Do not use in conjunction with other cleaning or chemical products. If mixed with other products, ventilate well.

Rinse empty container thoroughly with water and discard it.

Harmless to septic tanks and plumbing.

### ANTIDOTES:

**Internal** - Call a physician immediately. Drink a teaspoonful or more of magnesia, chalk or small pieces of soap, softened with water in milk or raw egg white.

**External - Eyes** - Wash with water for 15 minutes. Get prompt medical attention.

**Skin** - Wipe off the acid gently, immediately flood the surface with water, using soap freely, then cover with moist magnesia or baking soda.

## FRANKLIN'S BOWL CLEANER

Hospital Formula  
Cleans . Disinfects .  
Deodorizes . Sanitizes

**KEEP OUT OF THE  
REACH OF CHILDREN**

**DANGER**  **POISON**

**CORROSIVE. FATAL IF SWALLOWED.  
PRODUCES CHEMICAL BURNS.**

See Precautions and Antidotes on Left Panel

### ACTIVE INGREDIENTS:

Hydrogen chloride ..... 23.00%  
n-Alkyl (C14 50%; C12 40%; C16 10%)  
dimethyl benzyl ammonium chloride .. 0.10  
Ortho-benzyl-para-chlorophenol ..... 0.05  
INERT INGREDIENTS: ..... 76.85%

**32 FL.OZ. (1 QT.)**

PUREX CORPORATION, LTD.,  
INDUSTRIAL DIVISION  
24600 South Main Street  
Wilmington, California 90744

### USE DIRECTIONS

To clean, disinfect and deodorize toilet bowls and urinals:

(1) Remove water from toilet bowl by forcing it over the trap. (2) Hold a toilet bowl mop over the bowl area and pour 1 ounce of Franklin's Bowl Cleaner directly onto the bowl mop. (3) Swab under rim and around all flush rings. (4) After cleaning entire bowl area, flush the toilet or urinal to remove all loosened deposits. (5) When cleaning urinals, swab the inside of the pipe directly under the screen. (6) Flush thoroughly. (7) Flush and rinse out applicator.

Eliminates offensive odors by removing the source. Quickly dissolves porous lime deposits and uric acid stains.

Microbiologically formulated to be bactericidal and fungicidal. Kills the following odor producing common saprophytic and pathogenic Gram-negative organisms, and Gram-positive organisms, fungi and mildew producing organisms:

Staphylococcus aureus, \*ATCC 6538 (Gram-positive)  
Salmonella typhosa, \*ATCC 6539 (Gram-negative)  
Salmonella choleraesuis, \*ATCC 10708 (Gram-negative)  
Shigella dysenteriae (Gram-negative)  
Escherichia coli, \*ATCC 11229 (Gram-negative)  
Pseudomonas aeruginosa, \*ATCC 15442 (Gram-negative)  
Aspergillus niger, \*ATCC 6275  
Trichophyton interdigitale, \*ATCC 0640  
\*ATCC - American Type Culture Collection designation.

EPA Reg. No. 1124-55-AA