



GATE OF CHARACTERS

and the state of t

The second of the

BEST AVAILABLE COPY

Add two ounces pe Apply SAN-TURGE such as tables, chair a preliminary cleaning TURGE. Disintectar Staphylocolous aur Germicidal perform the AOAC Use Dilut determined by the

Glaphylocicus ad Galmone's typhos

Cross-infection is a schoole in Stutions for this, in Diem a directed fit hard intertion.

EPP4 Reg 1.6 117 EPP4 Est 1124-04

## **USE DIRECTIONS**

Add two ounces per gallon water.

Apply SANI-TURGE Disinfectant Cleaner to walfs, floors, and other hard surfaces such as tables, chairs and bed frames with a cloth or mop. For heavily soiled areas, a preliminary cleaning may be required. At two ounces per gallon use-level, SANI-TURGE Disinfectant Cleaner is effective against Pseudomonas aeruginosa, Staphylococcus aureus, Salmone la choleraesuis, and Trichophyton interdigitale. Germicidal performance against the first three organisms has been confirmed by the AOAC Use-Dilution Test, Fungicidal performance against T, interdigitale was determined by the AOAC Fungicidal Test,

#### **AOAC PHENOL COEFFICIENTS**

Stanfordance 44 - 00	
Staphylococcus aureus (ATCC 6538)	 inn n
Salmonella tumboes (ATCC econ)	 
Salmonella typhosa (ATCC 6539)	 .43.8

Cross-infection is of major housakeeping concern not only in hospitals, but in schools, institutions, and industry. SANI-TUPIGE Disinfectant Cleaner is formulated for this problem area. It both cleans and disinfects offectively when used as directed. Its hard surface disinfecting action will reduce the hazard of cross-infection.

EPA Reg. No. 1124-63-AA EPA Est. 1124-OH-3 WARNING: Keep out of reach of children. May cause severe eye irritation or eye damage. Causes skin irritation. Do not get in eyes, on skin, or on clothing, Harmful if swallowed. Avoid contamination of food.

ANTIDOTES: In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, call a physician. Remove and wash all contaminated clothing before reuse. If swallowed, give milk, rawlegg white, gelatin solution; or if these are not available, drink water.

Call a physician immediately.

PROTECT FROM FREEZING

# STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.

### PESTICIDE DISPOSAL

Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

### CONTAINER DISPOSAL

Plastic:

Triple rinse (or equivalent). Then offer for recycling or reconditioning or puncture and dispose of in a sanitary landfill, or incineration, or if allowed by state and local authorities, by burning, if burned, stay out of smoke.



F-249023-20H-3

-0 -1

ţ

DIRECTIONS FOR USE: It is a violation

of federal law to use this product in a manner inconsistent with its labeling. SHAKE BEFORE USING. Remove cap from bottle. Unwind sprayer hose and insert into bottle. Tighten screw cap. To prime sprayer, hold sprayer below level of bottle and squeeze trigger firmly about 10-15 times until product is dispensed. Adjust nozzle tip until desired spray is achieved. For storage, tighten nozzle tip securely.

ROACHES, WATERBUGS, CRICKETS, EARPIGS, SILVERFISH, FIREBRATS, SOWBUGS, CENTI-PEDES, MILLIPEDES: Spray until wet in cracks, around baseboards, behind and beneath cabinets, refrigerators, sinks, stoves, around plumbing, and other localized areas infested with insects. Repeat as necessary. Do not spray on copper or brass.

FLEAS AND BROWN DOG TICKS: Apply to infested areas such as pet bedding and resting quarters, around baseboards, door frames and wall cracks. Spray surface until wet. Old, soiled bedding of pets should be removed and replaced with clean, fresh bedding after spray has been allowed to dry. Do not spray directly on animal. Repeat as necessary. For best results, pets should be treated with a flea control product registered with animal application to control the source of the infestation.

ANTS: Spray until surface is wet, applying to ant trails, around doors and window frames and wherever ants enter the house. Outdoors-thoroughly wet

hills and runways. Repeat application

as infestations warrant and as reinfestation occur.

CARPET BEETLES: Apply along basebdatde; edges of carpeting, under furniture, under carpeting and rugs, in closets and shelving where infestations occur or are suspected. Spray surfaces until wet. Repeat as necessary.

STORAGE: Store in original container in an area inaccessible to children. Do not freeze. DISPOSAL: Do not reuse empty container. Wrap container and put in trash.

For additional information call toll-free 800-558-5252

weekdays, 9-5 Eastern time, UPS SYMBOL or write Carol Hansen, el1983, S.C. Johnson & Son, Inc. Racine, Wisconsin 53403 U.S.A.

EPA Reg. No. 4822-238

EPA Est. No. 11715-TN-eu.S. Patent No. 3244586.

475079