CEPTED 24-97 NV 80 1978

AND RODENTICES ACT

Guardex Chlorin.ting Sticks contain a concentrated chlorinating compound which, when used in your Guardex Tablet Feeder or other Trichloro-strazinetinone feeding devices, will provide a stabilized chlorinating disaffection and algae control program

DIRECTIONS FOR USE It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

For the most effective use of this product, your pool should be properly conditioned. To condition your pool, add Guardex Conditioner and Super Chlormator as directed on the conditioner package, if your pool is already conditioned, simply superchlormate by adding Guardex Super Chlormator as directed on the label. To determine chlorme residual, use a Guardex 4-n-1* Test Kid.

For other Trichloro's triazinetrione feeding devices, tollow manufacturer's recommendations for re-hilling and adjusting feed rate for proper available chlorine level

Maintain a 1.0-15 ppm minimum range of residual chlorine if the chlorine residual is above 15 ppm, adjust the carringe to the next smaller number. If below 10 ppm, adjust the carringe to the next larger number and add Guardex Super Chlorinator as directed on the label. Recheck chlorine residual in pool 24 hours later.

Remember-an increase in weather temperature, bother foad or water temperature will cause your pool to use more chlorine. You should increase the feed rate setting accordingly. If the cartridge is set at the maximum setting, the pumping time should be increased to compensate for the increased usage.

When the sticks in the feeder are nearly exhausted, super chlormate and refill when the chlorme residual of the pool reaches 15 ppm.

Keep pH between 7.4 and 7.6 and total alkalinity between 100 and 120 ppm as determined by an adequate test kin. Check alkalinity after each refilling. If an alkalinity adjustment is indicated, add Guardex pH Stabilizer as directed on the label.

STORAGE AND DISPOSAL: Keep product dry in tightly closed container when not in use. Store in a cool, dry, well ventilated area away from heat or open flame, in case of decomposition isolate container, dipossible, and flood with large amounts of water. Do not reuse empty container. Brisse empty container flooroughly with water to dissolve all material before discarding. Place in trash collection or discusse in approved landful area, or bury in a safe place.

PRECAUTIONARY STATEMENTS

PRACTICAL TREATMENT (FIRST AID): If swallowed: Feed bread soaked in mik followed by olive oil or cooking oil. Call a physician immediately. If on Skin: Brush off excess chemical and flush skin with cold water for at least 15 minutes. If smitten persists, get medical attention. If in Eyes: Flush with cold water for at least 15 minutes. Get immediate medical attention.

CHEMICAL HAZARDS Strong exidering agent. Do not use most or damp utensils. Do not use in calcium hypochlorite feeders. Such use may lead to contamination with other pool chloridating compounds which may lead to the or explosion. Mix only into water. Contamination with moisture, garbage dirt, organic matter or other chemicals, including other pool chemicals, or pool chlorinating compounds, or any other foreign matter, such as, household products, soap products, paint products, solvents, acids, unegar, beverages, cris, pine oil, dirty rags, etc. may start a chemical reaction with generation of heat, liberation of heatardous gases, and possible generation of fire and explosion in case of contamination or decomposition, do not reseal container, if possible, isolate container in open air or well ventiated area. Flood with large volumes of water, if necessary.

ENVIRONMENTAL HAZARDS: This product is toxic to fish. Keep out of lakes, streams or ponds. Treated effluent may not be discharged into lakes, streams, ponds or public waters without a valid discharge permit. For guidance, contact the regional office of the Environmental Protection Agency

Made in U.S.A.

Purex Corporation/Pool Products Div /18400 East Mohr Ave , Industry, Ca. 91749

EPA Reg. No 1124-97-AA

EPA Est 1124 CA-3

H

Guardex Chlormating Sticks contain a concentrated chlormating compound which, when used in your Guardex Tablet Feeder or other Trichloro-striazmetrione feeding devices, will provide a stabilized chlormating disinfection and algae control program

DIRECTIONS FOR USE It is a wolkfloon of Federal law to use this product in a manner inconsistent with its labeling.

For the most effective use of this product, your pool should be properly conditioned to condition your pool, add Guardex Conditioner and Super Chlorinator as directed on the conditioner package. If your pool is already conditioned, simply superchlorinate by adding Guardes Super Chlorinator as directed on the label. To determine chlorine residual, use a Guardes Super Chlorinator as directed on the label. To determine chlorine residual, use a

Remove cap of empty cartrodge from Guardex Tablet Feeder. Fill cartrodge with Guardex Chlorinating Stocks. Replace cap and adjust feed rate using this table as a guide. Pool $\frac{1}{2}$ $\frac{1}{2}$

For other Trichloro-s-triazinetrione feeding devices, follow manufacturer's recommendations for re-filling and adjusting feed rate for proper available chlorine level.

Maintain a 10-15 ppm minimum range of residual chlorine if the chlorine residual is above 15 ppm, adjust the cartridge to the next smaller number if below 10 ppm, adjust the cartridge to the next larger number and add Guardex Super Chlorinator as directed on the label. Recheck chlorine residual in pool 24 hours later.

Remember-an increase in weather temperature, bather food or water temperature will cause your pool to use more chlorine. You should increase the feed rate setting accordingly if the cartridge is set at the maximum setting, the pumping time should be increased to compensate for the increased usage.

Keep pH between 7.4 and 7.6 and total alkalinity between 100 and 120 ppm as determined by an adequate test kit. Check alkalinity after each refilling if an alkalinity adjustment is indicated, add Guardex pH Stabilizer as directed on the label.

STORAGE AND DISPOSAL: Keep product dry in hightly closed container when not in use Store in a cool, dry, well ventilated area away from head or open liame. In case of decomposition isolate container, if possible, and flood with large amounts of water. Do not reuse empty container. Rinse empty container thoroughly with water to dissolve all material before discarding. Place in trash collection or dispose in approved landful area, or bury in a safe place.

PRECAUTIONARY STATEMENTS

PRACTICAL TREATMENT (FIRST AID): It swallowed: Feed bread soaked in mik followed by olive oil or cooking od Call a physician immediately if on Skin: Brush off excess chemical and flush skin with cold water for at least 15 minutes. It untation persists, get medical attention if in Eyes: Flush with cold water for at least 15 minutes. Get immediate medical attention.

CHEMICAL HAZARDS Strong oxidizing agent. Do not use most or damp idensis. Do not use in calcium hypochlorite teeders. Such use may lead to contamination with other pool chlorinating compounds which may lead to fire or explosion. Mix only into water. Contamination with moisture, garbage drift, organic matter or other chemicals, including other pool chlorinating compounds, or any other foreign matter such as, house hold products, soap products, paint products, solvents acids, rinegar, the verages, oils, pine oil, drifty rags, etc. may start a chemical reaction with generation of heat, liberation of hazardous gases, and possible generation of fire and explosion in case of contamination or decomposition, do not reseal container. If possible, isolate container in open air or well ventilated area. Flood with large volumes of water, if necessary

ENVIRONME: ITAL HAZARDS This product is toxic to fish. Keep out of lakes, streams or ponds. Treated effluent may not be discharged into lakes, streams, ponds or public waters without a valid discharge permit. For guidance, contact the regional office of the Environmental Protection Agency.

Made in U.S.A.

Purex Corporation/Pool Products Div./18400 East Mohr Ave., Industry, Ca. 91749

EPA Reg No 1124-97-AA

EPA Est. 1124 CA-3

55

54

POOL PRODUCTS FROM A NAME YOU KNOW PUREX

GUARDEX®

chlorinating sticks

TRICHLORO-S-TRIAZINETRIONE (TCCA) FOR USE IN GUARDEX TABLET FEEDERS OR OTHER TCCA FEEDING DEVICES

ACCEPTED