

7/31/95

PM 32 1124-102

Pg 174

Please read instructions on reverse before completing form.

Form Approved. OMB No. 2070-0060. Approval expires 2-28-95



United States
Environmental Protection Agency
Washington, DC 20460

☐ Registration
☐ Amendment
☒ Other

OPP Identifier Number

241959

Application for Pesticide - Section I

1. Company/Product Number 1124-102	2. EPA Product Manager Walter Francis	3. Proposed Classification <input type="checkbox"/> None <input type="checkbox"/> Restricted
4. Company/Product (Name) Purex Institutional Admiral Q	PM# 32	
5. Name and Address of Applicant (Include ZIP Code) Purex Industrial Division of IVAX Industries, Inc. 101 Rock Road, Rock Plaza III Horsham, PA 19044 <input type="checkbox"/> Check if this is a new address	6. Expedited Review. In accordance with FIFRA Section 3(c)(3) (b)(i), my product is similar or identical in composition and labeling to: EPA Reg. No. _____ Product Name _____	

Section - II

<input type="checkbox"/> Amendment - Explain below.	<input type="checkbox"/> Final printed labels in response to Agency letter dated _____
<input type="checkbox"/> Resubmission in response to Agency letter dated _____	<input type="checkbox"/> "Me Too" Application.
<input checked="" type="checkbox"/> Notification - Explain below.	<input type="checkbox"/> Other - Explain below.

Explanation: Use additional page(s) if necessary. (For section I and Section II.)

Notification of label changes in compliance with FR Notices 93-10 and 95-1. I certify that this notification is consistent with FR 95-1 and EPA regulations at 40 CFR 152.46 and that no other changes have been made to the labeling of this product. I further understand that if this notification is not consistent with the terms of FR Notice 95-1 and 40 CFR 152.46, then this product may be in violation of FIFRA and I may be subject to enforcement action and penalties under sections 12 and 14 of FIFRA.

Section - III

1. Material This Product Will Be Packaged In:				2. Type of Container	
Child-Resistant Packaging <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Unit Packaging <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Water Soluble Packaging <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No		<input checked="" type="checkbox"/> Metal	
				<input type="checkbox"/> Plastic	
				<input type="checkbox"/> Glass	
				<input type="checkbox"/> Paper	
				<input type="checkbox"/> Other (Specify) _____	
* Certification must be submitted		If "Yes" Unit Packaging wgt. XXXXXX 33 lb	No. per container 4/case	If "Yes" Package wgt	No. per container
3. Location of Net Contents Information <input checked="" type="checkbox"/> Label <input type="checkbox"/> Container		4. Size(s) Retail Container 1 gallon, 55 gallon		5. Location of Label Directions <input checked="" type="checkbox"/> On Label <input type="checkbox"/> On Labeling accompanying product	
6. Manner in Which Label is Affixed to Product <input type="checkbox"/> Lithograph <input type="checkbox"/> Paper glued <input type="checkbox"/> Stenciled		<input checked="" type="checkbox"/> Other 1 gallon = marbled/plastic sleeve 55 gallon = pressure sensitive/sticker			

Section - IV

1. Contact Point (Complete items directly below for identification of individual to be contacted, if necessary, to process this application.)		
Name Catherine M. Croke	Title Manager, Product Safety	Telephone No. (Include Area Code) (215) 957-8823
Certification I certify that the statements I have made on this form and all attachments thereto are true, accurate and complete. I acknowledge that any knowingly false or misleading statement may be punishable by fine or imprisonment or both under applicable law.		6. Date Application Received (Stamped) 194
2. Signature Catherine M. Croke	3. Title Manager, Product Safety	
4. Typed Name Catherine M. Croke	5. Date 7/26/95	

(C ₆ H ₅) ₃ CN (10%) dimethylammonium chloride	29.30%
(C ₆ H ₅) ₃ CN (10%) dimethylammonium chloride	22.50%
(C ₆ H ₅) ₃ CN (10%) dimethylammonium chloride	25.70%
(C ₆ H ₅) ₃ CN (10%) dimethylammonium chloride	25.70%

55 GALLONS

063

Dishes, silverware, glasses, cooking utensils and other similar size food processing equipment can be sanitized by immersion in a 1 oz./4 gallon solution of AQ+. No potable water rinse is required.

At 1 oz./4 gallons, AQ+ fulfills the criteria of Appendix F of the Grade "A" Pasteurized Milk Ordinances 1978 Recommendations of the U.S. Public Health Services in waters up to 800 ppm of hardness calculated as CaCO₃ when evaluated by the AOAC Germicidal and Detergent Sanitizer Method against Escherichia coli and Staphylococcus aureus.

The udders, flanks and teats of dairy cows can be sanitized by washing with a solution of 1 oz. AQ+ in 4 gallons of warm water. No potable water rinse is required. Use a fresh towel for each cow. Avoid contamination of sanitizing solution by dirt and soil. Do not dip used towel back into sanitizing solution. When solution becomes visibly dirty, discard and provide fresh solution.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS:

DANGER: KEEP OUT OF REACH OF CHILDREN. Corrosive. Causes eye damage and skin irritation. Do not get in eyes, on skin, or on clothing. Wear goggles or face shield and rubber gloves when handling. Harmful if swallowed. Do not breathe spray mist. Avoid contamination of food.

STATEMENT OF PRACTICAL TREATMENT

In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, call a physician. Remove and wash contaminated clothing before reuse. If swallowed, promptly drink a large quantity of milk, egg whites, gelatin solution; or if these are not available, drink large quantities of water. Avoid alcohol. Call a physician immediately.

NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock, respiratory depression and convulsion may be needed.

(CONTINUED ON SIDE PANEL)

Franklin®

MAINTENANCE PRODUCTS

ACTIVE INGREDIENTS:

Alkyl (C₁₂ 50%, C₁₀ 40%, C₁₂ 10%) dimethyl benzyl ammonium chloride 3.000%
 Octyl decyl dimethyl ammonium chloride 2.250%
 Didecyl dimethyl ammonium chloride 1.125%
 Dioctyl dimethyl ammonium chloride 1.125%

INERT INGREDIENTS: 92.500%

EPA Reg. No. 1124-102
 EPA Est. No. 1124-OH-3

AQ+

DISINFECTANT • SANITIZER • FUNGICIDE DEODORIZER • VIRUCIDAL*

FOR HOSPITAL, INSTITUTIONAL, INDUSTRIAL, SCHOOL, DAIRY AND OTHER FARM USE

KEEP OUT OF REACH OF CHILDREN

DANGER

SEE SIDE PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS

1 GALLON

PROTECT FROM FREEZING

95-10-20

843

434

Franklin
MAINTENANCE PRODUCTS

AQ+

**DISINFECTANT CLEANER
STORAGE AND DISPOSAL**

DO NOT CONTAMINATE WATER, FOOD, OR FEED BY STORAGE OR DISPOSAL.

PESTICIDE DISPOSAL: Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray or mixture of rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

CONTAINER DISPOSAL: Do not reuse empty container. Rinse thoroughly before discarding in trash. Securely wrap original container in several layers of newspaper and discard in trash.

GENERAL: Consult federal, state or local disposal authorities for approved alternative procedures, such as limited open burning. Authorized by USDA (D-2) for use in federally inspected meat and poultry plants.

Only for Sale to, Use, and Storage by Service Persons.

PUREX INDUSTRIAL

Division of IVAX Industries, Inc.

101 Rock Road

Rock Plaza III

IVAX

Industries, Inc. Horsham, PA 19044

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

Apply AQ+ with a cloth, mop or mechanical spray device. When applied with a mechanical spray device, surface must be sprayed until thoroughly wetted. Treated surfaces must remain wet for 10 minutes. Fresh solution should be prepared daily or when the use-solution becomes visibly dirty.

DISINFECTION IN HOSPITALS, NURSING HOMES AND OTHER HEALTH CARE INSTITUTIONS. For disinfecting floors, walls, countertops, bathing areas, lavatories, bedframes, tables, chairs, garbage pails and other hard, nonporous surfaces.

Add 3 1/2 oz. AQ+ to 4 1/2 gallons water. Apply to previously cleaned hard surfaces. At this use-level, AQ+ is effective against *Pseudomonas aeruginosa*, *Staphylococcus aureus* and *Salmonella choleraesuis* in the presence of 5% blood serum when evaluated by the AOAC Use-Dilution test.

***VIRUCIDAL PERFORMANCE.** At a 3 1/2 oz./4 1/2 gallon use-level, AQ+ was evaluated in the presence of 5% serum and found to be effective against the following viruses: Herpes Simplex Type 1 and 2, Vaccinia, and Influenza A2 (Hong Kong) on inanimate, hard, nonporous environmental surfaces.

DISINFECTION IN INSTITUTIONS, INDUSTRY AND SCHOOLS. Add 2 oz. of AQ+ to 4 1/2 gallons of water.

FUNGICIDAL PERFORMANCE. At 1/2 oz. to 2 1/4 gallons of water use-level, AQ+ is an effective fungicide against *Trichophyton mentagrophytes* (the athlete's foot fungus) when used on surfaces in areas such as locker rooms, dressing rooms, shower and bath areas and exercise facilities. AQ+ has been evaluated using the AOAC Fungicidal test.

DISINFECTION OF BARBER TOOLS. Precleaned barber tools (such as combs, brushes, razors, and scissors) can be disinfected by immersing in a 1/2 oz./gallon solution of AQ+.

DISINFECTION OF POULTRY EQUIPMENT, ANIMAL QUARTERS AND KENNELS. Poultry brooders, watering founts, feeding equipment and other animal quarters (such as stalls and kennel areas) can be disinfected after thorough cleaning by applying a solution of 2 oz. AQ+ to 4 1/2 gallons of water. Small utensils should be immersed in this solution. Prior to disinfection, all poultry, other animals and their feeds must be removed from the premises. This includes emptying all troughs, racks and other feeding and watering appliances. Remove all litter and droppings from floors, walls and other surfaces occupied or traversed by poultry or other animals.

After disinfection, ventilate buildings, coops and other closed spaces. Do not house poultry or other animals, or employ equipment until treatment has been absorbed, set or dried.

All treated equipment that will contact feed or drinking water must be rinsed with potable water before reuse.

SANITIZING OF FOOD PROCESSING EQUIPMENT AND OTHER HARD SURFACES IN FOOD CONTACT LOCATIONS. For sanitizing food processing equipment, dairy equipment, food utensils, dishes, silverware, glasses, sink tops, countertops, refrigerated storage and display equipment and other hard, nonporous surfaces. No potable water rinse is required.

Wash and rinse all articles thoroughly; then apply a solution of 1 oz. AQ+ in 4 gallons of water (150 ppm active). Surfaces should remain wet for at least one minute followed by adequate draining and air drying. Fresh solution should be prepared daily or when use-solution becomes visibly dirty. For mechanical application, use-solution may not be reused for sanitizing applications.

Apply to sink tops, countertops, refrigerated storage and display equipment and other stationary hard surfaces by cloth or brush or mechanical spray device. No potable water rinse is required.

(CONTINUED ON NEXT PANEL)

F273023-OH-4

96-10-20

843