

ACCEPTED
AUG 18 1982
 Under the Federal Insecticide, Fungicide, and Rodenticide Act as amended, for the pesticide registered under EPA Reg. No. **113A-6**

Cat. No. 70055 Quantity: 1

BURNISHINE® GERMICIDAL CLOTH
 for use in **CRITICAL CARE AREAS**
 For disinfecting contaminated surfaces

ACTIVE INGREDIENTS

in Alkyl (BB) C-17 32% C-17	0 14%
dimethyl ethylbenzyl ammonium chlorides	0 14%
in Alkyl (BB) C-17 30% C-17 5% C-17	20 40%
dimethyl benzyl ammonium chlorides	79 32%
Isopropyl alcohol	

INERT INGREDIENTS

KEEP OUT OF REACH OF CHILDREN
WARNING

FLAMMABLE: See additional precautions on back panel

Net Wt. 10.0000g
 Net Wt. 10.0000g EPA EST. NO. 10036-N-1

BURNISHINE PRODUCTS
 DIV. OF THE HERBERT STANLEY COMPANY • SKOKIE, ILLINOIS 60076

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

For use in hospitals and other critical care areas where control of the spread of cross contamination is required. Use on surfaces and equipment such as tables, carts, bed rails, counters, cabinets, telephones, in operating rooms, in lavatory and emergency units. Use on stainless steel, formica, glass, and other hard non porous surfaces.

Remove gross dirt. Open, unfold, apply to the surface wet surface. Allow to remain wet 10 minutes. Air dry.

PRECAUTIONARY STATEMENTS

Hazard to Humans and Domestic Animals

WARNING: Avoid contact with skin and eyes. Use rubber gloves. In case of contact, flush with water. If irritation persists get medical attention. Avoid contamination of food.

Physical Hazards:

FLAMMABLE: Keep away from heat, sparks, open flame.

STORAGE AND DISPOSAL

Do not reuse towel. Dispose of empty packages and used towels as trash.

ONLY FOR SALE TO, USE AND STORAGE BY HOSPITAL SERVICE PERSONNEL.

BURNISHINE PRODUCTS
 DIV. OF THE HERBERT STANLEY COMPANY • SKOKIE, ILLINOIS 60076