
ACCELTE

CLEANER DEODERIZER DISINFECTANT FUNGICIDE

WARNING: Keep out of Reach of Children. See right side panel for additional precautionary and first aid statements.

ONE GALLON (128 OZS.)

PUNGICUDE AND HOUSENTIADE ACT
POR ROONUMIC POUSEN HAGISTED
ED UNDER NO. 1




Burnishine No. 22 is a cleaner, disinfectant, and sanitizer designed for institutional use, such as restaurants, cafeterias, food service establishments, hotels, motels, hospitals, nursing homes, and schools where housekeeping will be of prime importance in controlling the hazard of crossinfection from environmental surfaces. Burnishine No. 22 can provide the assurance you need in this area, when used as directed. For use on floors, walls, sink tops, garbage pails, telephones, rest rooms, bed pans and operating rooms. Effective against Staphylococcus aureus, Salmonella choleraesuis and Pseudomonas aeruginosa. Also effective against pathogenic fungi, Trichophyton interdigitale.

When used for sanitation of previously cleaned food processing equipment and food contact items, limit active quaternaries to 200 ppm. At this level No Potable Water Rinse is Required.

## **ACTIVE INGREDIENTS:**

n-Alkyl ( $60\%$ $C_{14}$ , $30\%$ $C_{16}$ 5 $C_{12}$ 5 $C_{18}$ )	
dimethyl benzyl ammonium chlorides	2 25
n-Alkyl (68% ${ m C}_{12}$ , 32 ${ m C}_{14}$ ) dimethyl	
ethylbenzyl ammonium chlorides	2.25
Sodium Carbonate	3 00
Tetrasodium ethylenediamine tetraacetate	1 90
INERT INGREDIENTS	91.50
	199 (0)

EPA Reg. No. 1130 to EPA Est. No.



### Disinfection

Use 2 ounces per gallon. (2 strokes of dispenser) This product will be effective against Pseudomonas aeruginosa PRD-10 at this level. This has been substantiated by the AOAC Use Dilution Confirmation Test. At this level, the product is fungicidal against pathogenic fungi.

For best results, use Burnishine No. 22 with a cloth or mop and apply to walls, floors and other hard surfaces.

### Sanitation

If used for sanitation of previously cleaned food equipment or food contact items, limit the level of active quaternaries to 200 ppm (2.8 ounces per 5 gallons). NO RINSE REQUIRED AT THIS LEVEL.

For heavy soil or organic matter, a precleaning step is recommended.

This product when used on environmental, inanimate, hard surfaces at 2 ounces per gallon of water, is effective against Influenza A2, Herpes Simplex, Adenovirus type 2 and Vaccinia viruses.

# PHENOL COEFFICIENTS:

Guaranteed	Minimum
S. aureus	42
S typhosa	27
	4.1 46 44

Rinse empty container thoroughly with water and discard

