

**CONCENTRATED DETERGENT, SANITIZER,
FUNGICIDE, DISINFECTANT, DEODORIZER**

Designed for Hospital and Institutional Use

DANGER

Keep Out of Reach of Children. See right side panel for additional
precautionary and first aid statements.

NET CONTENT 1 GALLON

When used as directed Suramin is effective against *Staphylococcus aureus* (Baird-Parker) and *Pseudomonas aeruginosa* (Burnet-Hine). It is also effective against pathogenic fungi (*Trichophyton*, *Candida*, etc.).

If used for sanitization of previously cleaned food processing equipment for food contact items, limit the active quaternaries to 200 ppm. At this level, NO POTABLE WATER RINSE is required.

ACTIVE INGREDIENTS

N-Alkyl (60 C ₁₄ 30 C ₁₆ 20 C ₁₂ , 5 C ₁₈)	
dimethylbenzyl ammonium chlorides	4.0
N Alkyl (68 C ₁₂ , 32 C ₁₄) methyl	
ethylbenzyl ammonium chlorides	1.0
Tetrasodium ethylenediamine tetraacetate	1.0
Sodium Carbonate	4.0
INERT INGREDIENTS	85.0
EPA REG. NO. 1130-11 EPA EST. #0.	100.0

EPA REG. NO. 1130-11 EPA EST. NO.
00000000000000000000000000000000

547.15.5 - 11

1.5% Chlorine Left in Filtered Water - 100 mg/l Chlorine
Required at 100 ppm. 100 mg/l Chlorine Left in Filter
Water to 200 ppm (14 ounces per gallon) of Water. No
Rinse Required at This Level.

This product when used on environmental, inanimate hard surfaces at 1 ounce per gallon of water, is effective against Influenza A2, Herpes Simplex, Adenovirus type 2 and Variola viruses.

Rinse empty container thoroughly with water and discard.

Pharm Coefficients

Minimum
78
48

DATA SET NO. 1100-1114 EX-91