


BURNISHINE GERMICIDAL SOLUTION**One Step Cleaner & Disinfectant, Sanitizer (Non-Food Contact Surfaces) and
Deodorizer for Disinfecting Contaminated Surfaces****ACTIVE INGREDIENTS:**

n-Alkyl (60% C ₁₄ , 30% C ₁₆ , 5% C ₁₂ , 5% C ₁₈)	
dimethyl benzyl ammonium chloride	0.154%
n-Alkyl (68% C ₁₂ , 32% C ₁₄) dimethyl ethylbenzyl	
ammonium chloride	0.154%
Isopropanol	21.000%
INERT INGREDIENTS	78.692%
Total	100.000%

**Keep Out of Reach of Children
CAUTION**

See additional precautionary statements on back panel.

**For use in:****CRITICAL CARE AREAS**

A general purpose disinfectant where control of the hazards of cross-contamination is of prime importance. Effective in 10 minutes against a wide range of bacteria including *Staphylococcus aureus*, *Salmonella choleraesuis*, *Pseudomonas aeruginosa* and *Klebsiella pneumoniae*. A novel way to effectively disinfect environmental surfaces. Aids in the reduction of cross-contamination.

Exhibits effective virucidal activity; kills Influenza A2/HK (representative of the common Flu virus) and Herpes Simplex II (causative agent of genital herpes) in 30 seconds. Kills Polio I Virus in 3 minutes. Kills HIV-1 (AIDS Virus) in 30 seconds at 20-25°C. Kills Rhinovirus in 3 minutes.

Kills Canine Distemper, Pseudorabies Virus, Vaccinia Virus and Adeno Virus Type 5 in 10 minutes.

Kills *Mycobacterium bovis* BCG (Tuberculosis) in 6 minutes at 20°C.

Kills *Trichophyton mentagrophytes*, *Aspergillus niger*, *Enterococcus faecalis* and *Candida albicans* in 5 minutes at 20°C. Kills pathogenic fungi in 5 minutes at 20°C.


Bactericidal, Tuberculocidal, Fungicidal and Virucidal.

Kills HIV-1 (AIDS Virus) on pre-cleaned environmental surfaces or objects previously soiled with blood or body fluids in 30 seconds at room temperature (20-25°C) in health care settings or other settings in which there is an unexpected likelihood of soiling of inanimate surfaces/objects with blood or body fluids and in which the surfaces/objects likely to be soiled with blood or body fluids can be associated with the potential for transmission of the human immunodeficiency virus Type 1 (HIV-1) associated with AIDS.

NET CONTENTS: _____ oz.

EPA Reg. No. 1130-15

EPA Est. 1130-IL-1



2 7 3

[Back Panel]

This product kills in 10 minutes a wide range of organisms which cause such diseases as boils, eye and skin infections and food poisoning, including gram negative and gram positive bacteria such as *Pseudomonas aeruginosa*, *Staphylococcus aureus*, *Klebsiella pneumoniae* and *Salmonella choleraesuis* on hard, non-porous surfaces.

Exhibits effective virucidal activity against Influenza A2/HK (representative of the common Flu virus) and Herpes Simplex Type II (causative agent of genital herpes) in 30 seconds. Kills Polio I Virus in 3 minutes. Kills *Mycobacterium bovis* BCG (Tuberculosis) in 6 minutes at 20°C.

A novel way to effectively clean, deodorize and sanitize against odor-causing organisms and disinfect hard surfaces. Aids in reducing cross-contamination. Kills dangerous germs such as *Salmonella choleraesuis*, *Staphylococcus aureus*, *Pseudomonas aeruginosa* and *Klebsiella pneumoniae* in 10 minutes. Kills dangerous viruses such as Influenza A2/HK and Herpes Simplex Type II in 30 seconds. Kills *Mycobacterium bovis* BCG (Tuberculosis) in 6 minutes at 20°C. Kills Polio I Virus and Rhinovirus (associated with common colds) in 3 minutes. Kills HIV-1 (AIDS Virus) in 30 seconds at 20-25°C. Kills *Trichophyton mentagrophytes*, *Aspergillus niger*, *Enterococcus faecalis*, *Candida albicans* and pathogenic fungi in 5 minutes at 20°C. Easy to use. Disposable. For the reasonable person who wants to be sure. For use in public toilets, laundromats, sick rooms, hospitals, camp sites, RVs, motels, factories and offices – whenever sanitation is of prime importance.

For use in hospitals and other critical care areas where control of the hazards of cross-contamination is required. Use on surfaces and equipment surfaces such as tables, carts, baskets, counters, cabinets and telephones in operating rooms, intensive care and emergency units. Use on stainless steel, Formica, glass and other hard, non-porous surfaces.

For use in households; in hospitals; veterinary clinics; in laundromats in washers and dryers, on folding tables; on toilets (exterior surfaces, rims and seats) and bathroom fixtures; hampers and bedpans; sickrooms; offices; on telephones; and hard hats and headphones. For use as a disinfectant in dairies, food processing plants, food establishments, restaurants, taverns and commercial kitchens (disinfected food contact surfaces must be rinsed with potable water before reuse); in hotels; in public restroom accommodations and commercial laundries; on stainless steel, chrome, porcelain, glass, Formica, vinyl, plastic and other hard, non-porous surfaces of respirators and respirator facepieces and CPR training mannequins.

Some areas of use: Hard surfaces in: Surgery, Recovery, Anesthesia, X-Ray Cat. Lab, E.R., Orthopedics, Newborn Nursery, Respiratory Therapy, Radiology, Central Supply.

DIRECTIONS FOR USE

It is a violation of Federal law to use this in a manner inconsistent with its labeling.

To Disinfect Non-Food Contact Surfaces

This product is not to be used as a terminal sterilant/high level disinfectant on any surface or instrument that (1) is introduced directly into the human body, either into or in contact with the bloodstream or normally sterile areas of the body, or (2) contacts intact mucous membranes but which does not ordinarily penetrate the blood barrier or otherwise enter normally sterile areas of the body. This product may be used to pre-clean or decontaminate critical or semi-critical medical devices prior to sterilization or high level disinfection.

Remove gross filth. Use solution as is. Do not dilute. Apply solution to thoroughly wet surface. Allow to remain wet for 10 minutes, let air or wipe dry.

For Surgical Instrument Presoak

Remove gross filth. Presoak surgical instruments in undiluted solution for 10 minutes or more. Proceed with normal decontamination procedure.

**Special Instructions for Cleaning and Decontamination Against HIV-1 (AIDS Virus)
for Surfaces or Objects Soiled with Blood or Body Fluids**

Personal Protection: When using the germicidal solution, wear disposable latex gloves, protective gown, face mask or eye covering as appropriate when handling HIV-1 infected blood or body fluids. **Cleaning Procedure:** All blood and other body fluids must be thoroughly cleaned from surfaces and objects before application of the germicidal solution. **Contact Time:** Thoroughly wet surface. Allow to remain wet 30 second, let air dry. Although efficacy at a 30 second contact time has been shown to be adequate against HIV-1 (AIDS virus) this contact time would not be sufficient for other organisms. Use a 10 minutes contact time for disinfection against all of the organisms claimed. **Disposal of Infectious Materials:** Dispose of used solution in accordance with local regulations for infectious waste disposal.

ACCEPTED
JAN 10 2002
Under the Federal Insecticide, Fungicide, and
Rodenticide Act as amended, for the
pesticide, registered under
EPA Reg. No. 1130-15

{For non-household/domestic use products:}

Storage and Disposal

Store in a cool, well-ventilated area. **Disposal:** Wastes resulting from the use of this product may be disposed of on site, or at an approved waste disposal facility. Unused product may be discarded by pouring down drain and flushing with large quantity of water. The plastic container should be triple rinsed (or equivalent). Then, offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or incineration, or if allowed by state and local authorities, dispose of it by burning. If burned, stay out of smoke.

{For household/domestic use products:}

Storage: Store in the original container in a cool, well-ventilated, locked storage area. **Disposal:** Do not reuse empty container; wrap and put in trash.

PRECAUTIONARY STATEMENTS**Hazards to Humans and Domestic Animals**

CAUTION: Harmful if inhaled or absorbed through skin. Causes moderate eye irritation. Avoid breathing vapors and contact with eyes, skin or clothing. Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash clothing before re-use.


First Aid

If Inhaled	<ul style="list-style-type: none"> • Move person to fresh air. • If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible.
If on Skin or Clothing	<ul style="list-style-type: none"> • Take off contaminated clothing. • Rinse skin immediately with plenty of water for 15-20 minutes.
If in Eyes	<ul style="list-style-type: none"> • Hold eye open and rinse slowly and gently with water for 15-20 minutes. • Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.
Call a poison control center or doctor for treatment advice. Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact 1-800-xxx-xxxx for emergency medical treatment information.	

Physical or Chemical Hazards

Do not use or store near heat or open flame.

BURNISHINE PRODUCTS
Division of The HERBERT STANLEY COMPANY
1100 LAKESIDE DRIVE
GURNEE, ILLINOIS 60031



{The First Aid statements' grid format will be used unless market label space is sufficient; otherwise a paragraph format will be used.}

Note: { } denotes language that will not appear on market labeling.

