


AMOCO

2,4-D Weed Killer No. 5

Ester Concentrate

ACCEPTED
 OREGON
 1145-17



CAUTION KEEP OUT OF REACH OF CHILDREN
 SEE OTHER CAUTION STATEMENTS ON SIDE PANEL

A selective, emulsifiable or oil-miscible herbicide.
FOLLOW DIRECTIONS CAREFULLY
Always mix with water or oil. AMOCO 2,4-D Weed Killer No. 5 or AMOCO 2,4-D Weed Killer No. 5 Concentrate should be applied at the recommended amount of AMOCO 2,4-D Weed Killer No. 5 per acre in the amount of material necessary to cover an acre with the spraying equipment used.
 Apply 2,4-D sprays at low air speeds of 2 to 4 miles per hour to 50 lbs. with nozzles adjusted to give a fine mist for shaded areas and to give a coarse mist for open areas to produce a uniform spray pattern.
 For best results apply 2,4-D sprays in calm or light wind conditions and apply evenly to the weeds. The spray should be applied to the leaves of the weeds. Do not spray the soil or the stems of the weeds.
 Do not spray in the presence of strong winds or rain. Do not spray on wet foliage. Do not spray on plants that are stressed or diseased. Do not spray on plants that are in bloom. Do not spray on plants that are in fruit. Do not spray on plants that are in seed.
 Recommendations given are general. Specific instructions and applications should be obtained from the State Agricultural Experiment Station or the manufacturer.
AMOUNTS OF SPRAY MIXTURE TO APPLY
AIRPLANE APPLICATION - sprayer
 amount of AMOCO 2,4-D Weed Killer No. 5 per acre of weeds to be controlled.
Oil - 1 quart per acre of oil per acre of weeds to be controlled.
 Heaters and other equipment should be used as directed.

ACTIVE INGREDIENTS - by weight
 Mixed butyl and isopropyl esters of 2,4-Dichlorophenoxyacetic acid 4.93
 2,4-Dichlorophenoxyacetic acid 0.07
 2,4-Dichlorophenoxyacetic acid 0.00
INERT INGREDIENTS - by weight
 TOTAL 100.00
1 gallon of AMOCO 2,4-D Weed Killer No. 5 contains 4.93 pounds of the mixed butyl and isopropyl esters of 2,4-D, equivalent to 4 pounds of 2,4-Dichlorophenoxyacetic acid.

GROUND SPRAYERS - apply 2,4-D sprays at low air speeds of 2 to 4 miles per hour to 50 lbs. with nozzles adjusted to give a fine mist for shaded areas and to give a coarse mist for open areas to produce a uniform spray pattern.
To control weeds in resistant crops
 Apply 2,4-D sprays at low air speeds of 2 to 4 miles per hour to 50 lbs. with nozzles adjusted to give a fine mist for shaded areas and to give a coarse mist for open areas to produce a uniform spray pattern.
WHEAT, OATS, BARLEY, and RYE - 2,4-D sprays applied at low air speeds of 2 to 4 miles per hour to 50 lbs. with nozzles adjusted to give a fine mist for shaded areas and to give a coarse mist for open areas to produce a uniform spray pattern.

Net Contents 11.5 GALS

CAUTION

Avoid contact with eyes, skin, and clothing. In case of contact with the weed killer, flush eyes with water. Avoid inhaling spray mist. May cause skin irritation. Avoid contamination of feedstuffs. Harmful if swallowed. Contains petroleum solvent. If swallowed, call a physician immediately.

OBSERVE THESE PRECAUTIONS

Avoid application of spray or drift of spray to desirable plants, as this product may injure cotton, tomatoes, beans, peas, most vegetables, flowers, alfalfa, fruit trees, cane, berries, ornamentals, grapes, or others. Even minute quantities of the spray may cause severe injury. Accordingly, application by airplane should be made only when there is no hazard from drift. All sprays are likely to drift under certain conditions. The finer the spray, the greater the likelihood of drift effect.

Use only amount needed. DO NOT OVERDOSE

Since vapors of the ester in this product may injure susceptible plants in the vicinity, use only where there is no danger from such vaporization.

Be sure that airplane spraying equipment has a quick-acting, effective cut-off valve, and is used from the lowest possible altitude by an aircraft operator experienced in the application of herbicides.

Do not use same equipment for other purposes. If necessary to use sprayer for any other spraying, be sure to thoroughly clean all equipment with a suitable chemical cleaner (1 quart household ammonia in 10 to 25 gallons water—let stand overnight, then rinse thoroughly with water).

Do not store or place near fertilizers, seeds, plants, insecticides, or fungicides.

Do not re-use empty container. Destroy by burying in a safe place.

Do not contaminate irrigation ditches or water used for domestic purposes.

Excessive amounts of 2,4-D in the soil may temporarily inhibit seed germination or plant growth.

Obtain necessary approval and/or permits for use in States or areas where required.

NOTE: AMOCO 2,4-D Weed Killer No. 5 exposed to sub-freezing temperatures should be warmed to at least 40° F. and mixed thoroughly before using.

This product is toxic to fish. Do not apply when weather conditions favor drift from treated areas. Do not contaminate water by cleaning of equipment or disposal of wastes.

NON-WARRANTY NOTICE

Follow directions carefully. Seller warrants such directions to be proper and that product conforms to its descriptions on this label. Timing and method of application, weather and crop conditions, and other influencing factors in the use of the product are beyond the control of the seller, so seller makes no other warranty, express or implied, including a warranty of merchantability, with reference to the results or effects of use. No person has authority to make any representation not contained on this label.

THIS CONTAINER IS NON-RETURNABLE

Conversion Table

2,4-D A.M.C. Required	1/4" b	1/2" b	3/4" b	1" b	1 1/2" b	2" b
Amount 2,4-D Weed Killer No. 5 to use	2 pts	1.5 pts	1 pt	3/4 pt	1/2 pt	1/4 pt

pint 2,4-D Weed Killer No. 5 per acre. The degree of satisfactory results under ideal conditions will vary with soil conditions, weather, and the degree of weed infestation. For best results, use AMOCO 2,4-D Weed Killer No. 5 in a spray solution of 1 to 2 percent.

Fall applications

FLAX—Apply AMOCO 2,4-D Weed Killer No. 5 in a spray solution of 1 to 2 percent.

CORN or SORGHUM—Apply AMOCO 2,4-D Weed Killer No. 5 in a spray solution of 1 to 2 percent. Do not apply to corn or sorghum during the growing period. Avoid application to corn or sorghum during the growing period. Avoid application to corn or sorghum during the growing period. Avoid application to corn or sorghum during the growing period.

Pre-emergence—Apply AMOCO 2,4-D Weed Killer No. 5 in a spray solution of 1 to 2 percent. Do not apply to corn or sorghum during the growing period. Avoid application to corn or sorghum during the growing period.

Post-emergence—Apply AMOCO 2,4-D Weed Killer No. 5 in a spray solution of 1 to 2 percent. Do not apply to corn or sorghum during the growing period. Avoid application to corn or sorghum during the growing period.

ESTABLISHED PASTURES, FIELDS and RANGE GRASSES—Apply AMOCO 2,4-D Weed Killer No. 5 in a spray solution of 1 to 2 percent. Do not apply to corn or sorghum during the growing period. Avoid application to corn or sorghum during the growing period.

For control of weeds on non-cropped areas (fence rows, right-of-ways, around buildings) Apply AMOCO 2,4-D Weed Killer No. 5 in a spray solution of 1 to 2 percent. Do not apply to corn or sorghum during the growing period. Avoid application to corn or sorghum during the growing period.

To control woody plants

BRUSH—Apply AMOCO 2,4-D Weed Killer No. 5 in a spray solution of 1 to 2 percent. Do not apply to corn or sorghum during the growing period. Avoid application to corn or sorghum during the growing period.

LARGER TREES—Apply AMOCO 2,4-D Weed Killer No. 5 in a spray solution of 1 to 2 percent. Do not apply to corn or sorghum during the growing period. Avoid application to corn or sorghum during the growing period.

For use in hand sprayers, mix 1 1/2 to 2 teaspoons of AMOCO 2,4-D Weed Killer No. 5 per gallon.

Oct. 21-1961
41517