

**CAUTION**

Harmful if swallowed. If swallowed, call a physician immediately. Contains a Petroleum Oil. Do not induce vomiting.

**COMBUSTIBLE:** Do not use or store near heat or open flame.

**PRECAUTIONS IN USING**

AMOCO Superior Dormant Spray Oil is physically compatible with Bordeaux mixture. Use according to state recommendations only.

AMOCO Superior Dormant Spray Oil is physically compatible with liquid lime sulfur. Use this combination only when recommended by state agricultural authorities. Follow directions for use carefully to avoid injury to trees. Spray in dormant period only. Spray thoroughly, but avoid overspraying or drenching.

Do not apply Superior Dormant Spray Oil or any other oil spray when the temperature is below 40°F. or at any time when there are indications that it may fall to freezing or below within 24 hours after spraying.

Spring dormant spraying is advised as it is safer and more effective.

Spraying in late winter or too early in the spring is about as hazardous as fall spraying. It is best to wait until winter is definitely over (as close as possible to actual start of bud growth in the spring).

Do not use on sugar (hard) maples, beech, hickory, walnut, and butternut.

Most conifers (evergreens) are susceptible to oil injury; therefore, special caution should be exercised when oil sprays are used.

Where evergreens are exposed to heavy spray drift or run-off spray from other trees, protect with coverings until spraying and drip are over, or wash evergreens with clear water immediately after such exposure.

USE A PESTICIDE NO. 1745-27  
(78)

MADE IN U.S.A.

AMOCO SUPERIOR DORMANT SPRAY OIL

# AMOCO Superior Dormant Spray Oil



**PRODUCT OF AMERICAN OIL COMPANY**  
CHICAGO, ILL. USA 60680

**CAUTION KEEP OUT OF REACH OF CHILDREN  
SEE OTHER CAUTION STATEMENTS ON SIDE PANEL**

**For control of  
certain insects on fruit trees,  
shade trees, and shrubs**

**DIRECTIONS FOR USE**

AMOCO Superior Dormant Spray Oil mixes readily with water and is to be used as a dormant or delayed dormant spray for the control of certain insects found on fruit trees, deciduous shade trees, and ornamental shrubs. It may be used on evergreens, taking into consideration the caution noted elsewhere on this label.

**DECIDUOUS SHADE TREES**

Use 3 gallons of AMOCO Superior Dormant Spray Oil in 97 gallons of water to control San Jose Scale, European Fruit Lecanium, European Elm Scale, European Red Mite, Oyster Shell

<b>ACTIVE INGREDIENTS (by weight)</b>	
Petroleum Oil*	99.0%
<b>INERT INGREDIENTS (by weight)</b>	
	1.0%
<b>TOTAL</b>	<b>100.0%</b>

\*Insolubilized Residue—50 Minimum

Scale, Scurfy Scale, Putnam Scale, Terrapin Scale, and Eucnymus Scale.

Use 4 gallons in 96 gallons of water to control Cottony Maple Scale.

**EVERGREENS**

Use 2 gallons of AMOCO Superior Dormant Spray Oil in 98 gallons of water for control of scale insects, Red Mite, Spruce Gail Aphid, Pine Bark Aphid, and other similar insects on evergreens. Apply with a fine misty spray in the spring just before the new growth starts.

See section on Precautions in Using.

**Net Contents**

**U.S. GALS.**

**MIXIN**

1. Start sprayer pu
2. Start filling spra
3. Add Superior Do agitator blades.
4. Complete filling agitator running.

**PRODUC**

AMOCO Superior specifications establ oil. It contains a h white oil plus selecte

**SPR.**

The dosage rates s draulic spraying. Th blowers or concentr

	<b>Gals. (</b>
<b>FRUIT</b>	<b>100</b>
<b>TREES</b>	<b>5</b>

- Pests of Apple:**  
European Red Mite  
  
Fruit Tree Leafroller  
Apple Red Bug  
Scurfy Scale  
San Jose Scale  
Forbes Scale

- Pests of Pear:**  
Pear Psylla

- Fruit Tree Leafroller  
Pear Leaf Blister Mite

- Pests of Peach and Plum:**  
Cottony Peach Scale

- European Fruit Lecanium

- European Red Mite

- San Jose Scale

**NON-W**

Follow directions carefull proper and that product ce Timing and method of ap and other influencing fact the control of the Seller, press or implied (including reference to the results or to make any representati

# AMOCO Superior Dormant Spray Oil



AMERICAN OIL COMPANY  
CHICAGO, ILL. USA 60680

KEEP OUT OF REACH OF CHILDREN  
SEE OTHER CAUTION STATEMENTS ON SIDE PANEL

FRUIT TREES,  
SHRUBS

USE

Dormant Spray Oil mixes  
and is used as a dormant  
oil for the control of  
pests on trees, deciduous  
shrubs. It may be used with  
consideration on evergreens  
as indicated on this label.

TREES

Superior Dormant  
Spray Oil is used to control San  
Jose Scale, European Red Mite,  
Oyster Shell

Contents

ACTIVE INGREDIENTS (by weight)	
Petroleum Oil*	99.0%
INERT INGREDIENTS (by weight)	1.0%
TOTAL	100.0%

\*Unsulfonated Residue—90 Minimum

Scale, Scurfy Scale, Putnam Scale, Terrapin  
Scale, and Euonymus Scale.

Use 4 gallons in 96 gallons of water to  
control Cottony Maple Scale.

## EVERGREENS

Use 2 gallons of AMOCO Superior Dormant  
Spray Oil in 98 gallons of water for control  
of scale insects, Red Mite, Spruce Gall Aphid,  
Pine Bark Aphid, and other similar insects on  
evergreens. Apply with a fine misty spray in  
the spring just before the new growth starts.

See section on Precautions in Using.

U.S. GALS.

## MIXING DIRECTIONS

1. Start sprayer pump and agitator.
2. Start filling sprayer tank with water.
3. Add Superior Dormant Spray before water covers agitator blades.
4. Complete filling sprayer tank with water, keeping agitator running.

## PRODUCT SPECIFICATIONS

AMOCO Superior Dormant Spray Oil meets all the specifications established for a superior-type dormant oil. It contains a highly paraffinic carefully refined white oil plus selected emulsifiers and other ingredients.

## SPRAY METHODS

The dosage rates specified are for conventional hydraulic spraying. This product can also be used in mist blowers or concentrate sprayers.

FRUIT TREES	Gals. of Oil Per 100 Gals. Spray	Time of Application	Remarks
<b>Pests of Apple:</b>			
European Red Mite	2	Green tip to delayed dormant	Delayed dormant preferred
Fruit Tree Leafroller	3	Green tip to delayed dormant	
Apple Red Bug			
Scurfy Scale	2	Dormant, green tip, to delayed dormant	
San Jose Scale			
Forbes Scale			
<b>Pests of Pear:</b>			
Pear Psylla	2	Dormant	Apply before eggs are laid
Fruit Tree Leafroller	3	Dormant	
Pear Leaf Blister Mite			
<b>Pests of Peach and Plum:</b>			
Cottony Peach Scale	3	Dormant	
European Fruit Lecanium	2	Green tip to delayed dormant	
European Red Mite	2	Green tip to delayed dormant	
San Jose Scale	2	Dormant, green tip, to delayed dormant	

## NON-WARRANTY NOTICE

Follow directions carefully. Seller warrants such directions to be proper and that product conforms to the descriptions on this label. Timing and method of application, weather and crop conditions, and other influencing factors in the use of the product are beyond the control of the Seller, so Seller makes no other warranty, express or implied (including a warranty of merchantability), with reference to the results or effects of use. No person has authority to make any representation not contained on this label.

# CAUTION

**KEEP OUT OF REACH OF CHILDREN  
SEE OTHER CAUTION STATEMENTS ON SIDE PANEL**

**For control of  
certain insects on fruit trees,  
shade trees, and shrubs**

## DIRECTIONS FOR USE

AMOCO Superior Dormant Spray Oil mixes readily with water and is to be used as a dormant or delayed dormant spray for the control of certain insects found on fruit trees, deciduous shade trees, and ornamental shrubs. It may be used on evergreens, taking into consideration the caution noted elsewhere on this label.

### DECIDUOUS SHADE TREES

Use 3 gallons of AMOCO Superior Dormant Spray Oil in 97 gallons of water to control San Jose Scale, European Pear Scale, Pear Leaf Scale, and other insects on deciduous shade trees.

#### ACTIVE INGREDIENTS (by weight)

Petroleum Oil\* ..... 99.0%

INERT INGREDIENTS (by weight) ..... 1.0%

TOTAL..... 100.0%

\*Unsulfonated Residue—90 Minimum

Scale, Scurfy Scale, Putnam Scale, Terrapin Scale, and Euonymus Scale.

Use 4 gallons in 96 gallons of water to control Cottony Maple Scale.

### EVERGREENS

Use 2 gallons of AMOCO Superior Dormant Spray Oil in 98 gallons of water for control of scale insects, Red Mite, Spruce Gall Aphid, Pine Bark Aphid, and other similar insects on evergreens. Apply with a fine misty spray in the spring, starting from the base of the tree.

fruit tree L  
Apple Red  
Scurfy Scal  
San Jose S  
Forbes Sca

**Pests of Pe**  
Pear Psylla

Fruit Tree L  
Pear Leaf B

**Pests of Pe**  
Cottony Pe

European F

European R

San Jose S

**Follow dire**  
**proper and**  
**Timing and**  
**and other in**