

BOVINOL

Stock Spray

with

Vapona* Insecticide

May be fatal if swallowed, inhaled, or absorbed through the skin. Avoid contact with skin, eyes, or clothing. Wash thoroughly with soap and water after handling and before eating or smoking. Do not contaminate feed, water, or foodstuffs. If swallowed, call a physician immediately. Unless instructed otherwise, induce vomiting immediately. Atropine is antidotal. Do not contaminate food handling or milking equipment.

This product is toxic to fish and wildlife. Keep out of lakes, streams, or ponds. Do not apply when weather conditions favor drift from areas treated. Do not contaminate water by cleaning of equipment or disposal of wastes.

COMBUSTIBLE: Do not use or store near heat or open flame.

Follow directions carefully. Seller warrants such directions to be proper and that product conforms to the descriptions on this label. Timing and method of application, weather and crop conditions, and other influencing factors in the use of the product are beyond the control of the Seller, so Seller makes no other warranty, express or implied (including a warranty of merchantability) with reference to the results or effects of use. No person has authority to make any representation not contained on this label.

LACTATING DAIRY and BEEF CATTLE

Apply to the animals in the following manner: Spray the animals with the stock spray from a hand sprayer or pump sprayer. Apply to the animals in the following manner: Spray the animals with the stock spray from a hand sprayer or pump sprayer. Apply to the animals in the following manner: Spray the animals with the stock spray from a hand sprayer or pump sprayer.



WARNING KEEP OUT OF REACH OF CHILDREN
SEE OTHER WARNINGS ON SIDE PANEL

Protects lactating dairy animals and beef cattle against Stable Flies, House Flies, Horn Flies, and Mosquitoes. Can also be used in and around buildings and outdoor areas. Use undiluted as a fog, mist, or spray.

ACTIVE INGREDIENTS (by weight)
11.2% Dichlorovinyl dimethyl phosphate
1.0% p,p'-DDT
1.0% p,p'-DDE
1.0% p,p'-DDD
1.0% p,p'-DDD
1.0% p,p'-DDD
1.0% p,p'-DDD
1.0% p,p'-DDD
1.0% p,p'-DDD
1.0% p,p'-DDD

ALL ANIMAL BUILDINGS (Cattle, Horses, Pigs, etc.) Apply to the animals in the following manner: Spray the animals with the stock spray from a hand sprayer or pump sprayer. Apply to the animals in the following manner: Spray the animals with the stock spray from a hand sprayer or pump sprayer.

ANIMAL BUILDINGS (Horse Barns, Cattle Barns, Shelter Sheds, Stables, Loafing Houses, Feed Storage Rooms, Poultry Milk Rooms) Face, Horn, Hoof, and Stock treatments. Apply to the animals in the following manner: Spray the animals with the stock spray from a hand sprayer or pump sprayer.

POULTRY HOUSES (Chicken Houses, Turkey Houses, etc.) Apply to the animals in the following manner: Spray the animals with the stock spray from a hand sprayer or pump sprayer.

LARGE OUTDOOR AREAS (Stables, Barns, etc.) Apply to the animals in the following manner: Spray the animals with the stock spray from a hand sprayer or pump sprayer.

BACK YARD RECREATION AREAS (Lawns, etc.) Apply to the animals in the following manner: Spray the animals with the stock spray from a hand sprayer or pump sprayer.

FOOD PROCESSING PLANTS, INDUSTRIES, THEATRES, WAREHOUSES Apply to the animals in the following manner: Spray the animals with the stock spray from a hand sprayer or pump sprayer.

Net Contents

U.S. GALS.

BOVINOL

Stock Spray

with

Vapona* Insecticide



PRODUCT OF **AMERICAN OIL COMPANY**

CHICAGO, ILL. USA 60600

WARNING

**KEEP OUT OF REACH OF CHILDREN
SEE OTHER WARNINGS ON SIDE PANEL**

Protects lactating dairy animals
and beef cattle against Stable Flies,
House Flies, Horn Flies, and Mosquitoes.
Can also be used in and around buildings
and outdoor areas. Use undiluted
as a fog, mist, or spray.

ACTIVE INGREDIENTS (by weight)

**Dichlorovinyl dimethyl phosphate	99.97%
**Related compound	0.02%
Petroleum distillate	99.99%
TOTAL	100.00%

Net Contents: 1.0 U.S. GAL. (3.78 L.)

Net Contents

U.S. GALS.

ALL ANIMAL BUILDINGS (Horn, Cattle, M., goat, etc.)
Flies, Gnats, Mosquitoes, and House Flies. Apply
as a coarse spray around doorways, feed storage rooms,
alleyways, window sills, and other insect-hiding places. Use at
the rate of 1 pt. per 1000 sq. ft. Treat weekly until flies are
under control. Repeat as necessary.

**ANIMAL BUILDINGS (Horse Barns or Stable, Dairy
Barns, Shelter Sheds, Stables, Loafing Sheds, Hog
Houses, Feed Storage Rooms, Poultry Houses, and
Milk Rooms)** Flies, Horn, House, and Stable Flies, Mosqui-
toes, Gnats, and Fleas. Apply as a fog or mist inside building
while animals are enclosed at the rate of 1 pt. per 5000 cu. ft.
Do not contaminate feed, drinking water, milk, or milking
equipment. Repeat as necessary. Before applying, endeavor
to move animals as far as possible to other parts of building,
and then spray. Do not use this product for feeding or
watering areas where animals have access at all times of
the 24-hour day.

POULTRY HOUSES Flies, Gnats, Mosquitoes, and
House Flies. Apply as a coarse spray around doorways, feed
storage rooms, and other insect-hiding places. Use at the rate of
1 pt. per 1000 sq. ft. Treat weekly until flies are under control.
Repeat as necessary.

LARGE OUTDOOR AREAS Flies, Gnats, Mosquitoes, and
House Flies. Apply as a coarse spray around doorways, feed
storage rooms, and other insect-hiding places. Use at the rate of
1 pt. per 1000 sq. ft. Treat weekly until flies are under control.
Repeat as necessary.

BACK YARD RECREATION AREAS Flies, Gnats, Mosquitoes,
and House Flies. Apply as a coarse spray around doorways, feed
storage rooms, and other insect-hiding places. Use at the rate of
1 pt. per 1000 sq. ft. Treat weekly until flies are under control.
Repeat as necessary.

**FOOD PROCESSING PLANTS, INDUSTRIAL PLANTS,
THEATRES, WAREHOUSES** Flies, Gnats, Mosquitoes, and
House Flies. Apply as a coarse spray around doorways, feed
storage rooms, and other insect-hiding places. Use at the rate of
1 pt. per 1000 sq. ft. Treat weekly until flies are under control.
Repeat as necessary.