



Amoco

toxaphene spray

EMULSIFIABLE INSECTICIDE

WARNING: KEEP OUT OF THE REACH OF CHILDREN. SEE ANTIDOTE AND OTHER WARNINGS ON SIDE PANELS.

ACTIVE INGREDIENTS BY WEIGHT

Toxaphene (technical chlorinated camphene, chlorine content 67 to 69%)	59.58%
Aromatic petroleum derivative solvent	6.62%
Petroleum oil	26.10%
INERT INGREDIENTS BY WEIGHT	7.70%
TOTAL	100.00%

1 gallon of AMOCO Toxaphene Spray contains the equivalent of 67 pounds Toxaphene per gallon.

DIRECTIONS

Not for use or storage in or around the home.

Mix with water in a spray nozzle or pump sprayer. Apply to foliage and soil of plants and trees. For control of insects on plants and trees, apply to foliage and soil of plants and trees. For control of insects on plants and trees, apply to foliage and soil of plants and trees.

For control of insects on plants and trees, apply to foliage and soil of plants and trees. For control of insects on plants and trees, apply to foliage and soil of plants and trees.

LIVESTOCK INSECTS

For control of Mosquitoes, Flies, and Ticks on livestock, apply to the body of the animal.

For control of Ticks on livestock, apply to the body of the animal.

For control of Ticks on livestock, apply to the body of the animal.

For control of Ticks on livestock, apply to the body of the animal.

Sheep Ticks on sheep and goats, and lice on dogs. Mix AMOCO Toxaphene with water at the rate of 1 gallon to 25 gallons water. Toxaphene Thorough coverage is necessary. Do not use on dairy goats.

Note: Allow at least a 28 day interval between last treatment and slaughter for all foregoing livestock treatments. Do not treat sick or stressed animals. Spray animals 3 to 5 months old daily.

AGRICULTURAL INSECTS


Crop	Insect	Pints per Acre AMOCO Toxaphene	Residue Precautions
Apple	Apple Maggot	1.0	Do not eat for 30 days
Apple	Apple Worm	1.0	Do not eat for 30 days
Apple	Apple Ailanthus	1.0	Do not eat for 30 days
Apple	Apple Sawfly	1.0	Do not eat for 30 days
Apple	Apple Leaf Miner	1.0	Do not eat for 30 days
Apple	Apple Thrips	1.0	Do not eat for 30 days
Apple	Apple Aphid	1.0	Do not eat for 30 days
Apple	Apple Scale	1.0	Do not eat for 30 days
Apple	Apple Mite	1.0	Do not eat for 30 days
Apple	Apple Flea Beetle	1.0	Do not eat for 30 days
Apple	Apple Curculionid	1.0	Do not eat for 30 days
Apple	Apple Weevil	1.0	Do not eat for 30 days
Apple	Apple Borer	1.0	Do not eat for 30 days
Apple	Apple Moth	1.0	Do not eat for 30 days
Apple	Apple Fly	1.0	Do not eat for 30 days
Apple	Apple Wasp	1.0	Do not eat for 30 days
Apple	Apple Bee	1.0	Do not eat for 30 days
Apple	Apple Ant	1.0	Do not eat for 30 days
Apple	Apple Termite	1.0	Do not eat for 30 days
Apple	Apple Flea	1.0	Do not eat for 30 days
Apple	Apple Tick	1.0	Do not eat for 30 days
Apple	Apple Mite	1.0	Do not eat for 30 days
Apple	Apple Spider	1.0	Do not eat for 30 days
Apple	Apple Scorpion	1.0	Do not eat for 30 days
Apple	Apple Snake	1.0	Do not eat for 30 days
Apple	Apple Frog	1.0	Do not eat for 30 days
Apple	Apple Salamander	1.0	Do not eat for 30 days
Apple	Apple Turtle	1.0	Do not eat for 30 days
Apple	Apple Snake	1.0	Do not eat for 30 days
Apple	Apple Frog	1.0	Do not eat for 30 days
Apple	Apple Salamander	1.0	Do not eat for 30 days
Apple	Apple Turtle	1.0	Do not eat for 30 days

NOI WARRANTY NOTICE

AMOCO does not warrant the effectiveness of this product against any insect or disease. The user assumes all responsibility for the proper use of this product.

CONTENTS

GALLONS



EMULSIFIABLE INSECTICIDE

WARNING: KEEP OUT OF THE REACH OF CHILDREN. SEE ANTIDOTE AND OTHER WARNINGS ON SIDE PANELS.

ACTIVE INGREDIENTS BY WEIGHT

Texaphos (technical chlorinated camphene, chlorine content 67 to 88%)	89.50%
Aromatic petroleum derivative solvent	6.62%
Petroleum oil	28.10%

INERT INGREDIENTS BY WEIGHT

TOTAL	100.00%
-------	---------

1 gallon of AMOCO Texaphos Spray contains the equivalent of 8 pounds Texaphos per gallon.