

CAUTION

As a result of the above, the following recommendations are made:

Deutschsprachige Schriftsteller und Schriftstellerinnen aus dem Ausland

CONTINUATION

Do not reuse empty memory buffers

COMBUSTIBLE (flammable) - capable of being easily ignited or burned.

PRECAUTIONS IN USING

With respect to AMM 6, the following information is available:
1. The name of the manufacturer is not known.
2. The date of manufacture is unknown.
3. The serial number is unknown.
4. The type of gun is unknown.
5. The barrel length is unknown.
6. The bore diameter is unknown.
7. The weight is unknown.
8. The gun is in good condition.

DIRECTIONS FOR USE



AmmoCo

tree spray

**FOR CONTROL OF CERTAIN INSECTS
ON FRUIT TREES, SHADE TREES,
AND SHRUBS.**

**CAUTION: KEEP OUT OF THE REACH
OF CHILDREN. SEE OTHER CAUTION
STATEMENTS ON SIDE PANEL.**

ACTIVE INGREDIENTS BY WEIGHT	
Petroleum Oil.....	99.0%
INERT INGREDIENTS BY WEIGHT	
.....	1.0%
TOTAL	100.0%

Unsulfonated Residue—98 Minimum

Unsulfonated Residue—98 Minimum.

10. The following table shows the number of hours worked by each employee in a company.

19. *Leucosia* *leucostoma* (Fabricius) *leucostoma* (Fabricius)

— 1 —

1. *Urticaria*
2. *Angioedema*
3. *Anaphylaxis*
4. *Hypersensitivity*

1. *Thymelicus lineola* (Linnaeus) 2. *Thymelicus sylvestris* (Linnaeus)
3. *Thymelicus sylvestris* (Linnaeus) 4. *Thymelicus lineola* (Linnaeus)

EVERGREENS

Use 1 quart of AMOCO Tree Spur
Cut Water for control of scale insects
such as Arbutus Pine Bark Aphid and other
scale insects. Apply with fine mist sprayer
before the new growth starts.

Lesson 1: Evolution of Programming Languages

FRUIT TREES

Do not use sulphur compounds.
Cut in Dibor or Duncap Karathai
at approximately AMG 60 Tree Spr
in 7 to 10 day interval between spra
- 1 AMG 60 Tree Spray oil

FRUIT TREES

Present State of Application

EVERGREENS

Use 2 gallons of AMOCO Tree Spray Oil in 98 gallons of water for control of scale insects, Red Mite, Spruce Gall Aphid, Pine Bark Aphid and other similar insects on evergreens. Apply with fine mist spray in the spring just before the new growth starts.

See section on Precautions in [Section I](#)

FRUIT TREES

Do not use sulphur compounds - Dithione (phytome), Captan, DiKar or Dinocap (karathane) with or near time of application of AMOCO Tree Spray Oil. Allow at least a 7 to 10 day interval between sprays of sulfur, Captan and AMOCO Tree Spray Oil.

FRUIT TREES	Gals. of Oil Per 100 Gals. Spray	Time of Application
Pests of Apple		
Apple Maggot	150	When blossoms open
Coddling Moth	150	When blossoms open
Appleworm	150	When blossoms open
Apple Leafworm	150	When blossoms open
Apple Rootworm	150	When blossoms open
Apple Maggot	150	When blossoms open
Coddling Moth	150	When blossoms open
Appleworm	150	When blossoms open
Apple Leafworm	150	When blossoms open
Apple Rootworm	150	When blossoms open

