	al Rode	ESTICIDE: Reisy HA  oderal Insectiside, Families enticide Act, on executed).		Mutra-Sp	cipe PRODUCT		
HANK AND AD	Lef	fingwell South Berry Street		7 T			
		. Box 1880 a, CA 92621					 :
L			, , , , , , , , , , , , , , , , , , , ,	٦			
submitted to	and acc	abeling formula differing in a epted by the Registration D to the above U.S. EPA regis	ivision prior	to use of the lab			
		mation furnished by the regi ide, Fungicide, and Rodenti		bove named pest	icide is hereby Re	gistered/Re	registered under
A copy of the	labeli	ng accepted in connection w	ith this Reg	istration/Reregis	tration is returned	berewith.	
health and the	e enviro	way to be construed as an comment, the Administrator, o with the Act. The acceptance strued as giving the registra	n his motion e of any nan	, may at any time se in connection	suspend or cance with the registrati	on of a prod	ation of a pest- uct under this
		cauct is conditional covided that you:	ally r <del>e</del> gi	stered in a	ccordance wi	th FIFRA	section
	under	nit/cite all data r r FIFRA section 3(c roducts to submit s	)(5) who	n the Agency	ation/reregi y requires a	siration ll regis	of your trants
2. ior ship		e the labeling chan	ges list	ed <b>below</b> be	fore you rel	case the	product
	a,	Add the phrase *EP	<b>A</b> Regist	ration No.	1148-36."		
	b. Under STORAGE AND DISPOSAL, you may delete the paragraph beginning "Pesticide wastes are acutely hazardous " We regret the error in our letter of June 17.						
	c.	For the nutrient u stipulate if repea				i <b>c</b> ations	and
	d.	For the fungicide used when condition				<b>s ar</b> € to	be
ATTACH	MENT IS	APPLICABLE					
SIGNATURE OF	APPRO	OVING OFFICIAL				DATE	
73 370	their s				$E^{*}$ , $E^{*}$ , $E^{*}$		

**(** 

A stamped copy of the land is and cord for your records.

Richard P. Mountfort Predect Manager (23) Fungicide-Merbicide Branch Registration Division (25-7672

Inclosure

Total ...... 100.0%

(\* Metallic Copper Equivalent 14.5% Phosphoric acid derived from metallic phosphates. Zinc derived from phosphates.)

# KEEP OUT OF REACH OF CHILDREN

## CAUTION

STATEMENT OF PRACTICAL TREATMENT

IF SWALLOWED: Orink promptly a large quantity of milk, egg whites or gelatin solution: if not available, drink large amounts of water. Avoid alcohol. Call a physician immediately. IF IN EYES: Flush eyes with plenty of water for at least 15 minutes. Call a physician. IF ON SKIN: Wash with plenty of water for at least 15 minutes. Call a physician if Irritation

persists. Remove and wash contaminated clothing before use. IF INHALED: and abnormal symptoms division, see a physician.

SEE LEFT SIDE PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENT.

# NET WEIGHT 50 POUNDS (22.68 kg):

EPA RES. NO. 1148-GA EPA EST. NO. 1014-11-1

6

111 SOUTH BERRY STREET / P.O. BOX 1880, BREA, CA 92621

Avoid contact with skin, eyes or ciething, in case of contact immediately flush eyes or skin with plenty of water. May cause skin sensitization in cortain individuals.

Keep away from domestic animals. ENVIRONMENTAL NAZARDS

This pesticide is textic to fish and aquatic organisms. Do not apply directly to water. Drift and reneff from treated areas may be hazardous to fish and aquatic arganisms in adjacent aquatic sites. Do not contaminate water when disposing of equipment wathwaters.

#### DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

### STORAGE AND DISPOSAL

#### STORAGE:

6

Store product in a secure dry place and keep product dry. When opening, closing or handling open packages, or pouring product, wear goggles to prevent dusting into eyes. Spilled product should be swept up, used if clean, or disposed of on site and/or waste resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

Store product only in original container. During storage, store pesticides separately to prevent cross-contamination of other pesticides, fertilizers, food and feed.

#### DISPOSAL:

Do not contaminate water, food, or feed by storage or disposal. Do not reuse this container. Completely empty bag into application equipment. Then dispose of empty bag in a sanitary landfill or by. incineration, or if allowed by State and local authorities, by burning. If burned, stay out of smoke.

Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixtures, or rinsate is a violation of Federal law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

Do not apply this afraduct in such a manner as to directly or through drift expose workers or other persons. The area being treated insust be vacated by unprotected persons.

Do not eater treated great without protective ciothing until aprays have dried.

Because certain states may require more restrictive reentry intervals for various craps treated with this product, consult your State

Department of Agriculture for further intermetion.

Written or eral warnings must be given to workers who are expected to be in a treated area or in an area about to be treated with this product. When eral warnings are given, warnings shall be given in a language customarily understood by workers. Or all warnings sound be understood by workers. Written or eral warnings must include the following information.

"CAUTION" Area to be treated with copper sulfate on (date of application). Do not enter without appropriate protective ciothing until sprays have dried. If accidently expecsel, consult the Statement of Practical Treatment portion of the posticide label for

first aid recommendations.

م)

NUTRA-SPRAY COPOPHOS is designed as a general fungicide for use on citrus in copper sensitive areas. Also recommended for use as a tree deficiency spray where the elements are the recognized deficiencies.

NOTE: In areas where there may be a severe smog, add 1 lb. of lime per 100 gallons of

finished spray as an additional precaution.

#### USE DIRECTIONS

#### **FUNGICIDE USES**

FOR ALL CITRUS VARIETIES:
BROWN ROT: Use 3-5 lbs. COPOPHOS per
180 gallons of water. Spray skirts of
trees from the ground up to 3-4 feet
high in late fall as a preventative,
or when disease first appears. Use up
to 6 gallons of spray per tree. In
addition, spray 2-4 gallons on the
trunk and ground under the tree. Apply
15-50 lbs. COPOPHOS per acre. A second
application may be advisable in
unusually wet winters.

SEPTORIA: For septoria control apply in late fall as a preventative, or when disease first appears. Throughly wet all surfaces of the entire tree with 3-4 lbs. COPOPHOS per 100 gallons of water. Do not exceed 85 lbs. of COPOPHOS per acre. May also be applied as a dust by air or ground duster at the rate of 20-50 lbs. per acre.

CHEMICATION: Do not apply this product through any type of irrigation system.

#### MICRONUTRIENT USES

FOR MINOR ELEMENT SPRAY ON CITRUS, AVOCADOS, DECIDIOUS FRUIT AND NUT TREES AND ORNAMENTALS:
Apply COPOPHOS at the rate of 8-30 lbs. per acre in 10-20 gallons of water by air, in 15-100 gallons of water by concentrate sprayer. By conventional ground rig, use 2-7 lbs. per 100 gallons of water.

SPREADERS: A spreader-Sticker is recommended with this product.

COMPATIBILITY- NUTRA-SPRAY COPOPHOS, when used without lime, is compatible with phosphate and chlorinated hydrocarbon insecticides and miticides.

CAUTION: Maintain adequate agitation at all times. Do not use COPOPHO9 in acid spray solutions or with Leffingwell STABILIZED IRON or SORBASPRAY products since injuly from excessive soluble copper may result.

IMPORTANT NOTICE — Seller warrants that this product conforms to its chemical description and is reasonably fit for the purposes stated on the label when used in accordance with the directions and instructions specified on the label under normal conditions of use, but neither this warranty ner any other warranty of merchantability or fitness for a particular purpose, express or implied, extends to the use of this product, contrary to label instructions, or under abnormal conditions, or under conditions not reasonably foreseeable to seller, and buyer assumes the risk of any such use.