

NET WT. 1 LB.

MoorMan's

New Fly Bait

Use wet or dry.

Kills house flies in and around dairy barns, feed rooms, hog sheds, loafing sheds, animal shelters, stables, manure piles and outdoor areas.


CAUTION: Keep out of reach of children.
See other cautions on back panel.
See back panel for instructions for use.

Active Ingredients:	
2,2-dichlorovinyl dimethyl phosphate*	0.23%
Related compounds	0.02%
Dimethyl (2,2,2-trichloro-1-hydroxyethyl) phosphonate**	0.25%
Inert ingredients	99.50%
	100.00%

*Formulated with 0.5%

**Reg. U.S. Pat. Off. by Farbenfabriken Bayer, A. G. Chemagro Corporation, licensee. U.S. Patent No. 2,701,225. Canadian Patent No. 529,279. EPA REG. NO. 1157-40-AA

Bayer assumes all risks of use, storage or handling of this material not in strict accordance with directions given herewith.



INSTRUCTIONS FOR USE

As a dry bait: Scatter MoorMan's Fly Bait on areas where flies congregate such as on the floor, ground, manure piles, window ledges or other horizontal surfaces. Apply 1/4 lb. of dry bait per 1000 sq. ft. Keep out of reach of animals. On freshly limed floors, place bait on waste cloth or on paper. Repeat treatment every day until fly population is greatly reduced and then repeat bait application as necessary.

As a liquid bait: Dissolve 1 lb. MoorMan's Fly Bait in one gallon water. Mix thoroughly and, using sprinkling can, sprinkle on the floor inside or outside of livestock buildings wherever flies are observed, such as manure piles or garbage heaps. Direct contact of animals

with the solution should be avoided. Avoid contamination of any animal or human foods. Repeat daily until flies are controlled and then as needed.

As a paint: Add 4 oz. (1/4 lb.) MoorMan's Fly Bait to two ounces of water and mix to dissolve the bait. Using a brush, apply the liquid bait to vertical non-porous surfaces such as posts, ceilings, window screens, ledges and other places where flies congregate. Normally one pint of paint bait is adequate for spot painting buildings with 2,500 to 3,000 sq. ft. of floor space.

Good sanitation is essential for adequate fly control. Remove and scatter for drying all manure or wastes that serve as fly breeding areas.

CAUTION:

HARMFUL IF SWALLOWED, INHALED OR ABSORBED THROUGH THE SKIN.

Keep out of reach of children and domestic animals. Bait is harmful if swallowed, inhaled or absorbed through the skin. Wash thoroughly with soap and water after using. If swallowed, induce vomiting immediately and get medical attention. If poisoning should occur, get prompt medical attention. Atropine is antidotal.

Do not allow the bait to contaminate food or livestock feed. Do not contaminate drinking water, milk or milk-handling equipment.

Do not apply directly to animals. Do not treat portions of buildings where animals can lick. Do not apply the bait in large amounts at any one place. Do not use in or around poultry houses. Do not use treated garbage as animal feed. Do not allow MoorMan's Fly Bait to come in direct contact with walls, floors or other areas previously treated with lime, white wash or other alkali.

This product is toxic to fish, birds and other wildlife. Keep out of lakes, streams or ponds. Do not apply where runoff is likely to occur. Do not contaminate water by cleaning of equipment or disposal of wastes. Apply this product only as specified on this label.

Do not reuse container. Destroy when empty.

Manufactured for Moorman Mfg. Co., Quincy, Illinois 62301

