



CHLORDANE
72% SPRAY
For Control of TERMITES

EPA Reg. No. 1159-102 EPA Est. No. 1159-NJ-1

**WARNING KEEP OUT OF
 REACH OF CHILDREN
 SEE REAR PANEL
 FOR ADDITIONAL CAUTIONS**


**DO NOT USE, POUR, SPILL OR STORE
 NEAR HEAT OR OPEN FLAME.**

ACTIVE INGREDIENTS	
Chlordane - Technical*	72.0%
Petroleum Distillates	20.0%
INERT INGREDIENTS	
	8.0%
Total	100.0%

*Contains 8 lbs. Chlordane-Tech per U.S. gal at 70° F.
 *4,2 - Octachloro 4,7-methanotetrahydroindane and
 28.8% related compounds

NET CONTENTS - ONE GALLON

SEACOAST LABORATORIES, INC.
 257 HIGHWAY 18 • EAST BRUNSWICK, N.J. 08816



SUBTERRANEAN TERMITES--Directions for Non-Professional Use

Use Chlordane in a 2% water emulsion by diluting one quart of Twin Light CHLORDANE 72% SPRAY with 25 Gallons of water.

BUILDINGS HAVING BASEMENTS OR CRAWL SPACES

Dig a trench along the outside of the foundations walls. In brick or hollow block or concrete foundations, dig a trench to, **but not below**, the footing. Then as the trench is refilled, treat the soil at the rate of 4 gallons per 10 linear feet **for each foot of depth**. A trench 3 feet deep would require 12 gallons per 10 linear feet.

The objective is to establish a treated soil barrier which will prevent termite entry. Other critical areas may also require treatment. It is suggested that you consult the State Extension Service for advice.

WARNING: This concentrate, if brought into contact with the skin can cause toxic symptoms. Avoid skin contact and inhalation. In case of spillage on skin, wash immediately with soap and water. Avoid contamination of feed, food containers and foodstuffs. Do not use on household pets or humans. Harmful if swallowed. Keep out of reach of children. Do not use this product on dairy animals, in dairy barns, or on feed or forage to be fed to dairy animals or other animals being finished for slaughter.

Do not use in poultry houses.

After the Chlordane has been applied, keep children and pets away from the treated areas until the insecticide has soaked well into the soil.

Inspect foundation annually for reinfestation.

ENVIRONMENTAL CAUTIONS: Toxic to fish and wildlife. Birds feeding on treated area may be killed. Do not contaminate any body of water nor apply when conditions favor runoff from are treated.

Do not contaminate water by cleaning of equipment or disposal of waste.