

PRECAUTIONARY STATEMENTS

**HAZARDS TO HUMANS
& DOMESTIC ANIMALS**

CAUTION

Product contains chlordane which is extremely toxic to humans and domestic animals. Avoid contact with skin or eyes.

ENVIRONMENTAL HAZARDS

Avoid contamination of water by cleaning equipment or disposal of wastes.

PHYSICAL OR CHEMICAL HAZARDS

Do not spray near heat or flame.

DIRECTIONS

FOR HOMEOWNER USE FOR PREVENTING TERMITE CONTROL IN EXISTING STRUCTURE.

It is a violation of Federal Law to use this product for homeowner insect control without its labeling.

STORAGE AND DISPOSAL

Keep product in original container. Do not contaminate water, food, feed by storage, disposal or cleaning of equipment. Do not reuse empty container. Wrap container and put in trash collection.

DILUTE one quart with 25 Gallons of water

TERMITE CONTROL IN EXISTING STRUCTURE:
Buildings with Basements or crawl spaces

First remove all wood debris and wood forms. A round pipe, pipes, chimney bases and along foundation of poured concrete structures should be wide and can be treated. If the trench is more than 12 in. deep, use 1/2 in. diameter pipe and if not 12 in. deep, use 1/2 in. diameter pipe. Do not use a straight pipe that extends into the trench surface. If the trench is 12 in. deep, use 1/2 in. diameter pipe and if not, use 1/2 in. diameter pipe. Apply the chlordane solution in the trench at a rate of one gallon per 10 linear feet per foot of depth. Apply half of this to the back wall, disperse treatment in the walls of the trench, then crawl space building should be treated with a thin layer of untreated soil. For crawl space, treat the central cavity with a 1/2 hole at one foot intervals. To treat the foundation, fill and pour one half gallon of chlordane solution into each hole. Refill holes. Slabs with heat ducts or radiating heat pipe should be treated by commercial pest control operator.

The object is to establish which will prevent termites from entering areas may also require there are inaccessible type construction. In fact the Agricultural Service for advice or control Service.

Avoid contamination of piles by following the use of a hose or any type of equipment to the termite chemical mixing this material is flow or anti-siphonage equipment. These devices or plumbing supplies will help to prevent flow equipment will help to prevent this toxic chemical from entering into public water supplies. Housing Administrations for safe distances wells. Soil in the vicinity of ponds should not be treated, subject to excessive accumulation of water around the perimeter of lower than surrounding this is the situation.

Apply Under Pressure, area safe from well or

area safe from well or

treated, allowed to stand four hours then re-

been lined with 4 mil.

not to puncture the pl-

soil to the trench. It

contain cisterns or we-

WARRANTY

Seller makes no warranty, the use of this product assumes all risk of use a such use and/or handling

Man

Sec
LAB
EAST



| ACTIVE INGREDIENTS | |
|---------------------------------|--------|
| Chlordane Technical | 72.0% |
| Petroleum Oil, 4% Water, 24% | 2.0% |
| INERT INGREDIENTS | 24.0% |
| | 100.0% |

Contents: 8 lbs Chlordane Tech per U.S. gallon. Total
141.28 Oz. Contains 4,7-methylenetetradecanone and
29.0% related compounds.

KEEP OUT OF REACH OF CHILDREN
CAUTION

STATEMENT OF PRACTICAL TREATMENT

- IF SWALLOWED** — Call a physician or Poison Control Center immediately. Gastric lavage is indicated if material was taken internally. DO NOT INDUCE VOMITING; vomiting may cause aspiration pneumonia. Remove victim to fresh air. Apply artificial respiration if indicated. Remove contaminated clothing and wash affected areas with soap and water. Flush eyes with plenty of water. Get medical attention immediately.
- IF INHALED** —
- IF ON SKIN** —
- IF IN EYES** —

NET CONTENTS - ONE-HALF GALLON

EPA Reg No 1159-102

EPA Est No 1159-NJ-1

1159-102

1159-102

NARY STATEMENTS
D TO HUMANS
ESTIC ANIMALS
AUTION

If swallowed, do not breathe in fumes or spray. If taken in food and feed, do not eat.

ENTAL HAZARDS

water by cleaning of equipment.

CHEMICAL HAZARDS
toxic heat or flame.

ECTIONS

USE FOR SUBTERRANEAN TERMITES
10% CHLORDANE

Federal law requires this product contain safety labelling.

AND DISPOSAL

Do not contaminate water, soil or feed by storage, disposal or equipment. Do not reuse empty container and put in trash can.

art with 25 Gallons of water

CAUTION REQUIREMENTS
vents or crawl spaces

wood debris and wood forms. A chimney bases and along foundries, treating trench 6 inches wide 14 feet long, more than 12 inches with a crowbar, pipe or a rod of that extent from the trench bottom. Take holes closely spaced. Apply 216 PINTS PER LINEAR FEET. Apply the emulsion solution rate of one gallon per 10 linear feet. Apply half of this to the trench, treat the inside of the trench wall, treat the outer treated soil for one-half hour, then treat the half gallon of emulsion each hole. Retill holes. Slabs containing heat pipe should be dry before application.



| ACTIVE INGREDIENTS | CHLORDANE TECHNICAL | 1.25 |
|---|-----------------------|------|
| INERT INGREDIENTS | PETROLEUM DISTILLATES | 7.75 |
| CONTAINS 8.0% CHLORDANE TECH. PER U.S. GALLON 100% 96.2% Octachloro-4,7-methanotetrahydrofuran and 2.8% related compounds | | |

KEEP OUT OF REACH OF CHILDREN
CAUTION

STATEMENT OF PRACTICAL TREATMENT

IF SWALLOWED — Call a physician or Poison Control Center immediately. Gastric lavage is indicated if material was taken internally. DO NOT INDUCE VOMITING; vomiting may cause aspiration pneumonia. Remove victim to fresh air. Apply artificial respiration if indicated. Remove contaminated clothing and wash affected areas with soap and water. Flush eyes with plenty of water. Get medical attention immediately.

IF INHALED —

IF ON SKIN —

IF IN EYES —

The object is to establish a treated soil barrier which will prevent termite entry. Other critical areas may also require treatment, particularly if there are inaccessible areas, basements or slab type construction. It is suggested that you contact the Agricultural Cooperative Extension Service for advice or consult a Commercial Pest Control Service.

Avoid contamination of public and private water supplies by following these precautions. Do not allow a hose or any type of faucet extension to reach into the termitic chemical solution while filling or mixing this material with water. Use anti-backflow or anti-siphonage equipment on all filling equipment. These devices can be purchased at hardware or plumbing supply stores. Use of anti-backflow equipment will help to insure that the user of this toxic chemical will not contaminate domestic water supplies. Refer to Federal (Federal Housing Administration), state and local specifications for safe distances of treatment areas from wells. Soil in the vicinity of wells, cisterns or ponds should not be treated if it is water saturated, subject to excessive saturation due to an accumulation of water or if the soil to be treated around the perimeter of the structure is at a grade lower than surrounding yard or property area. If this is the situation, treat as follows: Do Not Apply Under Pressure. Soil should be moved to an area safe from well or domestic water contamination, treated, allowed to stand undisturbed for two to four hours then returned to the trench which has been lined with 4 mil. plastic sheeting. Be careful not to puncture the plastic sheeting when returning soil to the trench. Do not treat structures that contain cisterns or wells.

WARRANTY STATEMENT

Seller makes no warranty, expressed or implied, concerning the use of this product other than indicated on the label. Buyer assumes all risk of use and/or handling of this material when such use and/or handling is contrary to label instruction.

Manufactured By

Seacoast
LABORATORIES, INC.
EAST BRUNSWICK, N.J. 08816

1159-102

NET CONTENTS - ONE-HALF GALLON

EPA Reg No 1159-102
EPA Est No 1159-NJ-1

466/84617
35/2

300/84613
17/3

*DRP
12/8/82*

Mr. Irvin Baker
Seacoast Laboratories, Inc.
P.O. Box 157
257 Highway 18
East Brunswick, NJ 08816

Dear Mr. Baker:

Subject: Termiteicide Label Improvement Program
Twin Light Chlordane 72% Spray
EPA Registration No. 1159-102
Your Application Dated November 15, 1982

The labeling referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide and Rodenticide Act, as amended, is acceptable. A stamped copy is enclosed for your records.

The following revisions should be made at the next label printing:

1. Harmful if swallowed. Contact with skin can cause toxic symptoms. Wash thoroughly after handling and before smoking or eating. Do not breathe vapors. Do not get in eyes, on skin or clothing. Avoid contamination of feed or food stuffs.
2. Add the following as the first two sentences of the Environmental Hazards text:

This product is toxic to fish, birds and other wildlife.
Keep out of lakes, streams, or ponds.

The certification for compliance with the child-resistant packaging regulations involves both the closures and associated recordkeeping. Refer to the enclosure and submit the text for item (b) on your company letterhead with date and signature.

Sincerely yours,

George T. LaRocca
Product Manager (15)
Insecticide-Rodenticide Branch
Registration Division (TS-767C)

Enclosures

TS-767C:LaRocca:DCR-39844:WANG-1445C:es:Raven:479-2013:12/2/82
REVISED:DCR#39847:CBP:1490C:12/06/82