

DIAZINON 2% DUST

ACC

FOR LAWN CHINCH BUGS Clover Mites

And For Control of Certain INSECTS That Infest VEGETABLES

USDA Reg. / NO. 1159-124

DIRECTIONS

LAWNS: For control of CHINCH BUGS apply at the rate of 20 pounds per 5000, 50 pounds per 12,500 square feet, apply as soon as the pest appears. Repeat in 7 to 10 days if necessary.

NOTE: After application sprinkle the lawn to wash the insecticide off the grass and on to the turf.

2) In the New York Metropolitan area, Chinch Bugs have one generation in June and a second in August. Consult your extension service specialist as to exact timing of applications.

3) Diazinon 2% Dust applied at the above rate also effectively controls CLOVER MITES, fleas and Chiggers that infest lawns.

VEGETABLES. Use at the rate of 60 pounds per acre, except as noted. Repeat applications when necessary.

BROCCOLI, CAULIFLOWER, CABBAGE Aphids, Diamondback Moths and Imported Cabbageworms. Do not apply to Broccoli and Cauliflower within 5 days of harvest; Cabbage within 7 days of harvest.

CELERY Aphids and Flea Beetles. Use 20 pounds per acre. Do not apply within 10 days of harvest.

CUCUMBERS Aphids, Serpentine Leafmoner and Thrips. Do not apply within 7 days of harvest

LETTUCE Aphids and Leafminger, Usi 20 painteds per acre. Do not apply within 10 days of harvest.

ONIONS Onion Thrips Do not apply to onices within 10 days of harvest

PEPPERS. Aphids Use 50 pounds per acre. Do not apply within 5 days of harvest

POTATOES: Aphids, Flea Beetles, Colorado Potato Beetles, Leaf Miners. Do not apply within 30 days of harvest.

SNAP BEANS: Black Bean Aphids, Mexican Bean Beetles. Do not apply later than 7 days before harvest.

TOMATOES Aphids, Leaf Miners, Vinegar Flies Denot apply within 3 days of harvest

ACTIVE INGREDIENTS

O, O-diethyl O- (2-isopropyl-6 methyl-4-pyrimidinyl) phosphorothioate 2.00% INERT INGREDIENTS: 98.00%

U.S. Patent No. 2.754,243 Inon Reg T. M. of Geigy-Ciba Corp.

CAUTION

KEEP OUT OF REACH OF CHILDREN

Avoid breathing dust. Harmful if swallowed. May be absorbed through skin. Avoid storage near food and feed products. Avoid contact with skin and eyes. Avoid contamination of feed and foodstuffs. Wash thoroughly after handling.

Do not allow children or pets on treated lawn until the insecticide is washed off the grass into the soil and grass is completely dried.

Do not reuse empty container. Destroy by burying with wastes or burning. Stay away from smoke or turnes.

FISH AND WILDLIFE CAUTION

This product is toxic to fish and wildlife. Birds feeding on treated areas may be killed. Keep out of any body of water. Do not contaminate water by cleaning of equipment or disposal of wastes. Do not apply when conditions favor drift from area treated. Apply this product only as specified on this label.

NET WEIGHT 50 POUNDS

Manufactured by

SEACOAST LABORATORIES, INC.

EAST BRUNSWICK, N. J. 08816