



Net Weight  
25 pounds

**ROSE  
FLOWER DUST  
OR SPRAY**

**Insecticide  
Fungicide  
Miticide**

ACCEPTED

APR 18 1986

Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, for the pesticide registered under EPA Reg. No. 1159-147

EPA Reg. No. 1159-147

EPA Est. No. 1159-NJ-1

TWIN LIGHT ROSE and FLOWER DUST or SPRAY is an Insecticide—Fungicide—Miticide combination of MALATHION—SEVIN\* (Carbaryl) FOLPET for control of certain insects and diseases of ROSES and FLOWERS as well as certain insects that infest shrubs

\*Registered Trade Mark of Union Carbide Corporation for Carbaryl Insecticide.

**ACTIVE INGREDIENTS:**

\*\*Malathion ..... 4.00%  
Folpet (N-Trichloromethylthio) phthalimide ..... 6.00%  
Carbaryl (1-Naphthyl N-methylcarbamate) ..... 3.00%

**INERT INGREDIENTS** ..... 88.00%

\*\*O, O-dimethyl-dithiophosphate of diethyl mercaptosuccinate

**KEEP OUT OF REACH OF CHILDREN  
CAUTION  
STATEMENT OF PRACTICAL TREATMENT**

**IF SWALLOWED**—Call a physician or Poison Control Center immediately. Drink one or two glasses of water and induce vomiting by touching back of throat with finger. Repeat until vomit fluid is clear. Do not induce vomiting or give anything by mouth to an unconscious person.

**IF INHALED**—Remove victim to fresh air and apply respiration if indicated.

**IF ON SKIN**—Wash promptly with soap and water. Rinse thoroughly.

**IF IN EYES**—Rinse eyes for at least 15 minutes with water and call a physician immediately.

**SEE SIDE PANEL FOR ADDITIONAL  
PRECAUTIONARY STATEMENTS.**

Subsequent planting of food and feed crops in treated soil must be made with crops on this or other carbaryl labels

**DIRECTIONS**

Apply only as specified on the label.

To be most effective applications should be made before insects become numerous and before diseases are apparent. Protect plants through the growing season by dusting or spraying at 7 to 14 day intervals and after heavy rains. Cover foliage thoroughly but do not use in excess. Pay particular attention to cover underside of leaves.

**SPRAYING**—6 to 7 level tablespoons per gallon of water. One pound per 8 gallons of water. Twelve pounds per 100 gallons of water. Stir thoroughly. Pour the mixture into the sprayer and agitate while spraying in order to obtain a thorough and even coverage. In a small sprayer shake often for agitation. A hose attached sprayer may be used.

**INSECTS**—Effective for the control of the following insects: Aphids, Cicada (17 year Locust), Clover Mites, Red Spider Mites, Japanese Beetles, Rose Chaler, Rose Leafhoppers, Leaf Rollers, Rose Slugs, Flea Beetles, Thrips, Tarnished Plant Bugs, Four Lined Leaf Bug, Whitefly, Asiatic Garden Beetles and Black Blister Beetles on Roses, Gladiolus, Dahlias, Sweet Peas, Asters, Chrysanthemums, Delphinium, Calendula, Begonia and Snapdragon.

**DISEASES**—Black Spot and Powdery Mildew of Roses, Septoria, Leaf Spot of Chrysanthemums, Didymella, Leaf Spot of Iris, Rust and Alternaria Leaf Spot of Carnations, Alternaria Leaf Spot, Powdery Mildew and Anthracnose on Zinnias, Marigolds, Asters, Phlox and Snapdragons.

**SHRUB INSECTS**—Aphids, Japanese Beetles, Lacebugs, Spider Mites, Azalea Scale, Scaly Scale, Euonymus Scale, Soft Brown Scale, Boxwood Leaf Miners and Bagworms on Rhododendrons, Azaleas, Junipers, Arborvitae, Euonymus, Hydrangeas, Ficus Japonica, Boxwood and Lilac.

**CAUTION**

**KEEP OUT OF REACH OF CHILDREN AND ANIMALS**

May be harmful if swallowed. Avoid breathing vapors (dust or spray mist). Avoid contact with eyes, skin or clothing. Wash thoroughly after handling. Take shower or bath after work. Wear regular long sleeved work clothing. Change to clean clothing daily.

**NOTE FOR PHYSICIAN:** Carbaryl is a moderate, reversible cholinesterase inhibitor. Atropine is antidotal.

**ENVIRONMENTAL HAZARDS**

This pesticide is extremely toxic to aquatic and estuarine invertebrates. Do not apply directly to water or wetlands. Do not contaminate water by cleaning of equipment or disposal of wastes.

Do not apply when conditions favor runoff from area treated. Do not apply when weather conditions favor drift from areas treated.

This product is highly toxic to bees exposed to direct treatment or residues on blooming crops or weeds. Do not apply this product or allow it to drift to blooming crops or weeds if bees are visiting the treatment area.

**STORAGE AND DISPOSAL**

Do not contaminate water, food or feed by storage or disposal.

**STORAGE:** Keep out of reach of children, pets and other animals. Avoid moisture.

**PESTICIDE DISPOSAL:** Pesticide that cannot be used according to label instructions must be disposed of according to applicable Federal, State or Local procedures.

**CONTAINER DISPOSAL:** Do not reuse empty container. Completely empty bag by shaking and tapping sides and bottom to loosen clinging particles. Empty residue into application equipment. Securely wrap original container in several layers of newspaper and discard in trash.

**Seacoast**  
LABORATORIES, INC.  
EAST BRUNSWICK, N.J. 07003