

ACCEPTED
MAY 5 - 1967

TWIN LIGHT
TURF FUNGICIDE with THIRAM

Controls Brown Patch, Dollar Spot and Snow Mold
on Ornamental Turf

USDA Reg. No. 1159-x

ACTIVE INGREDIENTS:

THIRAM (Tetramethylthiuram Disulfide).....	75%
INERT INGREDIENTS.....	<u>.25%</u>
	100%

CAUTION - 13 pt

KEEP OUT OF REACH OF CHILDREN. - 13 pt

THIS PRODUCT IS TOXIC TO FISH.

Do not contaminate any body of water nor apply to any area
not specified on label.

~~SEE BACK FOR OTHER CAUTIONS.~~

NET WEIGHT-3 lbs.

Manufactured for

SEACOAST LABORATORIES, INC.

East Brunswick, N.J.

ALL
FRONT
PANEL

DIRECTIONS FOR USE

For a preventative program apply at weekly intervals begin-
ning before diseases appear and continuing throughout the
summer season. For control of Dollar Spot and Brown Patch
in already infected turf, the curative rate for **TWIN LIGHT**
TURF FUNGICIDE should be used.

PREVENTATIVE RATE

- A. For Dollar Spot and Brown Patch: 3 oz. per 1,000 sq. ft.
at 7 day intervals throughout the summer season.
- B. For Snow Mold: 8 oz. per 1,000 sq. ft. applied late in the
fall prior to snow fall.

CURATIVE RATE

For the control of Dollar Spot and Brown Patch use 4½ oz. per
1,000 sq. ft. at seven day intervals. Amount of water: Use
only enough water to spray the area uniformly. The actual
amount will range from about 5 to 10 gallons per 1,000 sq. ft.
depending upon the type of equipment used.

NOTE: Twin Light Turf Fungicide is a wettable powder and must
be agitated to keep in suspension in water. Do not water or
mow grass after treatment until the fungicide is thoroughly
dry.

13 pt - CAUTION: May cause irritation of eyes, nose, throat, and skin
Harmful if swallowed or inhaled. Do not breathe dust or spray
mist. Do not get on skin, in eyes, or on clothing. In case
of contact, flush with plenty of water; for eyes get medical
attention. Wash thoroughly after using.
KEEP OUT OF REACH OF CHILDREN. - 13 pt