

1-2-85  
1-2-85

**TWIN<sup>®</sup>  
Light**  


Net Weight ...  
25 pounds

granular

Turf Fungicide

contains

**Dyrene<sup>®</sup>**

**ACCEPTED**  
FEB 25 1985  
Under the Federal Insecticide, and Rodenticide Act, as amended, for the purpose of registration under EPA Reg. No. 1159-174

*Front Panel*

**DISEASES**

Rhizoctonia Brown Patch, Sclerotinia Dollar Spot, Copper Spot, Typhule Snow Mold, Helminthosporium-Induced Disease (i.e., Melting-Out of Kentucky Bluegrass, Red Leaf Spot of Bentgrass, Helminthosporium Blight of Fescues, Brown Blight of Ryegrasses, and Zonate Eyespot and Helminthosporium Leaf Spot of Bluegrasses, Bentgrasses and Fescues)

**ACTIVE INGREDIENT**

2,4-dichloro-6-(0-chloroanilino)-S-triazine . . . . . 5%

**INERT INGREDIENTS:** . . . . . 95%

Total . . . . . 100%

EPA Reg. No. 1159-174  
EPA Est. No. 1159-NJ1

DYRENE is reg. T.M. in U.S. and Canadian Patent Offices by Chemagro Corp.

U.S. Patent No. 2,720,480  
Canadian Patent No. 546,027

**KEEP OUT OF REACH OF CHILDREN.**

**CAUTION  
STATEMENT OF PRACTICAL TREATMENT**

**IF SWALLOWED**—Call a physician or Poison Control Center immediately. Drink one or two glasses of water and induce vomiting by touching back of throat with finger. Repeat until vomit fluid is clear. Do not induce vomiting or give anything by mouth to an unconscious person.

apply respiration if indicated.

**IF ON SKIN**—Wash promptly with soap and water. Rinse thoroughly.

**IF IN EYES**—Rinse eyes for at least 15 minutes with water and call a physician immediately.

**IF INHALED**—Remove victim to fresh air and

**SEE BACK PANEL FOR ADDITIONAL  
PRECAUTIONARY STATEMENTS.**



A broad spectrum fungicide  
for control of important  
fungus diseases of turfgrasses.

Covers up to 10,000 square feet

**CONTROLS THE FOLLOWING  
DISEASES**

Rhizoctonia Brown Patch, Sclerotinia  
Dollar Spot, Copper Spot, Typhula  
Snow Mold, Helminthosporium-Induced  
Disease (i.e., Melting-Out of Kentucky  
Bluegrass, Red Leaf Spot of  
Bentgrass, Helminthosporium Blight  
of Fescues, Brown Blight of  
Ryegrasses, and Zonate Eyespot and  
Helminthosporium Leaf Spot of  
Bluegrasses, Bentgrasses and  
Fescues)

**ACTIVE INGREDIENT**

2,4-dichloro-6-(0-chloroanilino)-  
S-triazine ..... 5%

**INERT INGREDIENTS:** ..... 95%

Total ..... 100%

EPA Reg. No. 1159-174  
EPA Est. No. 1159-NJ1

DYRENE is reg. T.M. in U.S. and  
Canadian Patent Offices by  
Chemagro Corp.

U.S. Patent No. 2,720,480  
Canadian Patent No. 546,027

**KEEP OUT OF REACH OF CHILDREN.**

**CAUTION**

**STATEMENT OF PRACTICAL TREATMENT**

**IF SWALLOWED**—Call a physician or Poison  
Control Center immediately. Drink one or two  
glasses of water and induce vomiting by touch-  
ing back of throat with finger. Repeat until vomit  
fluid is clear. Do not induce vomiting or give  
anything by mouth to an unconscious person.

**IF INHALED**—Remove victim to fresh air and

apply respiration if indicated.

**IF ON SKIN**—Wash promptly with soap and wa-  
ter. Rinse thoroughly.

**IF IN EYES**—Rinse eyes for at least 15 minutes  
with water and call a physician immediately.

**SEE BACK PANEL FOR ADDITIONAL  
PRECAUTIONARY STATEMENTS.**



## DIRECTIONS FOR USE

It is a violation of federal law to use this product in a manner inconsistent with its labeling

Do not graze treated areas or feed forage from treated areas. Do not re-enter treated lawn or turf within 24 hours following application of this product. Protective clothing should be worn during periods of exposure, such as during application or when contacting treated turf.

### PRECAUTIONARY STATEMENTS

Hazards to Humans (and Domestic Animals)

#### CAUTION

Harmful if swallowed. Avoid contact with skin, eyes and clothing. In case of skin contact, wash with soap and water; for eyes, get medical attention.

Dyrene may cause a temporary allergic reaction in a few susceptible persons. This condition should be treated as an allergic dermatitis. There is no evidence of after effects or permanent injury. If sensitivity occurs, protective clothing should be worn during periods of exposure, such as, during application or when contacting treated foliage.

### ENVIRONMENTAL HAZARDS

This pesticide is toxic to fish and aquatic invertebrates. Do not apply directly to water. Drift and runoff from treated areas may be hazardous to aquatic organisms in neighboring areas. Do not contaminate water by cleaning of equipment or disposal of wastes. Cover or incorporate spills.

## LAWN and ORNAMENTAL TURF

For best results, the lawn should be moist when making application. Just after a light shower or in the morning when dew is on the grass is ideal. TURF FUNGICIDE should not be applied when rain is expected within 24 hours. Do not water lawn after application.

### PREVENTATIVE DISEASE PROGRAMS:

When disease has not been a problem and a preventative program is desired, apply at the rate of 2½ lbs. per 1000 sq. ft. (contents of bag to 10,000 sq. ft.) using spreader settings 1 as indicated on this bag. Where disease has been a problem in previous years or current weather is humid and rainy and a preventative program is desired, apply at the rate of 4 lbs. per 1000 sq. ft. (contents of bag to 6250 sq. ft.) using spreader setting 11.

### ERADICATIVE TREATMENT:

For eradicated spot treatment of severely damaged areas, apply at the rate of 6 lbs. per 1000 sq.

For control of Kentucky bluegrass, Helminthosporium fescues, brown ryegrasses, and bentgrasses, early spring application at 14 day intervals during wet weather.

For control of patch, Sclerotinia Helminthosporium zonate eyespot, bentgrasses, copper spot, start application to early summer at 10-14 day intervals.

### SNOW MOLD

For control of snow mold, apply at preventative rate at first killing frost. Second application made when snow in mid-winter should be followed by application at the rate of 6 lbs. per 1000 sq. ft. of snow in late spring.

### STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

**STORAGE:** Keep out of reach of children, pets and other animals. Avoid moisture.

**PESTICIDE DISPOSAL:** Pesticide that can not be used according to label instructions must be disposed of according to applicable Federal, State or Local procedures.

**CONTAINER DISPOSAL:** Do not reuse empty container. Completely empty bag by shaking and tapping sides and bottom to loosen clinging particles. Empty residue into application equipment. Wrap empty container and place in trash collection.

at the rate of 6 lbs. per 1000 sq. ft. (contents of this bag to 4125 sq. ft.) using spreader setting 111.

Age and condition of spreader can affect its accuracy. Try to calibrate over small area.

### APPROXIMATE SPREADER SETTING:

	1	11	111
CYCLONE .....	4½	5	5½
SCOTT(Low).....	5	7½	10
SCOTT(Broadcast)	K½	L	L½

### NOTICE TO BUYER

Seller makes no warranty, expressed or implied, concerning the use of this product other than indicated on the label. Buyer assumes all risk of use and/or handling of this material when such use and/or handling is contrary to label instructions.

*Back Panel*