

**PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS
& DOMESTIC ANIMALS
CAUTION**

May be fatal if swallowed. Do not breathe vapors. Do not get in eyes, on skin or clothing. Avoid contact with food and feed stuffs.

ENVIRONMENTAL HAZARDS

Do not contaminate water by cleaning of equipment or disposal of wastes.

PHYSICAL OR CHEMICAL HAZARDS

Do not use, pour or store near heat or flame.

DIRECTIONS

FOR HOMEOWNER USE FOR SUBTERRANEAN TERMITE CONTROL IN EXISTING STRUCTURES.

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

STORAGE AND DISPOSAL

Keep pesticide in original container. Do not contaminate water, food or feed by storage, disposal or cleaning of equipment. Do not reuse empty container. Wrap container and put in trash collection.

DILUTE ONE HALF GALLON with 25 Gallons of water

TERMITE CONTROL IN EXISTING STRUCTURES
Buildings with Basements or Crawl Spaces

First remove all wood debris and wood forms. A round pier, pipes, chimney bases and along foundation of poured concrete dig a trench 6 inches wide and 4 inches deep. If footing is more than 12 inches deep, make hole with a crossbar pipe or a rod about one foot apart that extend from the trench bottom to the top of the footing. Make holes clear in hard packed clay soils. NEVER DIG BELOW THE TOP OF THE FOOTING. Apply the emulsion for solution in the trench at a rate of 4 gallons per 10 linear feet per foot of depth. Apply half of this to the back fill. Likewise, treat along the inside of foundations of crawl space buildings. Cover treated soil with a thin layer of untreated soil. For raised porches, terraces and entrance slabs, drill holes at one foot intervals, 6 inches from the foundation and pour one half gallon of emulsion (or solution) into each hole. Refill holes, slabs with heat ducts or radiating heat pipes should be treated by commercial pest control operator.



ACTIVE INGREDIENTS		
Chlordane Technical	45.0%	
Petroleum Distillates	50.0%	
INERT INGREDIENTS		5.0%
	Total	100.0%
(Contains 4 lbs. Chlordane Tech per U.S. gal. at 70°F.)		
*27% Octachloro 4,7-methanotetrahydroindane and 18% related compounds		

**KEEP OUT OF REACH OF CHILDREN
CAUTION**

STATEMENT OF PRACTICAL TREATMENT

- IF SWALLOWED** — Call a physician or Poison Control Center immediately. Gastric lavage is recommended if material was taken internally. **DO NOT INDUCE VOMITING.** Vomiting may cause aspiration pneumonia.
- IF INHALED** — Remove victim to fresh air. Apply artificial respiration if indicated.
- IF ON SKIN** — Remove contaminated clothing and wash affected areas with soap and water.
- IF IN EYES** — Flush eyes with plenty of water. Get medical attention immediately.

NET CONTENTS - ONE-HALF GALLON

The object is to e which will prevent areas may also req there are inaccessi type construction. tact the Agricultu vice for advice or trol Service.

Avoid contaminatio plies by following a hose or any type to the termite che mixing this water. flow or anti-sipho equipment. These ware or plumbing s flow equipment wil of this toxic chemi c water supplies Housing Administra tions for safe dis wells. Soil in th ponds should not b ed, subject to to accumulation of wa around the perimet lower than surroun this is the situat Apply Under Pressu area safe from wel tion, treated, all to four hours then been lined with 4 not to puncture th soil to the trench contain cisterns o

WAR

Seller makes no wa the use of this prod- assumes all risk of a such use and/or ha

ACCEPTED
JAN 2 1968

See
L
EA

1159-178

**WARNING STATEMENTS
DANGERS TO HUMANS
DANGERS TO DOMESTIC ANIMALS
CAUTION**

If swallowed, Do not breathe vapors, on skin or clothing. Wash food and food storage.

ENVIRONMENTAL HAZARDS

Water by cleaning of equipment wastes.

CHEMICAL HAZARDS

Store near heat or flame.

DIRECTIONS

USE FOR SUBTERRANEAN TERMITE STRUCTURES.

Obey Federal Law to use this product in accordance with its labelling.

MIXING AND DISPOSAL

Original container. Do not use for food or feed by storage, distribution, or equipment. Do not reuse empty container and put in trash collector.

ONE GALLON with 25 Gallons of water

**EXISTING STRUCTURES
Crawl Spaces**

Remove debris and wood forms. A trench 6 inches wide and 6 inches deep should be dug along chimney bases and along foundation. If footing is more than 12 inches from the ground, dig a trench with a crowbar, pipe or a rod that extend from the trench to the footing. Make holes along the trench. NEVER DIG BELOW THE FOOTING. Apply the emulsion (or solution) at a rate of 4 gallons per 10 linear feet. Apply half of this to the trench and treat along the inside of space buildings. Cover treat with a layer of untreated soil. For door and entrance slabs, drill intervals, 6 inches from the edge, one half gallon of emulsion in each hole. Retill holes. Slabs radiating heat pipes should be treated by pest control operator.



ACTIVE INGREDIENTS	
Chlordane Technical*	45.0%
Petroleum Distillates	50.0%
INERT INGREDIENTS	
	5.0%
Total	100.0%
*Contains 4 lbs. Chlordane Tech per U.S. gal. at 70°F.	
*27% Octachloro 4,7-methanotetrahydroindane and 18% related compounds	

**KEEP OUT OF REACH OF CHILDREN
CAUTION**

STATEMENT OF PRACTICAL TREATMENT

- IF SWALLOWED** — Call a physician or Poison Control Center immediately. Gastric lavage is indicated if material was taken internally. DO NOT INDUCE VOMITING. Monitor for respiratory depression.
- IF INHALED** — Remove victim to fresh air. Apply artificial respiration if indicated.
- IF ON SKIN** — Remove contaminated clothing and shoes. Wash thoroughly with soap and water.
- IF IN EYES** — Flush eyes with plenty of water. Get medical attention immediately.

NET CONTENTS - ONE-HALF GALLON

The object is to establish a treated soil barrier which will prevent termite entry. Other critical areas may also require treatment, particularly if there are inaccessible areas, basements or slab type construction. It is suggested that you contact the Agricultural Cooperative Extension Service for advice or consult a Commercial Pest Control Service.

Avoid contamination of public and private water supplies by following these precautions. Do not allow a hose or any type of faucet extension to reach into the termite chemical solution while filling or mixing this material with water. Use anti-back-flow or anti-siphonage equipment on all filling equipment. These devices can be purchased at hardware or plumbing supply stores. Use of anti-back-flow equipment will help to insure that the user of this toxic chemical will not contaminate domestic water supplies. Refer to Federal (Federal Housing Administration), state and local specifications for safe distances of treatment areas from wells. Soil in the vicinity of wells, cisterns or ponds should not be treated if it is water saturated, subject to excessive saturation due to an accumulation of water or if the soil to be treated around the perimeter of the structure is at a grade lower than surrounding yard or property area. If this is the situation, treat as follows: Do Not Apply Under Pressure. Soil should be moved to an area safe from well or domestic water contamination, treated, allowed to stand undisturbed for two to four hours then returned to the trench which has been lined with 4 mil. plastic sheeting. Be careful not to puncture the plastic sheeting when returning soil to the trench. Do not treat structures that contain cisterns or wells.

WARRANTY STATEMENT

Seller makes no warranty, expressed or implied, concerning the use of this product other than indicated on the label. Buyer assumes all risk of use and/or handling of this material when such use and/or handling is contrary to label instruction.

Manufactured By

Seacoast
LABORATORIES, INC.
EAST BRUNSWICK, N.J. 08816

1159-178

466/84616
35/2

300/84614
17/3

ZRP
12/3/82

Mr. Irvin Baker
Seccost Laboratories, Inc.
P.O. Box 157
257 Highway 18
East Brunswick, NJ 08816

Dear Mr. Baker:

Subject: Pesticide Label Improvement Program.
Twin Light Chlordane 45% Spray
EPA Registration No. 1151-178
Your Application dated November 15, 1982

The labeling referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide and Rodenticide Act, as amended, is acceptable. A stamped copy is enclosed for your records.

The following revisions should be made at the next label printing:

1. Revise the text of the Hazards to Humans & Domestic Animals to read:

Harmful if swallowed. Contact with skin can cause toxic symptoms. Wash thoroughly after handling and before smoking or eating. Do not breathe vapors. Do not get in eyes, on skin or clothing. Avoid contamination of feed or food stuffs.

2. Add the following as the first two sentences of the Environmental Hazards text:

This product is toxic to fish, birds and other wildlife.
Keep out of lakes, streams, or ponds.

The certification for compliance with the child-resistant packaging regulations involves both the closures and associated recordkeeping. Refer to the enclosure and submit the text for item (b) on your company letterhead with date and signature.

Sincerely yours,

George T. LaRocca
Product Manager (15)
Insecticide-Rodenticide Branch
Registration Division (TS-767C)

Enclosures

TS-767C:LaRocca:DCR-39844:WANG-1445C:es:Raven:479-2013:12/2/82