



159-179
ACCEPTED
NOV 30 1972
 UNDER THE FEDERAL INSECTICIDE
 FUNGICIDE AND RODENTICIDE ACT
 FOR ECONOMIC PESTICIDE REGISTERED
 UNDER NO. 159-179 SUBJECT
 TO ATTACHED COMMENTS.

GRANULAR

**USE CONTENTS
 OF BAG TO COVER
 UP TO 6,000 SQUARE FEET**

EPA Reg. No. 1159-179

DURSBAN*
CHINCH BUG KILLER

**Kills CHINCH BUGS • SOD WEBWORMS
 HYPERODES WEEVIL**

ACTIVE INGREDIENTS:

Chlorpyrifos (O,O-diethyl O-3,5,6-trichloro-2-pyridyl phosphorothioate) 0.46%

Aromatic petroleum derivative solvent 0.25%

INERT INGREDIENTS: 99.29%

APPROXIMATE

SPREADER SETTINGS

CYCLONE 6

SCOTT 5

LAWN BEAUTY 5

**Kills CHINCH BUGS • SOD WEBWORMS
HYPERODES WEEVIL**

ACTIVE INGREDIENTS:

Chlorpyrifos (O,O-diethyl O-3,5,6-trichloro-2-pyridyl phosphorothioate) 0.46%

Aromatic petroleum derivative solvent 0.25%

INERT INGREDIENTS: 99.29%

APPROXIMATE

SPREADER SETTINGS

CYCLONE 6

SCOTT 5

LAWN BEAUTY 5

*Dursban® — Trademark of The Dow Chemical Co., U. S. Patent No. 3,244,586

(Wash granules into soil with 30 gallons of water per 1,000 sq. ft.)

DIRECTIONS ORNAMENTAL TURF

CHINCH BUGS; SOD WEBWORMS, ANTS, EARWIGS, CRICKETS, CUTWORMS, BROWN DOG TICKS and SOWBUGS (PILLBUGS): Spread uniformly at a rate of 5 pounds per 1,000 sq. ft. In northeastern states, make first application in May or June or when insects first appear. Re-treat as needed, usually in July or August.

Consult your Extension Service Specialist as to exact timing of applications.

HYPERODES WEEVIL: Apply uniformly at a rate of 10 lbs. per 1,000 sq. ft. Make the first application of suspected area in mid-April followed by second application 30 days later.

NOTE: For Hyperodes weevil, make application using the above spreader settings in criss cross fashion.

CAUTION

KEEP OUT OF REACH OF CHILDREN

May be harmful if swallowed or inhaled. Do not take internally. Do not breathe dust. Wash thoroughly after handling. Avoid contact with eyes.

Flush contaminated eyes with plenty of water and get medical attention. Wash contaminated clothing before re-use. Keep away from food, feedstuffs, and domestic water supplies. Keep children and pets off treated areas until this material is washed into the soil and grass is dry.

NOTE TO PHYSICIAN: Active ingredient is a cholinesterase inhibitor. Treat symptomatically. Atropine is an antidote.

FISH and WILDLIFE CAUTION: This product is toxic to fish, birds, and other wildlife. Keep out of any body of water. Do not apply where runoff is likely to occur. Do not apply when weather conditions favor drift from areas treated. Do not contaminate water by cleaning of equipment, or disposal of wastes. Apply this product only as specified on this label.

Dispose of empty container and wastes by burning or burying in non-crop lands away from domestic water supplies.

NOTE: Follow directions carefully, as use, storage and handling of this material is beyond the control of the seller, the buyer assumes all risks if directions given herewith are not strictly adhered to.

NET WEIGHT 30 POUNDS

Manufactured By

SEACOAST LABORATORIES, INC.

257 HIGHWAY 18

EAST BRUNSWICK, N. J. 08816