Not For Retail Sale

APPROXIMATE SPREADER SETTINGS

CYCLONE

NOVEMBER 16, 1972

UNDER THE FEDERAL INSECTICIDE

FUNGICIDE AND RODENTICIDE ACT FOR ECONOMIC POISON REGISTER

SNOW MOLD SCOTT FUNG C DEACCEPTED TURF

DIRECTIONS FOF USE ON ORNAMENTAL TURF

Twinlight Snow Mold Turf Fungicide is easily applied with conventional and cyclone type spreaders. Apply contents of this bag, 48 lbs. to 6000 square feet in the late Fall, before the first snowfall and repeat again in January or any other mid winter thaw, for control of snow mold.

ACTIVE INGREDIENTS

ED UNDER NO. //54 - 182 Thiram (Tetramethylthiuram Disulfide) 2.50% *Cadmium Chloride INERT INGREDIENTS 97.12%

CAUTION: KEEP OUT OF REACH OF CHILDREN

Do not get in eyes, on skin or on clothing. Do not breathe dust since inhalation may prove harmful. May cause skin irritation. Wash thoroughly after handling and before eating or smoking. May be fatal if swallowed. In case of contact, wash immediately with soap and water. Wash all contaminated clothing with soap and hot water before re-use. Keep children and domestic animals off treated areas.

Consumption of alcoholic beverages increases the possibility of harm.

Do not reuse empty container. Destroy it by burying with waste or burning. Stay away from smoke or fumes.

INTERNAL: If swallowed give raw white of egg. Induce vomiting with mixture of salt, soap or mustard in warm water. Call physician at once.

FISH AND WILD LIFE CAUTION:

This product is toxic to fish. Keep out of lakes, streams, or ponds. Do not apply where runoff is likely to occur. Do not contaminate water by cleaning of equipment, or disposal of wastes. Apply this product only as specified on this label.

NET WEIGHT 48 POUNDS

EPA Rea. No. 1159-182

Manufactured By

EAST BRUNSWICK, N. J. 08816