

1581  
000000

**BEST AVAILABLE COPY**



# SNOW MOLD TURF FUNGICIDE

NET WEIGHT 48 POUNDS

**PROFESSIONAL  
USE ONLY**

Not For Retail Sale

**USE CONTENTS  
OF BAG TO COVER  
6000 SQUARE FEET**

**ACTIVE INGREDIENTS**

Thiram (Tetramethylthiuram Disulfide)	2.50%
*Cadmium Chloride	.38%
<b>INERT INGREDIENTS</b>	<b>97.12%</b>
*Total Cadmium	.22%

**ACCEPTED**  
**JUN 17 1985**  
Under the Federal Insecticide,  
Fungicide, and Rodenticide Act,  
and registered for the pesticide  
EPA Reg. No. 1159-182

**KEEP OUT OF REACH OF CHILDREN**

## **WARNING**

### **STATEMENT OF PRACTICAL TREATMENT**

**IF SWALLOWED**—Call a physician or Poison Control Center immediately. Drink one or two glasses of water and induce vomiting by touching back of throat with finger. Repeat until vomit fluid is clear. Do not induce vomiting or give anything by mouth to an unconscious person.

**IF INHALED**—Remove victim to fresh air and apply respiration if indicated.

**IF ON SKIN**—Wash promptly with soap and water. Rinse thoroughly.

**IF IN EYES**—Rinse eyes for at least 15 minutes with water and call a physician immediately.

## **DIRECTIONS FOR USE**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

### **PRECAUTIONARY STATEMENTS**

Hazards to Humans (and Domestic Animals)

## **WARNING:**

## **STORAGE AND DISPOSAL**

Do not contaminate water, food or feed by storage or disposal.

**STORAGE:** Keep out of reach of children, pets and other animals. Avoid moisture. Avoid contamination of feed of foodstuffs by storage or disposal. Open burning and dumping prohibited. Do not reuse empty container.

**PESTICIDE DISPOSAL:** Pesticide wastes are toxic.

Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

### **CONTAINER DISPOSAL:**

Completely empty bag into application equipment. Then dispose of empty bag in a sanitary landfill or by incineration, or, if allowed by State and local authorities, by burning. If burned, stay out of smoke.

Do not get in eyes, on skin or on clothing. Do not breathe dust since inhalation may prove harmful. May cause skin irritation. Wash thoroughly after handling and before eating or smoking. May be fatal if swallowed. In case of contact, wash immediately with soap and water. Wash all contaminated clothing with soap & hot water. Consumption of alcoholic beverages increase

the toxic effects of thiram.

✓ Do not reenter treated areas within 24 hours following application unless protective clothing is worn.

Keep children and domestic animals off treated areas. Do not graze treated areas or feed clippings to livestock.

### ENVIRONMENTAL HAZARDS

This product is toxic to fish and wildlife. Birds feeding over treated areas may be killed. Keep out of lakes, streams, or ponds. Do not apply where runoff is likely to occur. Do not contaminate water by cleaning of equipment, or disposal of wastes.

Drift

or runoff from treated areas may be hazardous to aquatic organisms in neighboring areas. Do not apply directly to water or wetlands. Apply this product only as specified on this label.

✓ Do not rotate treated crop with crops other than those with registered thiram uses.

### NOTICE TO BUYER

Seller makes no warranty, expressed or implied, concerning the use of this product other than indicated on the label. Buyer assumes all risk of use and/or handling of this material when such use and/or handling is contrary to label instructions.

E.P.A. Reg. No. 1159-182

E.P.A. EST. No. 1159-NJ-1

### DIRECTIONS FOR USE ON ORNAMENTAL TURF

Twilight Snow Mold Turf Fungicide is easily applied with conventional and cyclone type spreaders. Apply contents of this bag, 48 lbs. to 6000 square feet in the late Fall, before the first snowfall and repeat again in January or any other mid winter thaw, for control of snow mold.

### APPROXIMATE SPREADER SETTINGS

CYCLONE	6
SCOTT	7

The age, condition of spreader speed of operation and roughness of lawn will cause variations in rates applied. These suggested settings are for your guidance only.

**Seacoast**  
LABORATORIES, INC.  
EAST BRUNSWICK, N.J. 08816

BEST AVAILABLE COPY

0000