

ACCEPTED

FEB 8 1974
UNDER THE FEDERAL INSECTICIDE
FUNGICIDE AND RODENTICIDE ACT
FOR ECONOMIC POISON REGISTER-
ED UNDER NO. 157-187 SUBJECT
TO ATTACHED COMMENTS



EPA Reg. No. 1159-189

GRANULAR TURF FUNGICIDE

Contains CHLOROTHALONIL

A BROAD SPECTRUM FUNGICIDE FOR CONTROL OF
IMPORTANT FUNGUS DISEASES OF TURFGRASSES.

CONTROLS THE FOLLOWING DISEASES:

**Brown Patch,
Dollar Spot, Copper Spot,
Gray Leaf Spot, Stem Rust
of Bluegrass, Helmin-
thosporium and Curvu-
laria.**

USE CONTENTS OF BAG TO COVER UP TO 2500 SQUARE FEET

APPROXIMATE SPREADER SETTING

	Regular Rate	1/2 Rate
Cyclone	4 1/2	6
Scott	6 1/2	8 1/2

Age and condition of spreader can affect its accuracy.
Try to calibrate over small area.

ACTIVE INGREDIENT:

Chlorothalonil
[Tetrachloroisophthalcnitrile] 5%

INERT INGREDIENTS:

Total 95%
Total 100%

Covered under U. S. Patent No. 3,290,353

DIRECTIONS

For a preventive disease control program (4 lbs. per 1000 sq. ft.) set spreader at the regular rate indicated on this bag. For eradicated spot treatment of severely diseased areas, set spreader for 1 1/2 re. (6 lbs. per 1000 sq. ft.)

For best results, the lawn should be moist when making application. Just after a light shower or in the morning when dew is on the grass is ideal. TURF FUNGICIDE should not be applied when rain is expected within 24 hours. DO NOT WATER OR MOW FOR AT LEAST 24 HOURS AFTER APPLICATION.

FOR CONTROL OF HELMINTHOSPORIUM LEAF SPOT, MELTING OUT and CURVULARIA, START application at PREVENTATIVE RATE in early spring and continue at 7-10 day intervals as long as wet weather prevails.

FOR CONTROL OF BROWN PATCH, DOLLAR SPOT, COPPER SPOT, GRAY LEAF SPOT and STEM RUST of BLUEGRASS, use at PREVENTATIVE RATE in early spring to early summer and continue at 7-14 day intervals into early fall.

CAUTION

KEEP OUT OF REACH OF CHILDREN

Harmful if swallowed.

Avoid inhalation. Can be irritating to eyes or skin.

Avoid contact with skin, eyes and clothing. In case of skin contact, wash with soap and water; For eyes, get medical attention.

Avoid contamination of feed and foodstuffs.

Do not graze treated area. Do not feed clippings to livestock.

Do not reuse empty container. Destroy by burying with wastes or burning. Stay away from smoke or fumes.

FISH AND WILDLIFE CAUTION

This product is toxic to fish. DO NOT contaminate ornamental fish ponds. Keep out of lakes, streams or ponds. DO NOT contaminate water by cleaning of equipment or disposal of wastes.

NET WEIGHT 10 POUNDS

Manufactured By

SEACOAST LABORATORIES, INC.

EAST BRUNSWICK, N. J. 08816