PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION Harmful if swallowed. Avoid inhalation of vapors. Avoid contact with skin, eyes or clothing. Wash contaminated skin promptly with soap and warm water. For eyes flush with plenty of water. Get medical attention if irritation persists. Avoid contamination of food and feedstuffs.

Do not use in commercial food processing, preparation, serving or storage areas. In the home, all food processing surfaces and utensils should be covered during treatment or thoroughly washed before use. Cover exposed food. Remove pets, birds and cover fish aquariums before spraying.

PHYSICAL HAZARDS

Contents under pressure. Do not use or store near heat or open flame. Do not puncture or incinerate container. Exposure to temperature above 130°F may cause bursting.

DIRECTIONS FOR USE
GENERAL CLASSIFICATION

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

STORAGE AND DISPOSAL

Storage Store in a cool, dry area away from heat or open flame.

Disposal Do not re-use empty container. Wrap container and put in trash collection.

This product will kill Houseflies, Mosquitoes, Black Carpet Beetles, Cloth Clothed Grain Beetles, Rice Weevils, Small Flying Moths, Roaches, Centipedes, Fleas, Ticks, Ghosts, Bed Bugs, Crickets and Silverfish.

Aids in control of Cockroaches and Water Bugs.

Cover exposed food, dishes and food handling equipment. Open cabinets and doors in area to be treated. Shut off fans and air conditioners. Put out all flames and pilot lights. Close doors and windows. Point valve opening away from face and eyes when releasing. Use one unit for each 6,000 cubic feet of enclosed area. Use additional units where cubic flow of mist is not assured. Do not remain in the area during treatment and ventilate thoroughly before re-entry.

TO KILL TICKS: Remove and destroy old pet bedding. Apply this product as for other insects. Put fresh bedding in pets quarters after treatment. Treat dogs and cats with a registered tick and flea control product before allowing them to enter treated area.

TO KILL FLEAS: Follow directions for ticks, but use one unit for each 2,500 cubic feet of room space.

TO OPERATE VALVE: To keep valve in open position for automatic discharge, press valve button all the way down, hooking the latch. Then place fogger on stand or tube in center of room with valve locked open, placing several layers of newspaper or pad under fogger. Leave building at once and keep building closed for four hours before airing out. Open all doors and windows and allow to air for 10 minutes. Repeat treatment in two weeks if pattern necessary.

STOCK NO. 3013

IDEAL

Total Release Fogger

For use in Rooms, Apartments, Homes, Attics, Basements, Campers, Boats, Household Storage Areas, Garages, Pet Sleeping Areas, Cabins

ONE UNIT TREATS UP TO 6,000 CUBIC FEET

ACTIVE INGREDIENTS

Tetramethrin [1-(1-cyclohexene-1,2-dicarboximido) methyl-(1,2-dimethyl-3-(2-methylpropenyl) cyclopropanecarboxylate]	0.250%
*[1-Phenoxybenzyl-d-cis and trans-**2,2-Dimethyl-3-(2-methylpropenyl) cyclopropanecarboxylate]	0.083%
*Other isomers	0.[illegible]%
Petroleum distillate	[illegible] 100%
INERT INGREDIENTS	99.400%
*d-cis, trans-phenothrin	100.100%

**cis, trans isomer ratio max. [illegible]% cis or [illegible] min. [illegible]% cis or [illegible] trans

CAUTION
KEEP OUT OF REACH OF CHILDREN
See other cautions on back panel

Net Wt. 7.5 OZ. 212g

CLASSIC CHEMICAL
GRAND PRAIRIE, TEXAS 75050

E.P.A. Reg. No. 1169-62
E.P.A. Est. No. 36334-OH-2

ACCEPTED
1168-62