

GALLONS

## NON-WARRANTY

Because of conditions beyond their control, neither Midland Cooperatives, Inc. (hereinafter called the Manufacturer) nor any intervening broker, distributor, dealer or agent, makes any representation or warranty, expressed or implied, with respect to results or safety from the use or handling of the above-mentioned material, and the buyer and user of this material assume all risk of loss, damage or injury which may result from the use or handling of this material, unless it is used in accordance with directions on this label.

No employee, salesman or other representative of the Manufacturer is authorized to alter or vary the terms or conditions herein stated, nor to make any representations or promises at variance with such terms and conditions.



®

# A-40

# 2,4-D WEED KILLER

ACTIVE INGREDIENTS Dimethyl 2,4-Dichlorophenoxyacetic Acid 90%  
INERT INGREDIENTS 10%

**CAUTION - KEEP OUT OF REACH OF CHILDREN**

See side panels for additional cautions

MIDLAND COOPERATIVES, INCORPORATED

MINNEAPOLIS, MINN. 55412

88-83  
57-85

## GENERAL INFORMATION

**PREPARATION OF THE SPRAY:** Fill the spray tank with half the required amount of water, then add the recommended amount of MIDLAND A-40 with agitation and continue filling the spray tank with water. Use enough water per acre to give uniform coverage. The amount of water required for low volume applications may vary from 10 to 25 gallons per acre. For high volume applications 100 gallons, or more, of water will be needed for good coverage. In any case, use the same amount of 2, 4-D recommended per acre.

## CAUTION

Although MIDLAND A-40 is non-volatile, care must be used to prevent spray drift from coming into direct contact with vegetables, flowers, grapes, fruit trees, ornamentals, cotton, or other desirable plants sensitive to 2, 4-D. Coarse sprays are less likely to drift.

DO NOT

DO NOT

DO NOT

DO NOT

DO NOT

**CAUTION - MAY CAUSE SKIN IRRITATION**  
Avoid Contact with Eyes, Skin, and Clothing  
**HARMFUL IF SWALLOWED**

NOTE

S 88  
MIDLAND COOPERATIVES, INCORPORATED  
MINNEAPOLIS, MINN. 55412

GALLONS



-40

4-D  
KILLER

Active Ingredient: 2,4-Dichlorophenoxyacetic Acid

Registration No. 12345

OUT OF REACH OF CHILDREN  
Side panels for additional cautions

2,4-D  
2,4-D

### GENERAL INFORMATION

**PREPARATION OF THE SPRAY:** Fill the spray tank with half the required amount of water, then add the recommended amount of MIDLAND A-40 with agitation and continue filling the spray tank with water. Use enough water per acre to give uniform coverage. The amount of water required for low volume applications may vary from 10 to 25 gallons per acre. For high volume applications 100 gallons, or more, of water will be needed for good coverage. In any case, use the same amount of 2, 4-D recommended per acre.

### CAUTION

Although MIDLAND A-40 is non-volatile, care must be used to prevent spray drift from coming into direct contact with vegetables, flowers, grapes, fruit trees, ornamentals, cotton, or other desirable plants sensitive to 2, 4-D. Coarse sprays are less likely to drift.

This product is toxic to fish, birds, and bees. Do not apply to water bodies or near nesting areas of birds or bees.

DO NOT apply to crops or plants susceptible to 2, 4-D.

DO NOT apply to crops or plants susceptible to 2, 4-D.

DO NOT apply to crops or plants susceptible to 2, 4-D.

DO NOT apply to crops or plants susceptible to 2, 4-D.

DO NOT apply to crops or plants susceptible to 2, 4-D.

**CAUTION! MAY CAUSE SKIN IRRITATION**  
Avoid Contact with Eyes, Skin, and Clothing  
HARMFUL IF SWALLOWED

**NOTE:** This product is not intended for use on crops or plants susceptible to 2, 4-D.

Sold by  
**MIDLAND COOPERATIVES, INCORPORATED**  
MINNEAPOLIS MINNEAPOLIS MINNEAPOLIS

## MIDLAND A-40 2, 4-D CONTROLS MANY BROAD-LEAVED WEEDS

Some of the better known weeds controlled are:

Cocklebur	Field Bindweed	Sunflower
Dandelion	Canada Thistle	Common & Giant Ragweeds
Wild Mustard	Frenchweed	Redroot Pigweed
Plantain	Lambsquarters	Sow Thistle

### DIRECTIONS FOR USE

The following recommendations for weed destruction in crops are intended for weed kill under good growing conditions in the early stage of weed growth.

**WHEAT AND BARLEY** Apply 1/2 to 1 lb. of 2, 4-D per acre at the first appearance of weeds. Do not apply after the grain has reached the jointing stage.

**OATS** Apply 1/2 to 1 lb. of 2, 4-D per acre at the first appearance of weeds. Do not apply after the grain has reached the jointing stage.

**CORN** Apply 1/2 to 1 lb. of 2, 4-D per acre at the first appearance of weeds. Do not apply after the grain has reached the jointing stage.

**GRASS AND LAWN** Apply 1/2 to 1 lb. of 2, 4-D per acre at the first appearance of weeds. Do not apply after the grass has reached the jointing stage.

**FOR NON-SELECTIVE SPRAYING OF PERENNIAL WEEDS**