

ACCEPTED

11/29/66

CONVEL

FlyteTM Spray

Flea and Tick Spray with SEVIN*
No. 182-250

FOR ECONOMIC POISON REGISTERED UNDER NO. 1183-12

DIRECTIONS:

To kill fleas and ticks, hold tip of nozzle about 2-4 inches from animal. Direct spray into hair. It is important that the mist reach all the hair down to the skin. To insure penetration to skin, stroke against lay of hair while spraying. Be sure to include ears, neck, belly, tail, legs and feet, and areas between legs. Do not spray directly into eyes. Avoid wetting dogs' testicles to prevent irritation. Spray on basis of 20-30 second applications for a 25-30 lb. dog. Be sure ticks receive direct spray.

Spray on and around bedding; also spray cracks, crevices, flooring in any area or favorite corner the dog frequents. It is best to do this when treating the dog.

**CAUTION: FLAMMABLE.
DO NOT USE NEAR FIRE OR FLAME.
CONTENTS UNDER PRESSURE.**

DO NOT PUNCTURE, INCINERATE OR STORE ABOVE 125°F.

Avoid prolonged breathing of vapors. Avoid prolonged or repeated contact with skin. Wash hands after using. Do not use or store near open flame or hot areas. Avoid contamination of feed and food-stuffs.

SUPPLIED EXCLUSIVELY TO VETERINARIANS

USDA Reg. No. 1183-12

YS 0680 AMX

SDS Fla. 219

NYFD C of A No. 3420

**WARNING: FLAMMABLE.
KEEP FROM HEAT OR FLAME.**

Contents under pressure. Read back panel.

Net Wt. 12 Oz.

CORVEL

FlyteTM Spray

Flea and Tick Spray with SEVIN*
No. 182-250

Active Ingredients:

Petroleum Distillate	22.70%
Technical Peronyl Butoxide†	1.00%
2,2'-methylenebis (3,4,6-trichlorophenol) (hexachlorophene)	0.50%
Carbaryl (1-naphthyl N-methylcarbamate)	0.50%
Lanolin	0.50%
Pyrethrins	0.15%
Inert Ingredients	74.65%

†Equivalent to 0.80% (butylcarbityl) (6-propylpiperonyl) ether and 0.20% of related compounds.

*SEVIN is the registered trademark of Union Carbide Corporation.

CAUTION: Keep out of reach of children. See back panel for additional caution statements.


Distributed by

CORVEL

A DIVISION OF ELI LILLY AND COMPANY
INDIANAPOLIS, U.S.A.

**WARNING: FLAMMABLE.
KEEP FROM HEAT OR FLAME**

Contents under pressure. Read and follow directions.



DIRECTIONS:

To kill fleas and ticks, hold tip of nozzle about 2-4 inches from animal. Direct spray into hair. It is important that the mist reach all the hair down to the skin. To insure penetration to skin, stroke against lay of hair while spraying. Be sure to include ears, neck, belly, tail, legs and feet, and areas between legs. Do not spray directly into eyes. Avoid wetting dogs' testicles to prevent irritation. Spray on basis of 20-30 second applications for a 25-30 lb. dog. Be sure ticks receive direct spray.

Spray on and around bedding; also spray cracks, crevices, flooring of any area or favorite corner the dog frequents. It is best to do this when treating the dog.

**CAUTION: FLAMMABLE.
DO NOT USE NEAR FIRE OR FLAME.
CONTENTS UNDER PRESSURE.**

DO NOT PUNCTURE, INCINERATE OR STORE ABOVE 125 F.

Avoid prolonged breathing of vapors. Avoid prolonged or repeated contact with skin. Wash hands after using. Do not use or store near open flame or hot areas. Avoid contamination of feed and food-stuffs.

SUPPLIED EXCLUSIVELY TO VETERINARIANS

USDA Reg. No. 1183-12

YS 0680 AMX SDS Fla. 219 NYFD C of A No. 3420