

**KILLS RESISTANT TICKS AND FLEAS ON DOGS**

Active Ingredients:

Ronnel <i>O,O</i> -dimethyl <i>O</i> -(2,4,5-trichlorophenyl) phosphorothioate . . . . .	5.00%
2,2-dichlorovinyl dimethyl phosphate . . . . .	4.65%
Related Compounds . . . . .	0.35%
Xylene . . . . .	75.00%

Inert Ingredients . . . . . 15.00%

**DANGER:** May be fatal if swallowed, inhaled or absorbed through skin or eyes. Do not get in eyes or on skin. Do not breathe fumes. Avoid prolonged exposure to fumes.

Wear a mask or respirator of a type passed by the U. S. Bureau of Mines for DDVP (VAPONA\* insecticide).

Wear natural rubber gloves, protective clothing and goggles when handling the concentrate to prepare emulsions. Keep all unprotected persons out of operational area. In case of contact, wash immediately with soap and water. Wash hands, arms and face thoroughly with soap and water before eating or smoking. Wash all contaminated clothing with soap and hot water before re-use.

**INTERNAL:** If the material has been swallowed induce vomiting immediately. This may be done by introducing a finger into the throat or by giving warm salt water (1 tablespoon of salt to a glass of water). NEVER GIVE ANYTHING BY MOUTH TO AN UNCONSCIOUS PERSON.

**EXTERNAL:** If the material has been spilled on the skin, immediately remove the patient from the vicinity of the insecticide, remove all contaminated clothing, and wash skin with soap and running water. If the material gets into the eyes, wash immediately with running water for at least ten minutes.

**ANTIDOTE:** Atropine is the emergency antidote for VAPONA insecticide poisoning. 2-PAM is also antidotal and may be used in conjunction with but must not be substituted for atropine. Consult your physician about obtaining an adequate supply of 1/100 grain Atropine tablets for emergency use. CALL A PHYSICIAN IMMEDIATELY IN ALL CASES OF SUSPECTED POISONING.

If symptoms of poisoning appear, use artificial respiration, preferably by mechanical means.

Lot No.

\*Shell registered trademark


EPA Reg. No. 1183-15-AA

Distributed By



**Elanco Products Company**  
*A Division of Eli Lilly and Company*  
 Indianapolis, Ind. 46206, U.S.A.

YS 1026 AMX



**DANGER—POISON**  
 Keep out of reach of children; read both side panels for antidote statement, warnings, and contraindications.

Net Contents 1 Gallon

NO 0181-01G

CORVEL

**FLYTE™ DIP**

emulsifiable concentrate tick killer

**FOR USE BY VETERINARIANS ONLY**

**DIRECTIONS:** FOR FLEAS, LICE AND TICKS ON DOGS  
 Use two ounces of concentrate to a gallon of water. Mix well. Sprinkle, pour or sponge on animal until wet. Animal should be only dried naturally.

FOR TICKS, FLEAS, FLIES, ROACHES OR ANTS IN KENNELS. Use five ounces of concentrate per gallon of water. Mix well. Remove animals from area to be treated. Sprinkle or use wet spray on outside runways, stables, barns and on window sills. For use inside buildings use wet spray. Spray walls and floors. Open windows and allow to air before reoccupying. Keep animals out of area for one hour, or until dry. Do not use in food processing plants.

**CONTRAINDICATIONS:** Do not apply heat to dry animal. Provide adequate ventilation for animal following use. Do not use on cats. Do not use on animals more frequently than once a week. Dipping with organophosphorous insecticides is not advisable if animal is under treatment with oral phosphate materials.

**NOTE:** Do not use, pour, spill, or store near heat or open flame. Destroy container when empty; do not re-use.

Do not contaminate feed or foodstuffs. Wash or cover food handling equipment. Do not contaminate milk or milking equipment.

**ACCEPTED**

DEC 14 1972

FUNGICIDE AND RODENTICIDE  
 FOR ECONOMIC PEST CONTROL  
 REGISTERED UNDER NO. 1183-15

## KILLS RESISTANT TICKS AND FLEAS ON DOGS

### Active Ingredients:

Ronnel <i>O,O</i> -dimethyl <i>O</i> -(2,4,5-trichlorophenyl) phosphorothioate .....	5.00%
2,2-dichlorovinyl dimethyl phosphate .....	4.65%
Related Compounds .....	0.35%
Xylene .....	75.00%
Inert Ingredients .....	15.00%

**DANGER:** May be fatal if swallowed, inhaled or absorbed through skin or eyes. Do not get in eyes or on skin. Do not breathe fumes. Avoid prolonged exposure to fumes.

Wear a mask or respirator of a type passed by the U. S. Bureau of Mines for DDVP (VAPONA\* insecticide).

Wear natural rubber gloves, protective clothing and goggles when handling the concentrate to prepare emulsions. Keep all unprotected persons out of operational area. In case of contact, wash immediately with soap and water. Wash hands, arms and face thoroughly with soap and water before eating or smoking. Wash all contaminated clothing with soap and hot water before re-use.

**INTERNAL:** If the material has been swallowed induce vomiting immediately. This may be done by introducing a finger into the throat or by giving warm salt water (1 tablespoon of salt to a glass of water). NEVER GIVE ANYTHING BY MOUTH TO AN UNCONSCIOUS PERSON.

**EXTERNAL:** If the material has been spilled on the skin, immediately remove the patient from the vicinity of the insecticide, remove all contaminated clothing, and wash skin with soap and running water. If the material gets into the eyes, wash immediately with running water for at least ten minutes.

**ANTIDOTE:** Atropine is the emergency antidote for VAPONA insecticide poisoning. 2-PAM is also antidotal and may be used in conjunction with but must not be substituted for atropine. Consult your physician about obtaining an adequate supply of 1/100 grain Atropine tablets for emergency use. CALL A PHYSICIAN IMMEDIATELY IN ALL CASES OF SUSPECTED POISONING.

If symptoms of poisoning appear, use artificial respiration, preferably by mechanical means.

Lot No.

\*Shell registered trademark

EPA Reg. No. 1183-15-AA

Distributed By



**Elanco Products Company**  
*A Division of Eli Lilly and Company*  
 Indianapolis, Ind. 46206, U.S.A.

YS 1024 AMX



**DANGER—POISON**  
 Keep out of reach of children; read both side panels for antidote statement, warnings, and contraindications.

Net Contents 1 Gallon

NO 0181-01G

CORVEL

**FLYTE™ DIP**  
 emulsifiable concentrate tick killer

### FOR USE BY VETERINARIANS ONLY

**DIRECTIONS:** FOR FLEAS, LICE AND TICKS ON DOGS. Use two ounces of concentrate to a gallon of water. Mix well. Sprinkle, pour or sponge on animal until wet. Animal should be only dried naturally.

**FOR TICKS, FLEAS, FLIES, ROACHES OR ANTS IN KENNELS.** Use five ounces of concentrate per gallon of water. Mix well. Remove animals from area to be treated. Sprinkle or use wet spray on outside runways, stables, barns and on window sills. For use inside buildings use wet spray. Spray walls and floors. Open windows and allow to air before reoccupying. Keep animals out of area for one hour, or until dry. Do not use in food processing plants.

**CONTRAINDICATIONS:** Do not apply heat to dry animal. Provide adequate ventilation for animal following use. Do not use on cats. Do not use on animals more frequently than once a week. Dipping with organophosphorous insecticides is not advisable if animal is under treatment with oral phosphate materials.

**NOTE:** Destroy container when empty; do not re-use. Do not contaminate feed or foodstuffs. Wash or cover food handling equipment. Do not contaminate milk or milking equipment.

Do not use, pour, spill, or store near heat or open flame.

**ACCEPTED**

SEP 21 1972

UNDER THE FEDERAL INSECTICIDE  
 FUNGICIDE AND RODENTICIDE ACT  
 FOR ECONOMIC POISON REGISTER.