

LETHALAIRE[®]

V-24

**A HI-PRESSURE
AEROSOL
INSECT KILLER**

**KILLS FLIES, MOSQUITOES, WASPS, GNATS,
and certain other Insects.**

ACTIVE INGREDIENTS

| | |
|--|-------|
| Pyrethrins | 0.5% |
| *Technical piperonyl butoxide | 1.0% |
| N-Octyl bicycloheptene dicarboximide | 1.0% |
| Petroleum distillates | 12.5% |
| *Equivalent to 0.8% (butylcarbityl) (6-propylpiperonyl) ether and 0.2% of other related compounds. | |

INERT INGREDIENTS85.0%

**NET WEIGHT—5 POUNDS
KEEP OUT OF REACH OF CHILDREN
CAUTION**

This **NON-REFILLABLE** cylinder contains a liquid under pressure. Do not drop the container or expose it to temperatures higher than 135°F. Discard in a safe place when empty. Do not throw in an incinerator.


- Do not spray directly on food or utensils.
- Do not use this product in any room where live fish or other aquatic or cold blooded life is kept.
- Use in food processing plants only when plant is not in operation. All food processing surfaces should be covered or thoroughly cleaned before using. Food should be removed or protected.

**VIRGINIA CHEMICALS INC.
PORTSMOUTH, VIRGINIA**

**How To Assemble And Operate The
LETHALAIRE V-24
CONTAINER—APPLICATOR**

**How To Assemble And Operate The Package
And Applicator Valve Assembly "C"**

- (1) Remove cap (A) from cylinder spud (B).
- (2) Be sure Applicator Valve is closed.
- (3) Insert Applicator Valve Assembly "C" in cylinder spud (B) and screw down hand tight.
- (4) **DO NOT USE CYLINDER IN INVERTED POSITION.**
- (5) Keep handwheel (D) in upward position.
- (6) One half turn releases flow.
- (7) After container is empty, remove Applicator Valve "C" for reuse.



416 15 January 1960
Certified for use as an article of stores on board vessels. This certification covers only hazard in the use of this product. The efficiency of this product is not passed upon.
U. S. COAST GUARD

LOT NO.

LETHALAIRE V-24 IS NON-FLAMMABLE

1187-49
11/15/1971

HOW TO APPLY **LETHALAIRE V-24**

LETHALAIRE V-24 is effective against flies, mosquitoes, wasps, gnats and other insects listed below when used as directed.

FLIES, MOSQUITOES, WASPS, GNATS: Ascertain cubic feet of space to be treated. Close doors and windows. Pointing nozzle upward, direct the aerosol mist to all parts of the room, especially windows and other light sources which attract these insects. Keep nozzle in constant motion at least 36 inches from fabrics. Apply for 2 seconds per 1,000 cu. ft. of space. Spraying closer than 36 inches or longer than indicated may cause stains on fabrics, furs and other materials. Keep room closed 15 minutes after each treatment.

FLYING ADULT MOTHS: Ascertain cubic feet of space to be treated. Treat all suspected areas by arranging clothing and other articles so that the foggy mist can circulate freely around them. Keep the nozzle in constant motion at least 36 inches away from the articles. Apply for 2 seconds per 1,000 cubic feet of space and close the treated area for 45 minutes or more. Spraying closer or longer than as directed above, or more often than bi-weekly, may cause stains on fabrics, furs and other materials. Lethalaire V-24 is not a moth proofing agent and will not destroy uncontacted adult moths.

SILVERFISH, ANTS, ROACHES and CRICKETS: Ascertain square feet of space to be treated. Open all doors, cabinets, closets, etc. Direct the mist toward insects, into cracks, crevices, and trails, on door sills and window frames. For initial cleanup, apply for 10-15 seconds per 100 square feet of floor space. Follow up with periodic applications as a space aerosol at 3 to 5 seconds per 1,000 cu. ft. of space. Close room for one hour. Repeat treatment as necessary. Do not spray directly on clothes, fabrics or other materials.

STORED PRODUCT INSECTS (Accessible Stages)

(1) Such as **FLOUR BEETLES AND WEEVILS**—Direct treatment toward insects into cracks, crevices, around machinery, around containers of stored products and other areas that may harbor insects. Hit as many insects as possible. A minimum dosage of 10-15 seconds treating time per 100 sq. ft. of floor space is recommended, leaving treated area tightly closed for at least 45 minutes. Repeat treatment as required. (2) Such as **INDIAN MEAL (CHOCOLATE) and FLOUR MOTHS**—Close doors and windows. Direct aerosol to all parts of the room, especially into dark enclosures and around stored product containers, etc., where adult moths may be resting. Use a minimum dosage of 6 to 8 seconds treating time per 1,000 cu. ft. of space. Leave treated area closed 30 minutes. Repeat treatment weekly or as other flying moths appear.

ACCEPTED
NOV 15 1971
UNDER THE FEDERAL INSECTICIDE
FUNGICIDE AND RODENTICIDE ACT
FOR ECONOMIC POISON REGISTER
ED UNDER NO. 727-49 SUBJECT
TO ATTACHED COMMENTS