



**COMPANY
NUMBER** 1187-

**PRODUCT
SERIAL NO.** 50

**LABEL
APPROVAL
DATE** 1-29-82



with spray-any-way valve

NET WT. 1 LB. 14 OZ. (850 GRAMS)

**KILLS: FLIES, MOSQUITOES, WASPS,
GNATS, SMALL FLYING MOTHS, ANTS,
ROACHES, SILVERFISH, CRICKETS, FLEAS**

ACTIVE INGREDIENTS:

Pyrethrins	0.5%
Piperonyl butoxide*, technical	1.0%
N-Octyl bicycloheptene dicarboximide	1.0%
Petroleum distillates	12.5%

INERT INGREDIENTS: 85.0%

*Equivalent to 0.8% (butylcarbityl) (6-propylpiperonyl) ether and 0.2% of other related compounds

**KEEP OUT OF REACH OF CHILDREN
CAUTION**

See Side Panel for Additional Cautions

VIRGINIA CHEMICALS INC.
PORTSMOUTH, VIRGINIA 23703

EPA Reg. No. 1187- 50

EPA Est. 1187-VA-1

DIRECTIONS FOR USE

It is a violation of federal law to use this product in a manner inconsistent with these directions. Use in homes, motels, hotels, food plants, canneries, bakeries, dairies, restaurants, cafeterias, diners, grocery stores, schools, hospitals, kennels, etc.

FLIES, MOSQUITOES, GNATS, WASPS, AND SMALL FLYING MOTHS: Close doors and windows. Point nozzle directly at insects. Direct the aerosol mist to all parts of the room, especially around windows and light sources which attract these insects. Keep nozzle in continuous motion, spraying from a distance of 12 to 18 inches from fabrics. Apply for two seconds per 1000 cubic feet of space. Do not remain in treated area for fifteen minutes after each treatment. Do not remain in treated area after treatment is completed. Sweep up and destroy fallen insects, if necessary.

OUT OF DOORS: For temporary protection from mosquitoes and flies, spray ground and weeds and brambles around the area. Do not spray on plants. Frequent repeated applications may be necessary.

SILVERFISH, ANTS, ROACHES, AND CRICKETS: Ascertain square feet of space to be treated. Open all doors, cabinets, closets, etc. Direct the mist toward crevices, and trails, on door sills and window frames. For initial clean-up, spray for 3 to 5 seconds per 100 square feet of floor space. Follow up with periodic applications of aerosol at 3 to 5 seconds per 1,000 cu. ft. of space. Close room for treatment as necessary. Do not spray directly on clothes, fabrics or drapery.

FLEAS: Thoroughly spray infested areas, pet beds, resting quarters, etc. Direct the mist toward crevices, along and behind baseboards, moldings, window and door frames, areas of floor and floor covering. Fresh bedding should be placed following treatment. Concurrent treatment of animals with an approved flea treatment is recommended. Repeat treatment as needed.

**STORED PRODUCT INSECTS
(accessible stages)**

FLYING MEDITERRANEAN FLOUR MOTHS, INDIAN MEAL (CHORISTOMYIA) MOths, and ANGIOUOUS GRAIN MOTHS: Close doors and windows. Direct aerosol into the room, especially into dark enclosures and around product containers. Moths may be resting. Use a minimum treatment of six to eight seconds per 100 square feet of space. Keep area closed for 30 minutes after each treatment. Repeat treatment weekly or as flying moths appear. Infested stored food products should be treated with an approved product.

CONFUSED FLOUR BEETLES, RICE WEEVILS AND GRAHAR BEETLES: Direct treatment toward insects into cracks, crevices, around machinery, etc. Do not spray stored products and other areas that may harbor insects. Hit as many insects as possible. A minimum dosage of 10-15 seconds treating time per 100 sq. ft. is recommended. Leaving treated area tightly closed for at least 30 minutes after treatment as required.

STORAGE AND DISPOSAL

Storage: Do not use or store near heat or open flame.

Disposal: Do not reuse empty container. Wrap container and put in trash.

**PRECAUTIONARY STATEMENT
HAZARD TO HUMANS AND DOMESTIC ANIMALS
CAUTION**

Harmful if swallowed or absorbed through skin. Avoid breathing vapors. Avoid contact with skin and eyes. In case of contact, immediately flush with plenty of water. Obtain medical attention if irritation persists.

Do not apply directly to food. In commercial food handling facilities, food and food processing equipment during application. Do not use in food processing plants, wash all equipment, benches, shelving, etc. will be handled, with potable water. In the home, all food processing equipment should be covered during treatment, or thoroughly washed before use.

Remove pets, birds and cover fish aquariums before spraying.

PHYSICAL OR CHEMICAL HAZARD

Contents under pressure. Do not puncture or incinerate container. Temperatures above 130°F may cause bursting.