

PREPARATION OF AREAS TO BE TREATED: Clean out any debris prior to treatment. Place can upright in center of area to be treated. During application and while releasing contents, use a mask or respirator of a type approved by U. S. Bureau of Mines for DDVP insecticide protection. Shut off all air conditioners and fans before using.

All occupants must be removed from house or building before treatment is started and should not reoccupy building or treated area for at least two hours. Open doors and windows and allow to be ventilated before occupying. Unwrapped or unpackaged foods should be removed during treatment.

Use in edible products areas of food processing plants only when plant is shut down. Food handling equipment, dishes or other equipment which contact foods should be covered with paper or washed after application. Do not contaminate water, food or foodstuffs. Remove all pots. Cover fish tanks or remove. Cover house plants, within eight feet of point of release, with newspaper to prevent possible burning of the plants.


DIRECTIONS FOR USE:

Use one 6 ounce can for each unobstructed closed area of 6,000 cubic feet, but not less than 4,000 cubic feet.

Place canister on table or elevation in center of area to be treated or near point of greatest infestation. Place newspaper under canister. Push lock-open nozzle to side with thumb and lock on canister top with forefinger. Use one or more canisters in combination of 6 ounce sizes to give best distribution of vapors where free flow of mist is not assured.

27-293 1173

NET WT. 6 OZ.
(170 GRAMS)



Contains DDVP, VAPONA* Insecticide

For use in Empty Trucks, Railroad Cars, Warehouses, Restaurants, Theaters, Food Processing Plants, Industrial Plants and Households.

Kills flies, mosquitoes, wasps, gnats, flying moths and other small flying insects, ants, spiders, and exposed cockroaches and silverfish.

DANGER

KEEP OUT OF REACH OF CHILDREN

POISON




See antidote statement and other cautions on side panel.



ACTIVE INGREDIENTS: 2,2-Dichlorovinyl Dimethyl Phosphate (DDVP) 2.74%, Related Compounds 0.21%

INERT INGREDIENTS: 97.05%
*Equivalent to 2.95% Vapona Insecticide

EPA Reg. No. 1187-63
VIRGINIA CHEMICALS INC., FORTSMOUTH, VA.



WARNING: V-Eight is poisonous if swallowed, inhaled or absorbed through skin or eyes. Do not get on skin or eyes. Do not breathe fumes. Avoid prolonged exposure to fumes. Wear natural rubber gloves, protective clothing and goggles when handling the V-Eight. Wear a full-face mask of a type approved by U. S. Bureau of Mines for DDVP (VAPONA insecticide) protection. Keep all unprotected persons out of operational area and ventilate thoroughly before reentering. Do not contaminate food, water or foodstuffs. If swallowed, induce vomiting immediately and get medical attention. Atropine is antidotal.

Always wash hands, arms and face thoroughly with soap and water after handling and before eating or smoking. Wash all contaminated clothing with soap and hot water before reuse. **WARNING:** Contents under pressure. Never puncture container or throw into fire or incinerator. Do not store above 120° F. near radiator or other source of heat.

DISPOSAL OF CONTAINERS: After using, shake can to insure that no material is left in container. Completely empty container by removing to an open air area away from pets and animals. Pointing orifice away from body, carefully press release button until no more vapor escapes. Bury can 18 inches deep in an isolated location away from water supplies.

NOTICE: For use by Pest Control operators or other trained personnel only.

*Shell Reg. T.M.

