

DIRECTIONS FOR APPLYING LETHALAIRE A-20

IMPORTANT — First read the precautions printed on Right Panel of Label.

ENTOMOLOGICAL RECOMMENDATIONS: When applied as an aerosol, LETHALAIRE A-20 is recommended for use against adult moths and accessible stages of certain stored product insects, flies, flour moths, grain moths, mosquitoes, wasps, gnats and other flying insects, when used as directed.

LETHALAIRE A-20 applied as an aerosol in warehouses and factory areas kills by contact. Therefore, all treated areas should be kept closed for a period of 30 minutes. Repeat treatment as required.

FOOD PROCESSING PLANTS: Use this product as a space spray in food processing plants only when plant is not in operation. All food processing surfaces should be covered or thoroughly cleaned before using.

PREPARATION OF FACTORY AND/OR WAREHOUSE AREAS: The preparation of factory or warehouse areas is based primarily on the number of cubic feet of area to be treated. Several LETHALAIRE A-20 units can be mounted and wired in series. This enables two or more units to be activated simultaneously through the use of a single electrical switch.

TREATMENT OF FACTORY AND/OR WAREHOUSE AREAS: The number of units is based on an application rate of 1.5 grams of LETHALAIRE A-20 per 1000 cubic feet. This 10 pound cylinder will treat an area of 50,000 cubic feet for a period of 60 days, when actuated at one application per day.

Treated areas should not be opened for a period of 30 minutes or until aerosol particles have settled.

Seller makes no warranty, expressed or implied, concerning the use of this product other than indicated on the label. Buyer assumes all risk of use and/or handling of this material when such use and/or handling is contrary to label instructions.

LOT NO.

This cylinder contains a liquid under pressure. An operating temperature of 70°-75°F. is recommended for best results. Do not drop the container or expose it to temperature higher than 135°F.




AN AEROSOL INSECTICIDE WITH

PYRETHRINS

and

PIPERONYL BUTOXIDE



ACTIVE INGREDIENTS

| | |
|---|-------|
| Pyrethrins | 0.5% |
| *Technical piperonyl butoxide | 4.0% |
| Petroleum hydrocarbon base | 12.5% |
| *Equivalent to 3.2% (butylcarbityl) (6-propylpiperonyl) ether and 0.8% of other related compounds | |

INERT INGREDIENTS

| | |
|-------------|--------|
| Total | 83.0% |
| | 100.0% |

CAUTION

KEEP OUT OF REACH OF CHILDREN

- Do not spray directly on food or utensils.
- Do not use this product in any room where live fish or other aquatic or cold blooded life is kept.
- Use this product as a space spray in food processing plants only when plant is not in operation.
- All food processing surfaces should be covered or thoroughly cleaned before using.
- Vacate area before beginning treatment.

NET WT. 10 LBS.

A Product Of

VIRGINIA CHEMICALS INC.

Portsmouth, Virginia 23703

ACCEPTED