

VIRMIST Concentrated Aerosol Insect Killer contains a highly effective insecticide formulation specifically designed for use in the VIRMIST automatic aerosol dispenser around:

FOOD HANDLING ESTABLISHMENTS, RESTAURANTS, STORES, DAIRIES, BARNS, HOTELS, MOTELS, HOSPITALS, WINERIES, CANNERIES, BREWERIES, FOOD PROCESSING PLANTS, INSTITUTIONS, and SCHOOLS

where

FLIES, MOSQUITOES, GNATS AND MOTHS

are an annoyance.

Active Ingredients:

Pyrethrins 1.07%
Technical Piperonyl
Butoxide* 2.14%
n-Octyl bicycloheptene
dicarboximide 2.14%
Petroleum Hydrocarbons 11.60%

Inert Ingredients 83.05%

*Equivalent to 1.71% (butylcarbityl) (6-propylpiperonyl) ether and 0.43% related compounds

Contents under pressure. Do not use above 120° F.

Do not use or store near heat or open flame.

Do not puncture or incinerate container.

Do not install directly over any food handling or dispensing area.

Do not use in nurseries or rooms where infants, ill or aged persons are confined.

U.S.D.A. Reg. No. 1187-93 D27 Form 143



CONCENTRATED AEROSOL

CAUTION: KEEP OUT OF THE REACH OF CHILDREN

SEE SIDE PANEL FOR ADDITIONAL CAUTIONS

NET WEIGHT 20 OZ. (1 lb., 4 oz.)

VIRGINIA CHEMICALS INC., PORTSMOUTH, VA. 23703

FOR USE IN VIRMIST DISPENSER:

One VIRMIST unit should usually be installed for each 8,000 cubic feet of space to be treated. Such factors as air flow rate, size of space treated, humidity and room temperature all effect insect activity and control. The simple adjustments built into each VIRMIST unit provide considerable flexibility so that units can be individually preset to provide optimum control according to the needs and conditions present in the space to be treated.

Under normal conditions a maximum dosage of 8 seconds treating time per 8,000 cubic feet of space (1 second per 1,000 cu. ft.) applied twice daily at the rate of about 0.5 grams per second during periods of least activity will provide optimum effective flying insect control without annoyance to customers or employees. The effectiveness of VIRMIST Insect Killer will be noticed within 15 minutes after each treatment and will persist for a considerable period thereafter.

This 20 oz. can of VIRMIST Insect Killer contains sufficient insecticide to effectively treat a space of 8,000 cubic feet twice daily at the recommended dosage rate for 60 days.